

Pole

02 - Floor to Floor - 4 Sections

Series
Pole

Product
02 - Floor to Floor - 4 Sections

Dimensions

	A	B
Min.	92in / 234cm	78in / 192cm
Preferred	97in / 246cm	76in / 193cm
Max.	102in / 259cm	95in / 190cm

Weight
78.4lb/35.6kg


Materials
Aluminum, steel, silicone

Metal Finishes
Black

Bases
(x2) L 5.1in/13cm x W 5.1in/13cm x H 9.9in/25.1cm cylindrical bases in matching metal finish (appx. 35lbs)

Certifications
UL, cUL (120V)
CE (240V)

120V/240V Illumination
Integrated LED
Wattage: 7.2 Watts
Lumens: 400 Lumens
Color Temperature: 2700K, 90CRI
LED Lifetime: 70,000 Hours
Dimming: Not available
Universal Wall Plug Power Supply
Interchangeable AC Adaptors (Australian type, U.K. type, European type, U.S. type)



Pole

02 - Floor to Floor - 5 Sections

Series
Pole

Materials
Aluminum, steel, silicone

120V/240V Illumination
Integrated LED

Product
02 - Floor to Floor - 5 Sections

Metal Finishes
Black

Wattage: 9 Watts
 Lumens: 500 Lumens
 Color Temperature: 2700K, 90CRI
 LED Lifetime: 70,000 Hours
 Dimming: Not available
 Universal Wall Plug Power Supply
 Interchangeable AC Adaptors (Australian type, U.K. type, European type, U.S. type)


Dimensions

	A	B
Min.	115in / 292cm	88in / 224cm
Preferred	125in / 317cm	91in / 231cm
Max.	136in / 345cm	95in / 241cm

Bases
 (x2) L 5.1in/13cm x W 5.1in/13cm x H 9.9in/25.1cm cylindrical bases in matching metal finish (appx. 35lbs)

Certifications
 UL, cUL (120V)
 CE (240V)

Weight
 79lb/35.8kg



Pole

02 - Floor to Floor - 6 Sections

Series
Pole

Materials
Aluminum, steel, silicone

120V/240V Illumination
Integrated LED

Product
02 - Floor to Floor - 6 Sections

Metal Finishes
Black

Wattage: 10.8 Watts
 Lumens: 600 Lumens
 Color Temperature: 2700K, 90CRI
 LED Lifetime: 70,000 Hours
 Dimming: Not available
 Universal Wall Plug Power Supply
 Interchangeable AC Adaptors (Australian type, U.K. type, European type, U.S. type)


Dimensions

	A	B
Min.	140in / 356cm	112in / 284cm
Preferred	157in / 399cm	106in / 269cm
Max.	175in / 445cm	100in / 254cm

Bases
 (x2) L 5.1in/13cm x W 5.1in/13cm x H 9.9in/25.1cm cylindrical bases in matching metal finish (appx. 35lbs)

Certifications
 UL, cUL (120V)
 CE (240V)

Weight
79.6lb/36.1kg



Pole

02 - Floor to Floor - 7 Sections

Series
Pole

Materials
Aluminum, steel, silicone

120V/240V Illumination
Integrated LED

Product
02 - Floor to Floor - 7 Sections

Metal Finishes
Black

Wattage: 12.8 Watts
 Lumens: 700 Lumens
 Color Temperature: 2700K, 90CRI
 LED Lifetime: 70,000 Hours
 Dimming: Not available
 Universal Wall Plug Power Supply
 Interchangeable AC Adaptors (Australian type, U.K. type, European type, U.S. type)


Dimensions

	A	B
Min.	170in / 432cm	128in / 325cm
Preferred	191in / 485cm	119in / 302cm
Max.	212in / 538cm	110in / 279cm

Bases
 (x2) L 5.1in/13cm x W 5.1in/13cm x H 9.9in/25.1cm cylindrical bases in matching metal finish (appx. 35lbs)

Certifications
 UL, cUL (120V)
 CE (240V)

Weight
 80.2lb/36.4kg



Pole

02 - Floor to Floor - 8 Sections

Series
Pole

Materials
Aluminum, steel, silicone

120V/240V Illumination
Integrated LED

Product
02 - Floor to Floor - 8 Sections

Metal Finishes
Black

Wattage: 14.4 Watts
 Lumens: 800 Lumens
 Color Temperature: 2700K, 90CRI
 LED Lifetime: 70,000 Hours
 Dimming: Not available
 Universal Wall Plug Power Supply
 Interchangeable AC Adaptors (Australian type, U.K. type, European type, U.S. type)

Dimensions

	A	B
Min.	195in / 495cm	143in / 363cm
Preferred	222in / 564cm	132in / 335cm
Max.	250in / 635cm	121in / 307cm

Bases
 (x2) L 5.1in/13cm x W 5.1in/13cm x H 9.9in/25.1cm cylindrical bases in matching metal finish (appx. 35lbs)

Certifications
 UL, cUL (120V)

Weight
 80.8lb/36.6kg