


BALLOON

Pendant

Table stand

“BALLOON lamps has a new approach on both structurally and aesthetically. If you are looking for a simple beautiful lamp that differentiates itself from an existing lamp, try the BALLOON lamp. The lamp can also simply be placed on any table or shelf to bring life to the space.”

design by
studio-word



A G O

BALLOON can be a lamp that can bring life to the space with it's bold, playful yet well defined silhouette. BALLOON can be hung on the ceiling or placed on the table which gives the freedom to brighten both modern home and commercial space.

Collection
BALLOON

Model
Pendant


Type
Suspended

Designer
Studio-word

A



Size(mm)



Weight : 1.9 kg

Material : Coated Steel,
Matt Opal glass

Light source : Integrated LED (SMD), AC

Watt : 8 W

CRI : >90

Dimmable : Yes

Power control : Triac dimming compatible

Voltage : 120 V

Color temperature : 2700 / 3000 K

Ingress protection rating : IP 20

Class : Class I

Cable lengths : 3 m

Ceiling cup/Bracket : INCL.

Ceiling cup dim. : Ø 90, H 40 mm

Junction box plate : 3, 4 inch available

Regional certification : UL

Color : Egg white

Item no.
BLPD0204-A02

G



Color : Charcoal

Item no.
BLPD0204-A01



Color : Green

Item no.
BLPD0204-A04



Color : Mud gray

Item no.
BLPD0204-A17



Color : Brick red

Item no.
BLPD0204-A15



Color : Mustard

Item no.
BLPD0204-A14



Color : Dark blue

Item no.
BLPD0204-A16



AGO lighting

04545 서울특별시
중구 을지로 157 554호

No.554, Euljiro 157, 04545
Jung-gu, Seoul, Korea

+82 02 2268 0568
www.agolighting.com

Collection
BALLOON


Model
Table stand

Type
Free standing

Designer
Studio-word

A

Size(mm)



Weight : 1.7 kg

Material : Coated Steel,
Matt Opal glass

Light source : Integrated LED (SMD), DC

Watt : 7 W

Color temperature : 3000 K

CRI : >90

Dimmable : Yes

Power control : Inline dimming switch (0.4 ~ 7 W)

Voltage : 120 V

Color temperature : 2700 / 3000 K

Ingress protection rating : IP 20

Class : Class II

Cable lengths : 1.8 m

Power adaptor : 5 V 3 A adaptor (INCL.)

Regional certification : UL

Color : Egg white

Item no.
BLST0206-A02

G



Color : Charcoal

Item no.
BLST0206-A01



Color : Green

Item no.
BLST0206-A04




Color : Mud gray

Item no.
BLST0206-A17



Color : Brick red

Item no.
BLST0206-A15



Color : Mustard

Item no.
BLST0206-A14



Color : Dark blue

Item no.
BLST0206-A16

O

AGO lighting


04545 서울특별시
중구 을지로 157 554호

No.554, Euljiro 157, 04545
Jung-gu, Seoul, Korea

+82 02 2268 0568
www.agolighting.com

A

Installation instruction



G





A

G

O