



Marc Dos W 250

By
David Abad

Arquitectural
Lighting

Collections

Description

A collection of LED lamps composed of suspension (S) and wall (W) versions, made of aluminium and with an opal polycarbonate diffuser. They emit direct (1L) or indirect (1L) light, or both (2L). Available in various finishes: matte grey, satin white, satin black, or oak laminate. A version featuring two “on” settings and a dimmer version are also available. Other measurements, finishes and an emergency kit are optional.

Technical Description				Packaging	
Degree of Protection	IP20	Regulation	1-10V	Net Weight per Item	--
Class	III	Light type	LED	Box Sizes	14X10X182 - 0.025 m3
Adjustable	DIM	Light source included	No	Gross Weight	7 Kg
Casambi	Bluetooth	Energy classification	-		
Certifications	CE ENEC UL LISTED				

Finishes

SHADE

Black

Natural Oak

White

Grey

Collection

Marc Dos S

Marc Dos W

Codes	Luminaire	Light Source
841150DU	MARC DOS W250 1L LED DIM GREY USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841151DU	MARC DOS W250 1L LED DIM WHITE USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841152DU	MARC DOS W250 1L LED DIM BLACK USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841153DU	MARC DOS W250 1L LED DIM OAK USA	LED 43.2W 7514lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841155DU	MARC DOS W250 2L LED DIM GREY USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841156DU	MARC DOS W250 2L LED DIM WHITE USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841157DU	MARC DOS W250 2L LED DIM BLACK USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841158DU	MARC DOS W250 2L LED DIM OAK USA	LED 2 x 43.2W 15028lm 450mA 3000K CRI>=90 110-277V DIM 1-10V

DOWNLOADS



Marc_Dos_W_Assembly_USA.pdf

