1

2

3

CHESTNUT

INSTALLATION MANUAL


LED 700mA 110V - 240V 3000K 4MM 4 x 7.8W LED (Integral) 6MM 6 x 12W LED (Integral) 9MM 9 x 12W LED (Integral) 11MM 11 x 12W LED (Integral)




IMPORTANT

Always shut off power before cleaning and maintanence.

USE TEMPLATE TO MARK WALL WITH HOLE LOCATIONS





ACCORDING TO MOUNTING LAYOUT SHEET

4




All products are manufactured to meet or exceed North American standards C22.2-250, UL 1598, C22.2-12, C22.2.9, UL 153.

All preparation for installation of fixture is to be provided by the end user.


The description and measurements on this drawing are for information purposes only.



ACCORDING TO MOUNTING LAYOUT SHEET



SM/MM/GM ACCORDING TO LAMP LAYOUT SHEET



WIRE TOGETHER WITH CABLES FROM OTHER LAMPS



CHESTNUT

MOUNTING LAYOUT

11MM



IMPORTANT

Always shut off power before cleaning and maintanence.




All products are manufactured to meet or exceed North American standards C22.2-250, UL 1598, C22.2-12, C22.2.9, UL 153.

All preparation for installation of fixture is to be provided by the end user.

The description and measurements on this drawing are for information purposes only.







CHESTNUT

LAMP LAYOUT

11MM



IMPORTANT

Always shut off power before cleaning and maintanence.




All products are manufactured to meet or exceed North American standards C22.2-250, UL 1598, C22.2-12, C22.2.9, UL 153.

All preparation for installation of fixture is to be provided by the end user.

The description and measurements on this drawing are for information purposes only.











HANDLING INSTRUCTIONS

FOR YOUR CONVENIENCE

Please use gloves provided for handling and installation of the light fixture. This will reduce finger prints and scratches, and keep your light shining.

GOLD, SILVER, COPPER AND SMOKE PLATED COLLECTION

This product is made with the highest quality materials. The product has passed through three quality assurance tests.

The silver, gold, copper and smoke plating is achieved through a special process. Pin holes up to 1mm in diameter may appear in the metallization. This is acceptable and is a normal result of the metallization process.

Light bulb replacement

See the assembly installation manual.

TO PROTECT THE ENVIRONMENT AND CONSERVE ENERGY, PLEASE USE ENERGY EFFICIENT BULBS OR LED BULBS.

VISO recommends

PHILIPS







VISO

388 Carlaw Avenue Studio 207 Toronto, ON M4M 2T4 CANADA Phone 1.416.461.8476

visoinc.com info@visoinc.com

CLEANING AND MAINTENANCE VERY IMPORTANT

Do not use any products with ammonia or abrasive cloths as marks and scratches will occur.

Use only polishing liquids for polycarbonate materials. Apply this product with a non-abrasive cloth, preferably microfiber. Follow the product instructions for exterior and interior polishing.

Always use these procedures for cleaning.

VISO WILL NOT ASSUME ANY CLAIM OR COMPLAINT CAUSED BY THE MISUSE OF THIS LAMP. ALTERATION OF ANY ELECTRICAL CABLE OR COMPONENT WILL RENDER THE WARRANTY VOID.

Keep this manual for future reference.

Thank you for choosing VISO products.

All products are manufactured to meet or exceed North American standards C22.-250, UL 1598, C22.2-12, C22.2.9, UL 153.