
# CTQLIGHTING



## ANVERS

+44 (0) 20 7686 8700

ctolighting.co.uk

sales@ctolighting.co.uk



### THE BRAND

CTO Lighting is an exclusive, luxury lighting company, which celebrates contemporary design, premium materials and British craftmanship. Our designs illuminate the interiors of iconic landmarks, commercial developments and prestigious residences around the world.

We hand select the finest materials, which are meticulously crafted into their unique designs, creating iconic and memorable lights. The signature materials of satin brass, bronze, alabaster, mouthblown and handmade glass are combined with design influences from both nature and architecture.

The handmade nature of the products results in truly unique lights, which produce a warm, ambient glow, setting a mood of sophistication and elegance.


There is a longevity to CTO Lighting products; the design and manufacturing process is always carefully considered and is timeless beyond trends. Lights can be selected from the CTO Lighting collection, or may be customised for your individual requirements.



collection, from CTO Lighting, is inspired by Antwerp, a city and region of refined Flemish beauty and elegance.

Renowned for its classical architecture and understated luxury, Antwerp is a cultural gem, reflected in the Anvers collection of lighting, which bears its name.






Inspired by the linear plains of the Flemish landscape, the Anvers collection embodies the low-lying profile of the terrain with its refined silhouette, whilst creating maximum impact through its exquisite disc of natural alabaster stone.



Each piece is backlit by a fully dimmable integrated LED, creating an ambient glow, whilst illuminating a room with a soft, warm elegance, a signature CTO attribute.







The Anvers collection is versatile, featuring various size options in both pendants and mounted ceiling or wall lights. Each light can standalone, creating a dramatic illumination, or can be assembled in multiples, creating a truly unique and striking lighting installation.






The various formats within the collection allow for a balance of proportion in a room; the ceiling mounted lights produce a dramatic feature without the necessity of height.





The translucent disc of honed alabaster is encased within solid brass, creating a pure and elegant piece. The natural striations within the alabaster, produce an individual and distinctive feature.



The Anvers and Avalon collections complement each other perfectly in their aesthetic and design, creating the ultimate illumination.

## **MATERIALS & FINISHES**



### ALABASTER STONE


The unique veining of this soft, smooth, sedimentary gypsum rock creates truly unique lighting; some alabaster stone is almost white, whilst others have grey striations. The glow of an alabaster shade is evocative, ensuring a memorable and impressive piece.



# RAW BRASS

A predominant feature on CTO Lighting pieces which is processed by hand, followed by various finishes of satin, antique and polished brass as well as bronze patination creating a unique and

# TECHNICAL SPECIFICATIONS





### ANVERS PENDANT SMALL

CTO-01-029-0001

FINISH Satin Brass with Alabaster Stone

MINIMUM DROP Variable, permitting to scale, according to the space

BULBS 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 3.5kg (7.7 lbs)

DIMENSIONS 195mm (7.7 inch) Dia.

SUSPENSION TYPE Metal Rod

LIGHT SOURCE Integrated LED Trailing edge dimmable

CE

### ANVERS PENDANT SMALL

CTO-01-029-0002

FINISH Bronze with Alabaster Stone

MINIMUM DROP Variable, permitting to scale, according to the space

BULBS 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

WEIGHT 3.5kg (7.7 lbs)

**DIMENSIONS** 195mm (7.7 inch) Dia.

SUSPENSION TYPE Metal Rod



### ANVERS PENDANT MEDIUM

CTO-01-029-0101

FINISH Satin Brass with Alabaster Stone

MINIMUM DROP Variable, permitting to scale, according to the space

BULBS 240V (AC 50Hz) - 16.4w LED 3000K 120V (AC 60Hz) - 16.4w LED 3000K

WEIGHT 5kg (19.8 lbs) **DIMENSIONS** 335mm (13.2 inch) Dia.

SUSPENSION TYPE Metal Rod

LIGHT SOURCE Integrated LED Trailing edge dimmable

CE



CTO-01-029-0102

FINISH Bronze with Alabaster Stone

MINIMUM DROP Variable, permitting to scale, according to the space

BULBS 240V (AC 50Hz) - 16.4w LED 3000K 120V (AC 60Hz) - 16.4w LED 3000K

WEIGHT 5kg (19.8 lbs)



**DIMENSIONS** 335mm (13.2 inch) Dia.

SUSPENSION TYPE Metal Rod



### ANVERS PENDANT LARGE

#### CTO-01-029-0201

#### FINISH Satin Brass with Alabaster Stone

MINIMUM DROP Variable, permitting to scale, according to the space

BULBS 240V (AC 50Hz) - 24w LED 3000K 120V (AC 60Hz) - 24w LED 3000K

**WEIGHT** 25kg (55.11bs)

**DIMENSIONS** 545mm (21.5 inch) Dia.

SUSPENSION TYPE Metal Rod

LIGHT SOURCE Integrated LED Trailing edge dimmable

CE



CTO-01-029-0202

FINISH Bronze with Alabaster Stone

MINIMUM DROP Variable, permitting to scale, according to the space

BULBS 240V (AC 50Hz) - 24w LED 3000K 120V (AC 60Hz) - 24w LED 3000K

WEIGHT 25kg (55.11bs)



**DIMENSIONS** 545mm (21.5 inch) Dia.

SUSPENSION TYPE Metal Rod

LIGHT SOURCE Integrated LED Trailing edge dimmable

CE





### ANVERS WALL SMALL

CTO-07-009-0001

**FINISH** Satin Brass with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 2.5kg (5.5 lbs) DIMENSIONS 195mm (7.7 inch) Dia.

LIGHT SOURCE Integrated LED Trailing edge dimmable



### ANVERS WALL SMALL

CTO-07-009-0002

FINISH Bronze with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 2.5kg (5.5 lbs) **DIMENSIONS** 195mm (7.7 inch) Dia.





### ANVERS WALL MEDIUM

CTO-07-009-0101

FINISH Satin Brass with Alabaster Stone

BULBS 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 7kg (15.4 lbs)

DIMENSIONS 335mm (13.2 inch) Dia.

LIGHT SOURCE Integrated LED Trailing edge dimmable



### ANVERS WALL MEDIUM

CTO-07-009-0102

FINISH Bronze with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

WEIGHT 7kg (15.4 lbs)

# CE

DIMENSIONS 335mm (13.2 inch) Dia.





### ANVERS WALL LARGE

CTO-07-009-0201

FINISH Satin Brass with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 20Kg (44.1lbs) **DIMENSIONS** 545mm (21.5 inch) Dia.

LIGHT SOURCE Integrated LED Trailing edge dimmable



### ANVERS WALL LARGE

CTO-07-009-0202

**FINISH** Bronze with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 20Kg (44.1lbs) **DIMENSIONS** 545mm (21.5 inch) Dia.





### ANVERS CEILING SMALL

CTO-07-009-0001

**FINISH** Satin Brass with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 2.5kg (5.5 lbs) DIMENSIONS 195mm (7.7 inch) Dia.

LIGHT SOURCE Integrated LED Trailing edge dimmable



### ANVERS CEILING SMALL

CTO-07-009-0002

**FINISH** Bronze with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 2.5kg (5.5 lbs)



DIMENSIONS 195mm (7.7 inch) Dia.

LIGHT SOURCE Integrated LED Trailing edge dimmable

# CE





### ANVERS CEILING MEDIUM

CTO-07-009-0101

FINISH Satin Brass with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

WEIGHT 7kg (15.4 lbs) DIMENSIONS 335mm (13.2 inch) Dia.

LIGHT SOURCE Integrated LED Trailing edge dimmable

CE

### ANVERS CEILING MEDIUM

CTO-07-009-0102

FINISH Bronze with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

WEIGHT 7kg (15.4 lbs)

# CE

DIMENSIONS 335mm (13.2 inch) Dia.







#### ANVERS CEILING LARGE

CTO-07-009-0201

**FINISH** Satin Brass with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K

**WEIGHT** 20Kg (44.1lbs) **DIMENSIONS** 545mm (21.5 inch) Dia.

**LIGHT SOURCE** Integrated LED Trailing edge dimmable



### ANVERS CEILING LARGE

CTO-07-009-0202

FINISH Bronze with Alabaster Stone

**BULBS** 240V (AC 50Hz) - 10.5w LED 3000K 120V (AC 60Hz) - 10.5w LED 3000K


**WEIGHT** 20Kg (44.1lbs) **DIMENSIONS** 545mm (21.5 inch) Dia.

**LIGHT SOURCE** Integrated LED Trailing edge dimmable

# CE

### WALL & CEILING ROSE ON REQUEST

Dimensions: Small - 35mm depth 140mm dia Medium- 40mm depth 195mm dia Large - 40mm depth 335mm dia



# WALL & CEILING ATTACHMENTS

Wall and Ceiling Anvers lights are supplied with flat surface mounted attachment as standard fitting, where the driver is placed inside the wall/ceiling cavity.

Alternatively we offer an option of wall/ceiling rose to accommodate varying installation requirements on site where the driver is placed inside of the wall/ceiling rose. CTO-07-009-0251 WALL / CEILING ROSE FOR ANVERS LARGE Satin brass finish

CTO-07-009-0252
WALL / CEILING ROSE FOR ANVERS LARGE

CTO-07-009-0151 WALL / CEILING ROSE FOR ANVERS MEDIUM Satin brass finish

CTO-07-009-0152
WALL / CEILING ROSE FOR ANVERS MEDIUM

CTO-07-009-0051 **WALL / CEILING ROSE FOR ANVERS SMALL** Satin brass finish

CTO-07-009-0052 WALL / CEILING ROSE FOR ANVERS SMALL

### MADE IN ENGLAND