


## LUCID 300 TABLE

Installation Guide



Please handle with care and wear gloves at all times during assembly and installation to avoid damaging components.

## TECHNICAL

**Bulb Holder**  
240v - 1 x E27  
120v - 1 x E26  
(bulbs not supplied)


**Wattage**  
8w - 2700k - LED ONLY

**Weight**  
9kg (19.8lbs)


## PARTS &amp; COMPONENTS

- A. 1 x Alabaster shade
- B. 1 x Table base
- C. 3 x M4x20 countersunk screws

A.



B.



C.




- All nuts and bolts required for the installation will be included in the delivery.




## BEFORE INSTALLATION


- Check that you have all components before starting assembly.
- Assembly must be carried out by a qualified electrician.
- You will need these specific tools for a successful assemble.




1. Fit the bulb (not supplied) to the lamp-holder.



2. Attach the shade to the table base.





3. Secure the shade to the base using the 3 screws supplied.



#### REPLACE BULB

Remove the 3 screws located under the base of the light.

Gently remove the base from the alabaster shade.



## MAINTENANCE

#### Cleaning

Dust using a dry lint-free cloth weekly or as required

#### Repairs

Contact  
CTO Lighting

#### Warranty

Please visit  
[www.ctolighting.co.uk/  
pages/f-a-q](http://www.ctolighting.co.uk/pages/f-a-q)  
for CTO warranty policy

#### Certification



E492309