


## OSCAR FLOOR

Installation Guide



!

Please handle with care and wear gloves at all times during assembly and installation to avoid damaging components.

## TECHNICAL

**Bulb Holder**  
240v - 1 x G9  
120v - 1 x G9  
(bulbs not supplied)


**Wattage**  
25w max halogen  
(or 2.3w LED 2700k)

**Weight**  
9kg (19.8lbs)


## PARTS & COMPONENTS

- A. 1 x Oscar floor base
- B. 1 x Opal glass shade (180mm diam.)

A.



B.



- All nuts and bolts required for the installation will be included in the delivery.




## **BEFORE INSTALLATION**

- Check that you have all components before starting assembly.
- Assembly must be carried out by a qualified electrician.

1. Fit the bulb to the lampholder (not supplied).

Pinch the spring clips inwards and hold, slowly feeding the opal glass shade over the spring clips. Do not release the opal glass shades too quickly.



## MAINTENANCE

### Cleaning

Dust using a dry lint-free cloth weekly or as required

### Repairs

Contact  
CTO Lighting

### Warranty

Please visit  
[www.ctolighting.co.uk/  
pages/f-a-q](http://www.ctolighting.co.uk/pages/f-a-q)  
for CTO warranty policy

### Certification



E492309