

The sizes are expressed in millimeters.

IP 20

19990303	MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
19990403	MATT BLACK - 5 m		
1A0050303	MATT WHITE - 10 m		
1A0050403	MATT BLACK - 10 m		


1A0370003	STANDARD	FIXING ROUGH WALLS - 2,5 m	
-----------	----------	----------------------------	--

19610303	MATT WHITE	TERMINALS BOX WITH 2 TERMINALS INCLUDED	
19610403	MATT BLACK		


1A0030303	MATT WHITE	POWER BASE	
1A0030403	MATT BLACK		

19690003	STANDARD	TERMINALS - 2 PIECES	
----------	----------	----------------------	--


1A0810303	MATT WHITE	POWER BASE - REMOTE VERSION	
1A0810403	MATT BLACK		



WALL AND CEILING ROSE KIT



REMOTE POWER SUPPLY KIT




COMPULSORY POWER SUPPLY FOR ENDLESS ON/OFF SYSTEM - SPOT ENDLESS IOT - DOT ENDLESS IOT


1A0260403	MATT BLACK	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W NOT DIMMABLE	
-----------	------------	---	---


1A1020303	MATT WHITE	WALL AND CEILING ROSE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 NOT DIMMABLE	
-----------	------------	---	---



5T120290	STANDARD	REMOTE POWER SUPPLY KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 NOT DIMMABLE	
----------	----------	---	---

COMPULSORY POWER SUPPLY FOR DIMMING SPOT ENDLESS AND DOT ENDLESS

1A1800403	MATT BLACK	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W DIMMABLE	
-----------	------------	---	---

1A1810303	MATT WHITE	WALL AND CEILING ROSE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 DIMMABLE	
-----------	------------	---	--

1A1820003	STANDARD + CONTROLLER LED	REMOTE POWER SUPPLY KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 CONTROLLER LED - DALI - PUSH - 0/1-10 V DIMMABLE	
-----------	---------------------------	---	---



1A1070303	MATT WHITE	48 V DC - MAX 12,6 W LED MAX 5 SPOT ON ENDLESS COMPULSORY POWER SUPPLY KIT NOT INCLUDED LED MODULE NOT INCLUDED OPTIONAL LED MODULE ACCESSORIES
1A1070403	MATT BLACK	

COMPULSORY ACCESSORIES

50041500	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 3000K - 1350 lm - CRI 90 - DIMMABLE
50041510	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 2700K - 1269 lm - CRI 90 - DIMMABLE
50041350	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 3000K - 1361 lm - CRI 90 - DIMMABLE
50041450	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 2700K - 1281 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES



1A1210003	STANDARD	DARKLIGHT
-----------	----------	-----------



DESIGN DAVIDE GROPPI - 2018
WALL AND CEILING LAMP - METAL

IP 20

SPOT ENDLESS IOT





1A1080303	MATT WHITE	48 V DC - MAX 12,6 W LED MAX 5 SPOT ON ENDLESS DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI COMPULSORY POWER SUPPLY KIT NOT INCLUDED LED MODULE NOT INCLUDED OPTIONAL LED MODULE ACCESSORIES
1A1080403	MATT BLACK	

COMPULSORY ACCESSORIES

50041500	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 3000K - 1350 lm - CRI 90 - DIMMABLE
50041510	LED MODULE 15° SPOT	12,6 W LED (350 mA) - 15° - 2700K - 1269 lm - CRI 90 - DIMMABLE
50041350	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 3000K - 1361 lm - CRI 90 - DIMMABLE
50041450	LED MODULE 24° SPOT	12,6 W LED (350 mA) - 24° - 2700K - 1281 lm - CRI 90 - DIMMABLE

OPTIONAL ACCESSORIES

1A1210003	STANDARD	DARKLIGHT
-----------	----------	-----------



1A0330303	MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED 3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97 MAX 5 DOT ON ENDLESS COMPULSORY POWER SUPPLY KIT NOT INCLUDED COMPULSORY ACCESSORIES NOT INCLUDED
1A0330303-27	MATT WHITE - 2700K	
1A0330403	MATT BLACK - 3000K	
1A0330403-27	MATT BLACK - 2700K	

COMPULSORY ACCESSORIES

1A1640003	LENS NARROW BEAM	DOT ENDLESS LENS
1A1650003	LENS MEDIUM BEAM	





Available on the
App Store

GET IT ON
Google Play

DESIGN DAVIDE GROPPI - 2020
WALL AND CEILING LAMP - METAL

IP 20

DOT ENDLESS IOT



1A1460303	MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED
1A1460303-27	MATT WHITE - 2700K	3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97
1A1460403	MATT BLACK - 3000K	MAX 5 DOT ON ENDLESS
1A1460403-27	MATT BLACK - 2700K	DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		COMPULSORY ACCESSORIES NOT INCLUDED

COMPULSORY ACCESSORIES

1A1640003	LENS NARROW BEAM	DOT ENDLESS LENS
1A1650003	LENS MEDIUM BEAM	