



F A R O  
BARCELONA



**Edition**  
A2026US

**Art direction and design**  
Faro Art

**All Rights Reserved**  
Reproduction without written permission from  
the publisher is strictly prohibited.



Fan collection  
Lighting collection

40  
132




# Fan Collections

## Indoor fans Dry location



L, M  
**Klim**  
42



L  
**Heywood**  
50



L  
**Heywood Tub**  
56



L  
**Rudder 3**  
62



XL, L  
**Cruiser**  
68




M  
**Punt**  
74



M  
**Punt Tub**  
82



M  
**Just Fan**  
86



M  
**Mini Eterfan**  
92



M  
**Typhoon**  
98



M  
**Winche**  
104

## Outdoor fans Damp location



M  
**Marine**  
112



L  
**Outwood**  
118



M  
**Palma**  
126




# Lighting Collections


## Aire

Héctor Serrano

Shade Translucent



**Ceiling**  
P. 148



**Ceiling**  
P. 148



**Ceiling**  
P. 148

## Akane

Pepe Laudet

Shade Beige



**Table**  
P. 222

## Amelia

Héctor Serrano

Structure Matt White

Structure Matt Black



**Table**  
P. 214

## Confetti

Nutcreatives

Shade White & Black



**Ceiling**  
P. 286



**Ceiling**  
P. 286

## Conga

Faro Lab

Shade White

Shade Beige

Shade Black



**Table**  
P. 250



**Table**  
P. 250



**Wall**  
P. 252



**Wall**  
P. 252



**Ceiling**  
P. 252

## Costas

Àlex & Manel Lluscà

● Shade Rattan



Ceiling

P. 294

## Cronos

Faro Lab

● Structure Matt White +  
Textured Black

● Structure Brushed  
Aluminium + Textured Black

● Structure Matt Black +  
Textured Black

● Structure Bronze +  
Textured Black



Wall

P. 320

## Dominica

Faro Lab

● Shade Beige

● Shade Black



Table

P. 180



Floor

P. 180



Wall

P. 182



Wall

P. 182



Wall

P. 182

## Drum

Nahtrang

● Shade Beige

● Shade Grey



Table

P. 226



Floor

P. 226

## Fold

Nutcreatives

● Shade Black



Wall

P. 324

## Guadalupe

Faro Lab

● Shade Beige

● Shade Green



**Table**  
P. 210



**Floor**  
P. 210



**Wall**  
P. 210

## Haka

Faro Lab

● Shade Rattan



**Ceiling**  
P. 306



**Ceiling**  
P. 306



**Ceiling**  
P. 306

## Isabelle

Héctor Serrano

● Shade Opal



**Ceiling**  
P. 282



**Ceiling**  
P. 282



**Ceiling**  
P. 282

## Kombo

Nutcreatives

● Shade Grey

● Shade Beige

● Shade Terracotta



**Ceiling**  
P. 290



**Ceiling**  
P. 290



**Ceiling**  
P. 290

## Lula

Marina Milá

● Structure Matt White

● Structure Matt Black



**Table**  
P. 218

## Lupe

Jordi Busquets

● Shade Beige



**Floor**  
P. 274



**Wall**  
P. 274

**Mambo**  
Faro Lab

● Shade Rattan



**Table**  
P. 236



**Table**  
P. 236



**Wall**  
P. 238



**Wall**  
P. 238



**Ceiling**  
P. 240



**Ceiling**  
P. 240



**Ceiling**  
P. 240

**Mar**  
Héctor Serrano

● Shade Green



**Ceiling**  
P. 144



**Ceiling**  
P. 144



**Ceiling**  
P. 144

**Martinica**  
Faro Lab

● Shade Black

● Shade Blue

● Shade Beige



**Table**  
P. 186



**Floor**  
P. 186



**Wall**  
P. 188



**Wall**  
P. 188

**Nila**

● Shade Off White



**Floor**  
P. 278



**Wall**  
P. 278

**Noon**  
Alegre Design

● Shade Matt White

● Shade Moss grey



**Wall**  
P. 316

**Saipan**  
Faro Lab

● Shade Rattan



**Ceiling**  
P. 298

**Samba**  
Faro Lab

● Shade Beige

● Shade Yellow

● Shade Green



**Table**  
P. 256



**Table**  
P. 256



**Wall**  
P. 258



**Wall**  
P. 258



**Ceiling**  
P. 260



**Ceiling**  
P. 260

**Savoy**  
Isaac Piñeiro

● Shade White

● Shade Black

● Shade Green



**Table**  
P. 268



**Floor**  
P. 268



**Wall**  
P. 270



**Ceiling**  
P. 270

**Stood**  
Lucid Product  
Design

● Shade Cherry Wood



**Table**  
P. 230



**Floor**  
P. 230



**Wall**  
P. 230



**Ceiling**  
P. 232



**Ceiling**  
P. 232

## Studio

Nahtrang

● Shade Black

○ Shade White

● Shade Green

● Shade Blue

● Shade Pink



Ceiling

P. 200

## Sumba


Faro Lab

● Shade Rattan



Table

P. 244



Wall

P. 246



Ceiling

P. 244

## Tatawin

Adolfo Abejón

○ Shade Opal

● Shade Gloss Black

○ Shade Gloss White

● Shade Gloss Black

● Shade Gloss Grayish Blue

● Shade Gloss Reddish Orange

● Shade Gloss Green



Table

P. 156



Floor

P. 158



Wall

P. 160



Wall

P. 162



Ceiling

P. 164



Ceiling

P. 168



Ceiling

P. 172

## Tierra

Héctor Serrano

● Shade Natural



Ceiling

P. 140



Ceiling

P. 140



Ceiling

P. 140

## Tree

Estudi Ribaudí

● Shade Black

○ Shade White



Table

P. 264



Floor

P. 264



Ceiling

P. 264

## Tupai

Faro Lab

● Shade Rattan



**Ceiling**

P. 302

## Venice

Adolfo Abejón

● Shade White

● Shade Gloss Black

● Shade Gloss Pink

|||| Shade White & Gloss Black

● Shade Blue



**Table**

P. 194



**Floor**

P. 194



**Wall**

P. 194



**Ceiling**

P. 196

## Whizz

Christoph Friedrich Wagner

●● Shade Black + Satin Gold

●● Shade Satin Gold + Black

●● Shade Blue + Matt White



**Floor**

P. 310



**Wall**

P. 312



**Ceiling**

P. 312



**Ceiling**

P. 310

## Windsor

Faro Lab

● Shade Grey

● Shade Off White

● Shade Off White



**Table**

P. 204



**Floor**

P. 204



**Wall**

P. 206



**Wall**

P. 206




**Ceiling**


P. 204




## Table




**Tatawin**  
156



**Dominica**  
180



**Martinica**  
186



**Venice**  
194



**Windsor**  
204



**Guadalupe**  
210



**Samba**  
256



**Tree**  
264




**Savoy**  
268

## Floor



**Tatawin**  
158



**Dominica**  
180



**Martinica**  
186



**Venice**  
194




**Windsor**  
204




**Guadalupe**  
210


## Suspended




**Tierra**  
140



**Mar**  
144



**Aire**  
148




**Tatawin**  
164




**Tatawin**  
168



**Tatawin**  
172




**Samba**  
260



**Tree**  
264




**Savoy**  
270



**Isabelle**  
282




**Confetti**  
286




**Kombo**  
290

## Wall




**Tatawin**  
160




**Tatawin**  
162




**Dominica**  
182



**Dominica**  
182



**Dominica**  
182



**Martinica**  
188



**Samba**  
258




**Savoy**  
270



**Lupe**  
274



**Nila**  
278



**Whizz**  
312



**Noon**  
316

## Wall



**Windsor**  
206



**Mambo**  
238



**Sumba**  
246



**Conga**  
252



**Samba**  
258



**Savoy**  
270



**Amelia**  
214



**Lula**  
218



**Akane**  
222




**Drum**  
226



**Stood**  
230



**Mambo**  
236



**Sumba**  
244



**Conga**  
250



**Akane**  
222



**Drum**  
226



**Stood**  
230



**Tree**  
264



**Savoy**  
268



**Lupe**  
274



**Nila**  
278



**Venice**  
196



**Studio**  
200




**Windsor**  
204



**Stood**  
232




**Stood**  
232



**Mambo**  
240



**Sumba**  
244



**Conga**  
252



**Costas**  
294



**Saipan**  
298



**Tupai**  
302




**Haka**  
306



**Whizz**  
310



**Whizz**  
312



**Martinica**  
188



**Venice**  
194



**Windsor**  
206



**Guadalupe**  
210



**Stood**  
230



**Mambo**  
238



**Sumba**  
246



**Conga**  
252



**Fold**  
324



**Cronos**  
320




# BRAND WITH SOUL

Our purpose is to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design.



faro





# TURN OFF THE LIGHT

Our sustainability journey focuses on minimizing our environmental footprint and maximizing our positive impact on society.



Find out more





# AWARD-WINNING DESIGNS

Totem by Roger Vancells



reddot winner 2023

Maya by Faro Lab



reddot winner 2023

Buddy by Andreu Carulla



Inviting by Bohman & Folenius



reddot award 2019  
winner



Cadaqués by Faro Lab



Hook by Oiko Design Office



reddot award 2018  
winner



Fuji by Isaac Piñeiro



reddot winner 2021  
lighting design



Brot by Yembarastudio



reddot winner 2021  
lighting design

Mine by Nahtrang



Whizz by Christoph F. Wagner



Buoh by Estudi Ribaudí



Lotus by Estudi Ribaudí



Mute by Nahtrang



Han by GoulaFiguera





Nutcreatives



Cristopher F. Wagner



Goula/Figuera



Xjer Studio



Alegre Design



Héctor Serrano



Àlex & Manel Lluscà



Andreu Carulla



Faro Lab




Conillas



Jordi Llopis



Bohman&Folenius




Nahtrang



Ernest Perera Studio



Lucid



Isaac Piñeiro



Estudi Ribaudí



Jordi Busquets



Jordi Blasi



Pepe Llaudet



Roger Vancells



Adolfo Abejón



Aldanondoyfdez



Yembarastudio

# DESIGNERS & ARTISTS



They make our world a better place thanks to their ingenuity, talent and creativity.

Width 603  
Height 283  
Project... Parallel

Camera  
Lens Le... 50.0  
Rotation 0.0  
X Locat... 0.001  
Y Locat... -65.967  
Z Locat... 95.239  
Distanc... 148.967  
Location Place...

Target  
X Target 0.001  
Y Target 83.0  
Z Target 95.239  
Location Place...

Wallpaper  
Filename (none)  
Show   
Gray



# YOUR IDEA, OUR EXPERTISE

The expertise and knowledge of our professionals are dedicated to bringing your ideas to life, creating unique and functional spaces.




BEST CHOISE

# OVER 40 YEARS OF EXPERIENCE



The brand you can trust — for those who value innovation and design.



Parametrical Lab

Specification Compliance  
Electrical Safety Tests  
Integrating Sphere  
Climatic Chamber  
IK Tests  
Endurance Test Room  
Thermal Test Room

Environmental Testing Lab

Water IP Tests  
Powder IP Tests  
Salt Spray Chamber

Technical Assistance Service (TAS)

Customer Returns Analysis  
Customer Returns Repairs  
TAS Spare Parts

Quality inspections Lab

Batch inspections  
Functional Tests  
Product Assembly Control  
Product Finish Control

Ceiling Fan Lab

Life Test  
Customizations  
Airflow measurements  
Noise measurements

Goniophotometer Room



Watch video



# QUALITY COMMITMENT

Our commitment to quality is at the heart of everything we design. We rigorously control the quality of our products and services from conception to functionality and reliability testing.



## Barcelona

The creativity, ingenuity and design of Faro Barcelona can be found in the heart of the city. Welcome to Espacio Princesa!

Princesa 52 Barcelona



## Buenos Aires

Now in Buenos Aires! Stay ahead with the latest in lighting trends and expert assistance. Let creativity lead your projects with tailored solutions and personalized guidance.

VEN STREET CENTER, Local 30 Av. Italia, 4950  
Dique Luján Buenos Aires, Argentina




# SHOWROOMS



## Madrid

This innovative space has emerged with the purpose of simplifying the work of architects, interior designers and developers looking for solutions for their new construction or renovation projects.

Velázquez 35-4ºD Madrid




## París

A space in which to carry out commercial activities such as visits, product demonstrations and meetings, and to develop a calendar of scheduled events to experience first-hand the design concept in lighting and ceiling fans.

7 Rue d'Uzès Paris



# PROJECTS



Light shapes the way we experience architecture and interiors. Our lighting and ceiling fan solutions are trusted by architects and designers worldwide to bring their projects to life with proven quality and thoughtful design.



Find out more

0-10V/1-10V



Remote  
control

# CONTROL YOUR FAN, YOUR WAY

Thanks to our expertise, we continuously expand our control solutions to offer you greater freedom, compatibility, and customization in every ventilation project.



Find out more



**Universal 0-10V/1-10V compatibility**

We've updated our range of fans with integrated 0-10V/1-10V control, improving fan performance, response times, connectivity, and making installation simpler, more direct, and adaptable to project requirements.

Our fans are compatible with all 0-10V/1-10V signal-based control options on the market, whether automated control systems or mechanisms with active or passive potentiometers, without the need for external gateways. The connection is point-to-point, directly at each fan.

**PASSIVE**

Our fan receives the signal sent by the control system, such as Loxone, KNX, Lutron, or BACnet.

**ACTIVE**

Our fan delivers a signal, and 0-10V / 1-10V wall dimmers control the speeds, allowing total freedom in the choice of finishes and seamless aesthetic integration with the space design.

"Find and choose the specific 0-10V & light kits accessories on the banners "0-10V/1-10V Available" to make you ceiling fan compatible"

## RF Remote control

Our remote control offers multiple memory options that allow the fan to recall your preferred settings: light memory, speed memory, confirmation sound, and keypad lock. This functionality provides a higher level of customization and everyday convenience. In addition, it is fully compatible with all RF wall controllers.







# FAN

by Faro Lab

Refined, minimalist, and naturally expressive. Its clean-lined blades enhance its pure silhouette, giving the design a lighter, more streamlined presence. Its optional spherical diffuser adds a subtle decorative accent that casts a soft, even glow throughout the space.



# Klim



# Klim


Faro Lab

---

## Size



**L**  
ø1500/59.1"



**M**  
ø1250/49.2"

---

## Finish



**Matt Black  
Dark Walnut**




**Matt White  
Pine**



**Matt Black  
Pine**

---

## Light Kit



**Standard  
1E26 BULB**

---

## Mounting



**Surface**

---

## Control system



**Remote control**



**0-10V/1-10V**

**Fan features**

<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> Pine Wood
	<b>Diffuser</b> Glass



Light Kit



Natural wooden blades



Sloped Ceiling



RF Model



Certifications



0-10V/1-10V

**Klim**  
Faro Lab



Dry locations only 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
34276	L	● Matt Black	● Dark Walnut	<input type="checkbox"/> Remote Control RF	<input type="checkbox"/> -US
34279	L	● Matt White	● Pine		
34282	L	● Matt Black	● Pine		
34277	M	● Matt Black	● Dark Walnut		
34280	M	● Matt White	● Pine		
34283	M	● Matt Black	● Pine		

Example **34276-US** — KLIM L Ø1500 Black/walnut fan

### 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



#### 0-10V Kit

**34153-009-US** for size L

**34153-008-US** for Size M

#### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**34276-US** — KLIM L Black/walnut fan

+

**34153-009-US** — 0-10V kit for Klim L


\*0-10v: Remote control RF not compatible

### Air performance

Size	Airflow (m3 min)	RPM	Power (W)
L    ø1500/59.1"	92-107-122-136-149-162	108-115-123-134-142-156	12-13-16-20-25-35
M    ø1250/49.2"	58-91-111-130-148-166	90-119-144-170-192-220	5-7-11-17-24-35

### Measurements

Surface
<b>L</b>
A: 240/9.45"    A1: 220/8.66"    F: ø1500/59.1"
<b>M</b>
A: 240/9.45"    A1: 220/8.66"    F: ø1250/49.2"


















**Klim**  
Faro Lab



Dry locations only   100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
34276	L	 Matt Black	 Dark Walnut	 Remote Control RF	 Standard	 -US
34279	L	 Matt White	 Pine			
34282	L	 Matt Black	 Pine			
34277	M	 Matt Black	 Dark Walnut			
34280	M	 Matt White	 Pine			
34283	M	 Matt Black	 Pine			


Example 342771B-US — KLIM M Ø1250 Black/walnut E26


### 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



#### 0-10V Kit

 for size L

 for size M

#### FANS WITH LIGHT

For Ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

342761B-US — KLIM L Black/walnut E26

+

34153-009-US — 0-10V kit for size L

\*0-10v: Remote control RF not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
L	ø1500/59.1" 92-107-122-136-149-162	108-115-123-134-142-156	12-13-16-20-25-35
M	ø1250/49.2" 58-91-111-130-148-166	90-119-144-170-192-220	5-7-11-17-24-35

### Lighting features

Light Source	1 E26 LED max. 15W
--------------	--------------------

### Measurements

Surface
<b>L</b>
A: 408/16.06" A1: 220/8.66" F: ø1500/59.1"
<b>M</b>
A: 408/16.06" A1: 220/8.66" F: ø1250/49.2"



by Faro Lab

# Heywood



A true expression of well-being. Crafted from FSC-certified wood, its natural grain adds depth and character to the space while keeping the atmosphere fresh and comfortable. A design that connects nature, comfort, and contemporary living in one timeless piece.

[Back to index](#)



# Heywood

Faro Lab

---

## Size



**L**  
ø1320/52"

---

## Finish




**Matt Black**  
**Dark Walnut**



**Matt White**  
**Pine**

---

## Light Kit



**Standard**

**2700-6000K**

**2700K** **3000K** **4000K**

---

## Mounting



**Surface**

---

## Control system



**Remote control**



**0-10V/1-10V**

**Fan features**

<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> Pine Wood
	<b>Diffuser</b> Glass



Light Kit



Natural wooden blades



Sloped Ceiling



RF Model



Certifications



0-10V/1-10V

# Heywood Faro Lab

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<span style="border: 1px solid black; padding: 2px;">33809</span>	L	<span style="display: inline-block; width: 10px; height: 10px; background-color: black; border-radius: 50%;"></span> Matt Black	<span style="display: inline-block; width: 10px; height: 10px; background-color: #4b3621; border-radius: 50%;"></span> Dark Walnut	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">-US</span>
<span style="border: 1px solid black; padding: 2px;">33810</span>	L	<span style="display: inline-block; width: 10px; height: 10px; background-color: #e0e0e0; border-radius: 50%;"></span> Matt White	<span style="display: inline-block; width: 10px; height: 10px; background-color: #c09040; border-radius: 50%;"></span> Pine		

Example **33809-US** — HEYWOOD L Ø1320 Black/walnut

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V

**0-10V Kit**

34153-005-US for size L

**0-10V Light Kit with Switch**

3L062  Matt White

3L063  Matt Black

### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**33809-US** — HEYWOOD L Black/walnut

+  
**34153-005-US** — 0-10V kit

\*0-10v: Remote control RF not compatible

### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref. + Light Kit ref.

Example

**33809-US** — HEYWOOD L Black/walnut

+  
**34153-005-US** — 0-10V kit

+  
**3L063** — Matt Black Light kit

## Air performance

Size	Airflow (m3 min)	RPM	Power (W)
L    ø1320/52"	55-71-96-119-151-174	58-75-94-124-152-173	4-5-7-13-22-32

## Lighting features for 0-10v

Power	10W
Lumen Output	480lm
Light Source	SMD LED
Dimmable K	2700/ 3000/ 4000K
CRI	>80

## Measurements

Surface
L
A: 243/9.57"    A1: 223/8.78"    F: ø1320/52"



Dry locations only



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
<b>33809</b>	L	● Matt Black	● Dark Walnut	☐ Remote Control RF	<b>1T</b> 2700/ 4000/ 6000K CCT*	<b>-US</b>
<b>33810</b>	L	● Matt White	● Pine			

Example **338101S-US** — HEYWOOD L Ø1320 White/pine

\* 0-10V Accessory not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
L    ø1320/52"	55-71-96-119-151-174	58-75-94-124-152-173	4-5-7-13-22-32

### Lighting features

Power	10W
Lumen Output	480lm
Light Source	SMD LED
Dimmable K	2700/ 4000/ 6000K
CRI	>80

### Measurements

Surface
<b>L</b>
A: 270/10.63"    A1: 200/7.87"    F: ø1320/52"



# Heywood Tub

Faro Lab






# Heywood Tub

Faro Lab

---

## Size



**L**  
ø1320/52"

---

## Finish



**Matt White**  
Pine



**Matt Black**  
Dark Walnut

---

## Light Kit



**Standard**

2700-6000K

2700K 3000K 4000K

---

## Mounting



**Surface**

---

## Control system



**Remote control**



**0-10V/1-10V**

**Fan features**


<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> Pine Wood
	<b>Diffuser</b> Glass



Light Kit




Natural wooden blades



Adjustable color temperature



Certifications



RF Model



0-10V/1-10V

# Heywood Tub Faro Lab

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<span style="border: 1px solid black; padding: 2px;">33838</span>	L	<span style="color: grey;">●</span> Matt White	<span style="color: brown;">●</span> Pine	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">-US</span>
<span style="border: 1px solid black; padding: 2px;">33839</span>	L	<span style="color: black;">●</span> Matt Black	<span style="color: darkred;">●</span> Dark Walnut		

Example **33838-US** — HEYWOOD TUB L Ø1320 White/pine

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V

**0-10V Kit**

<span style="border: 1px solid black; padding: 2px;">34154-002-US</span>	Active
<span style="border: 1px solid black; padding: 2px;">34155-002-US</span>	Passive

### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**33838-US** — HEYWOOD TUB L White/pine  
+  
**34155-002-US** — Passive kit

\*0-10V/1-10V: Remote control RF not compatible

**0-10V Light Kit with Switch**

<span style="border: 1px solid black; padding: 2px;">3L062</span>	<span style="color: grey;">●</span> Matt White
<span style="border: 1px solid black; padding: 2px;">3L063</span>	<span style="color: black;">●</span> Matt Black

### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref. + Light Kit ref.

Example

**33838-US** — HEYWOOD TUB L White/pine  
+  
**34155-002-US** — Passive kit  
+  
**3L063** — Matt Black Light kit

## Air performance


Size	Airflow (m3 min)	RPM	Power (W)
L    ø1320/52"	55-71-96-119-151-174	58-75-94-124-152-173	4-5-7-13-22-32

## Lighting features for 0-10v

Power	10W
Lumen Output	480lm
Light Source	SMD LED
Dimmable K	2700/ 3000/ 4000K
CRI	>80






## Measurements

Surface
L
A: 190/7.48"    A1: 151/5.94"    F: ø1320/52"



Dry locations only   100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
<b>33838</b>	L	 Matt White	 Pine	 Remote Control RF	<b>1T</b> 2700/ 4000/ 6000K CCT*	<b>-US</b>
<b>33839</b>	L	 Matt Black	 Dark Walnut			

Example **338391S-US** — HEYWOOD TUB LED L Black/walnut fan 10W WT

\* 0-10V Accessory not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
L    ø1320/52"	55-71-96-119-151-174	58-75-94-124-152-173	4-5-7-13-22-32

### Lighting features

Power	10W
Lumen Output	480lm
Light Source	SMD LED
Dimmable K	2700/ 4000/ 6000K
CRI	>80

### Measurements

Surface
<b>L</b>
A: 232/9.13"    A1: 151/5.94"    F: ø1320/52"



by Faro Lab

# Rudder



Industrial attitude with a natural twist. FSC-certified wood and reversible blades let you choose between black and walnut or white and ash.

[Back to index](#)



# Rudder L 3

Faro Lab

## Size



**L**  
ø1320/52"

## Finish


Reversible blades with dual-sided finish.



**Matt White**  
**Ash Wood**  
**Matt White**

**Matt Black**  
**Walnut**  
**Matt Black**

## Light Kit



**Standard**

2700-6500K

2700K 3000K 4000K

## Mounting



**Surface**

## Control system



**Remote control**



**0-10V/1-10V**

**Fan features**

<b>Material</b>	<b>Structure</b> Aluminium
	<b>Blades</b> Plywood
	<b>Diffuser</b> PMMA



Adjustable color temperature



Reversible blades



Sloped Ceiling



RF Model



Certifications



0-10V/1-10V

# Rudder L 3 Faro Lab

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<span style="border: 1px solid black; padding: 2px;">34297</span>	L	<span style="color: grey;">●</span> Matt White	<span style="color: #C8A27A;">●</span> Ash Wood	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">-US</span>
<span style="border: 1px solid black; padding: 2px;">34298</span>	L	<span style="color: black;">●</span> Matt Black	<span style="color: #4B3621;">●</span> Walnut		

Example **34298-US** — RUDDER L 3 Ø1320 Black/walnut fan

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V

**0-10V Kit**

34153-016-US for Size L

**0-10V Light Kit with Switch**

3L068 ● Matt White

3L069 ● Matt Black

### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example  
**34297-US** — RUDDER L 3 Black/walnut fan  
+  
**34153-016-US** — for Size L

\*0-10V/1-10V: Remote control RF not compatible

### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref. + Light Kit ref.

Example  
**34297-US** — RUDDER L 3 Black/walnut fan  
+  
**34153-016-US** — for Size L  
+  
**3L069** — Matt Black Light kit

## Air performance


Size	Airflow (m3 min)	RPM	Power (W)
L    ø1320/52"	72-94-116-140-156-174	85-109-134-159-180-203	4-6-10-17-24-35

## Lighting features for 0-10v

Power	20W
Lumen Output	806lm
Light Source	SMD LED
Dimmable K	2700/ 3000/ 4000K
CRI	>80






## Measurements

Surface
L
A: 232/9.13"    A1: 180/7.09"    F: ø1320/52"



Dry locations only   100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
<b>34298</b>	L	 Matt Black	 Walnut	 Remote Control RF	<b>1T</b> 2700/ 4000/ 6500K CCT*	<b>-US</b>
<b>34297</b>	L	 Matt White	 Ash Wood			

Example **342972T-US** — RUDDER 3 L Ø1320 White/ash fan 20W

\* 0-10V Accessory not compatible

### Air performance

Size	Airflow (m3 min)	RPM	Power (W)
L ø1320/52"	72-94-116-140-156-174	85-109-134-159-180-203	4-6-10-17-24-35


### Lighting features

Power	20W
Lumen Output	806lm
Light Source	SMD LED
Dimmable K	2700/ 3000/ 4000K
CRI	>80

### Measurements

#### Surface

**L**  
A: 276/10.87" A1: 180/7.09" F: ø1320/52"



by Faro Lab

# Cruiser



A modern, industrial-style ceiling fan with striped-texture blades, featuring a clean, technical aesthetic that emphasizes precision.

[Back to index](#)



# Cruiser

Faro Lab

---

## Size



**XL**  
ø1600/63"




**L**  
ø1320/52"

---

## Finish




**Matt White**  
Matt White



**Matt Black**  
Matt Black

---

## Light Kit



**Standard**

2700-6500K

2700K 3000K 4000K

---

## Mounting



**Surface**

---

## Control system



**Remote control**



**0-10V/1-10V**

**Fan features**

<b>Material</b>	<b>Structure</b> Aluminium
	<b>Blades</b> Aluminium
	<b>Diffuser</b> PMMA



Striped anodized aluminium



Light Kit



Sloped Ceiling



RF Model




Certifications



0-10V/1-10V

# Cruiser Faro Lab

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<b>34292</b>	XL	● Matt White	● Matt White	<input type="checkbox"/> Remote Control RF	<input type="checkbox"/> -US
<b>34293</b>	XL	● Matt Black	● Matt Black		
<b>34290</b>	L	● Matt White	● Matt White		
<b>34291</b>	L	● Matt Black	● Matt Black		

Example **34292-US**— CRUISER XL Ø1600 Matt White/Matt White

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



### 0-10V Kit

- 34153-003-US** for size XL
- 34153-002-US** for Size L

### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**34292-US** — CRUISER XL Matt White/Matt White  
+  
**34153-003-US** — for Size XL

\*0-10V/1-10V: Remote control RF not compatible



### 0-10V Light Kit with Switch

- 3L068** ● Matt White
- 3L069** ● Matt Black

### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref. + Light Kit ref.

Example

**34292-US** — CRUISER XL Matt White/Matt White  
+  
**34153-003-US** — for Size XL  
+  
**3L069** — Matt Black Light kit

## Air performance


Size	Airflow (m3 min)	RPM	Power (W)
------	------------------	-----	-----------

## Lighting features for 0-10v

Power	20W
Lumen Output	806lm
Light Source	SMD LED
Dimmable K	2700/ 3000/ 4000K
CRI	>80












## Measurements

### Surface



Dry locations only   100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
34292	XL	 Matt White	 Matt White	 Remote Control RF	 2700/ 4000/ 6500K CCT*	 -US
34293	XL	 Matt Black	 Matt Black			
34290	L	 Matt White	 Matt White			
34291	L	 Matt Black	 Matt Black			

Example **342921T-US** — CRUISER XL Ø1600 White with 2700K

\* 0-10V Accessory not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
L	ø1320/52"	71-95-115-135-158-174	86-110-140-164-185-210
XL	ø1600/63"	89-116-145-172-194-216	63-83-100-120-133-149

### Lighting features

Power	20W
Lumen Output	806lm
Light Source	SMD LED
Dimmable K	2700/ 4000/ 6500K
CRI	>80

### Measurements

Surface	A	A1	F
XL	A: 276/10.87"	A1: 180/7.09"	F: ø1600/63"
L	A: 276/10.87"	A1: 180/7.09"	F: ø1320/52"



by Faro Lab

A discreet solution that delivers comfort while letting the architecture take the lead. Available in a wide range of finishes and sizes.



# Punt



# Punt

Faro Lab

## Size



**M**  
ø1300/51.2"

## Finish



**Matt White**  
Matt White



**Matt Black**  
Matt Black




**Matt White**  
Maple



**Matt Black**  
Walnut

## Light Kit



**Standard**

2700-6000K

2700K 3000K 4000K

## Mounting



**Surface**



**Tub Surface**

## Control system



**Remote control**




**0-10V/1-10V**

**Fan features**

<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> ABS
	<b>Diffuser</b> Glass



Adjustable color temperature



Suitable for low ceilings




Sloped Ceiling



RF Model



Certifications




0-10V/1-10V

**Punt**  
Faro Lab



# Punt Faro Lab

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
33814	M	<span style="color: grey;">●</span> Matt White	<span style="color: grey;">●</span> Matt White	<input type="checkbox"/> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">-US</span>
33815	M	<span style="color: black;">●</span> Matt Black	<span style="color: black;">●</span> Matt Black		
33816	M	<span style="color: grey;">●</span> Matt White	<span style="color: gold;">●</span> Maple		
33817	M	<span style="color: black;">●</span> Matt Black	<span style="color: brown;">●</span> Walnut		

Example 33814-US — PUNT M Ø1300 White fan

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



### 0-10V Kit

34153-014-US for size M



### 0-10V Light Kit with Switch

3L064 ● Matt White

3L065 ● Matt Black

#### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

33814-US — PUNT M White fan

+

34153-014-US — for size M

\*0-10V/1-10V: Remote control RF not compatible

#### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref. + Light Kit ref.

Example

33814-US — PUNT M White fan

+

34153-014-US — for size M

+

3L065 — Matt Black Light kit

## Air performance


Size	Airflow (m3 min)	RPM	Power (W)
M    ø1300/51.2"	80-102-125-143-165-177	90-115-135-158-185-210	5-7-9-13-19-28

## Lighting features for 0-10v

Power	18W
Lumen Output	678lm
Light Source	SMD LED
Dimmable K	2700/ 3000/ 4000K
CRI	>80

## Measurements

Surface
M
A: 254/10"    A1: 190/7.48"    F: ø1300/51.2"












**Punt**  
Faro Lab



Dry locations only   100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
<b>33814</b>	M	 Matt White	 Matt White	 Remote Control RF	<b>1T</b> 3000/ 4200/ 6500K CCT*	<b>-US</b>
<b>33815</b>	M	 Matt Black	 Matt Black			
<b>33816</b>	M	 Matt White	 Maple			
<b>33817</b>	M	 Matt Black	 Walnut			

Example **338141S-US** — PUNT M Ø1300 White fan 20W WT

\* 0-10V Accessory not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
M	ø1320/52"	80-102-125-143-165-177	90-115-135-158-185-210
			5-7-9-13-19-28

### Lighting features

Power	20W
Lumen Output	806lm
Light Source	SMD LED
Dimmable K	3000/ 4200/ 6500K
CRI	>80

### Measurements

Surface
M
A: 277/10.91" A1: 190/7.48" F: ø1320/52"



# Punt Tub

Faro Lab





# Punt Tub Faro Lab

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<b>33828</b>	M	● Matt White	● Matt White	<input type="checkbox"/> Remote Control RF	<input type="checkbox"/> -US
<b>33829</b>	M	● Matt White	● Maple		
<b>33830</b>	M	● Matt Black	● Matt Black		
<b>33831</b>	M	● Matt Black	● Walnut		

Example **33828-US** — PUNT TUB M White

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



### 0-10V Kit

- 34154-005-US** Active
- 34155-005-US** Passive

### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example  
**33828-US** — PUNT TUB M White  
+  
**34154-005-US** — Active

\*0-10V/1-10V: Remote control RF not compatible



### 0-10V Light Kit with Switch

- 3L064** ● Matt White
- 3L065** ● Matt Black

### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref. + Light Kit ref.

Example  
**33828-US** — PUNT TUB M White  
+  
**34154-005-US** — Active  
+  
**3L065** — Matt Black Light kit

## Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M    ø1300/51.2"	80-102-125-143-165-177	90-115-135-158-185-210	5-7-9-13-19-28


## Lighting features for 0-10v

Power	18W
Lumen Output	678lm
Light Source	SMD LED
Dimmable K	2700/ 3000/ 4000K
CRI	>80

## Measurements












### Surface

**M**  
A: 230/9.06"    A1: 145/5.71"    F: ø1300/51.2"



Dry locations only   100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
33828	M	 Matt White	 Matt White	 Remote Control RF	 3000/ 4200/ 6500K CCT*	 -US
33829	M	 Matt White	 Maple			
33830	M	 Matt Black	 Matt Black			
33831	M	 Matt Black	 Walnut			

Example **33828-1T-US** — PUNT TUB M Ø1300 LED White fan

\* 0-10V Accessory not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
M	ø1320/52"	80-102-125-143-165-177	90-115-135-158-185-210
			5-7-9-13-19-28

### Lighting features

Power	20W
Lumen Output	806lm
Light Source	SMD LED
Dimmable K	3000/ 4200/ 6500K
CRI	>80

### Measurements

Surface
M
A: 230/9.06" A1: 190/7.48" F: ø1320/52"



by Conillas

# Just Fan



An instant classic. Just Fan is both elegant and understated, the perfect centerpiece for any space.

[Back to index](#)



# Just Fan

Conillas

---


## Size



**M**  
ø1280/50.4"

---

## Finish




**Matt Black**  
**Matt Black**



**Matt Black**  
**Walnut**

---

## Light Kit



**Standard**

**3000K >80**

---

## Mounting



**Surface**

---

## Control system




**Remote control**

**Fan features**

<b>Material</b>	<b>Structure Steel</b>
	<b>Blades ABS</b>
	<b>Diffuser Glass</b>



3 downrods included  
100 / 200/460



Sloped Ceiling



Certifications

# Just Fan Conillas

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<span style="border: 1px solid black; padding: 2px;">33395</span>	M	● Black	● Walnut	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">UL</span>
<span style="border: 1px solid black; padding: 2px;">32100</span>	M	● Black	● Black		

Example **32100UL** — JUST FAN XL Matt black/walnut fan


\* 0-10V Accessory not compatible

## Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M	ø1280/50.4" 145.66	51-77-103-129-155-185	4-6-9-13-22-32

## Measurements

Surface
M
A: 390/15.35" A1: 380/14.96" F: ø1280/50.4"



Dry locations **only**

IP20	220-240V	50 / 60Hz
------	----------	-----------



Model	Size	Structure	Blades	Control Type	Ligth Model
<b>33395UL</b>	M	● Black	● Walnut	<input type="checkbox"/> Remote Control RF	<b>-19</b> Standard 3000K
<b>32100UL</b>	M	● Black	● Black		

Example **33395UL-19** — JUST FAN M Ø1280 Black/walnut fan 3000K

\* 0-10V Accessory not compatible

### Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M    ø1280/50.4"	145	51-77-103-129-155-185	4-6-9-13-22-32

### Lighting features


Power	16W
Lumen Output	709lm
Light Source	SMD LED
Dimmable K	3000K
CRI	>80

### Measurements

#### Surface

**M**

A: 424/16.69"    A1: 380/14.96"    F: ø1280/50.4"



# Mini Eterfan

by Conillas



Transform any space with the functional elegance of Eterfan: industrial style, smart comfort, and year-round harmony.

[Back to index](#)



# Mini Eterfan

Conillas

---


## Size



**M**  
ø1280/50.4"

---

## Finish



**Chrome**  
**Transparent**

---

## Light Kit



**Standard**

**3000K CRI80**

---

## Mounting



**Surface**

---

## Control system




**Remote control**

**Fan features**

<b>Material</b>	<b>Structure</b> Steel + Glass
	<b>Blades</b> ABS
	<b>Diffuser</b> PP



Light Kit



RF Model



Certifications

# Mini Eterfan Conillas

Dry locations **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<span style="border: 1px solid black; padding: 2px;">33382</span>	M	Chrome	Transparent	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">UL</span>

Example **33382UL** — ETERFAN M Ø1280 Chrome Transparent


\* 0-10V Accessory not compatible

## Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M	ø1280/50.4" 145	51-77-103-129-155-185	4-6-9-13-22-32

## Measurements

Surface
M
A: 640/25.2" A1: 630/24.8" F: ø1280/50.4"



Dry locations **only**

100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model
<b>33382UL</b>	M	<input checked="" type="radio"/> Chrome <input type="radio"/> Transparent	<input type="checkbox"/>	<input type="checkbox"/> Remote Control RF	<input type="checkbox"/> <b>-18</b> Standard 3000K

Example **33382-18** — ETERFAN M Ø1280 LED Transparent FAN LED

\* 0-10V Accessory not compatible

### Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M	ø1280/50.4" 146	51-77-103-129-155-185	4-6-9-13-22-32

### Lighting features


Power	13W
Lumen Output	600lm
Light Source	SMD LED
Dimmable K	3000K
CRI	>80

### Measurements

#### Surface

**M**

A: 494/19.45" A1: 420/16.54" F: ø1280/50.4"



by Jordi Busquets

# Typhoon



Engineered for high performance. Four aerodynamic blades and a DC motor ensure efficiency, smooth operation, and reliable long-term durability.

[Back to index](#)




# Typhoon

Jordi Busquets

---

## Size



**M**  
ø1300/51.2"

---


## Finish



**White**  
**White**

---

## Light Kit



**Standard**

**3000K**

---

## Mounting



**Surface**

---

## Control system



**Remote control**

**Fan features**


<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> ABS
	<b>Diffuser</b> PMMA



Light Kit



Sloped Ceiling



RF Model



Certifications

# Typhoon Jordi Busquets

Dry location **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<span style="border: 1px solid black; padding: 2px;">33480</span>	M	<span style="color: grey;">●</span> White	<span style="color: grey;">●</span> White	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">UL</span>

Example **33480UL** — TYPHOON M Ø1300 White fan


\* 0-10V Accessory not compatible

## Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M	ø1300/51.2" 183	50-71-93-115-138-162	3-5-8-12-21-31

## Measurements

Surface
M
A: 390/15.35" A1: 370/14.57" F: ø1300/51.2"



Dry location **only** 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model
<span style="border: 1px solid black; padding: 2px;">33480UL</span> M		● White	● White	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">-14</span> Standard 3000K

Example **33480UL-14** — TYPHOON M LED White fan

\* 0-10V Accessory not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
M	ø1300/51.2" 183	50-71-93-115-138-162	3-5-8-12-21-31

### Lighting features

Power	17W
Lumen Output	800lm
Light Source	SMD LED
Dimmable K	3000K
CRI	>80

### Measurements

Surface
M
A: 390/15.35" A1: 370/14.57" F: ø1300/51.2"



# Winche

by Conillas



Inspired by a boat's winch handle, Winche blends renewed classic aesthetics with advanced DC technology for lighter, quieter, and more efficient performance.

[Back  
to index](#)



# Winche

Conillas

---

## Size



**M**  
ø1300/51.2"

---

## Finish



**Black  
Brown**



**Chrome  
Brown**

---

## Mounting



**Surface**

---

## Control system




**Remote control**

**Fan features**

<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> ABS
	<b>Diffuser</b> PMMA



Light Kit



RF Model



Certifications

# Winche

Conillas



Dry location only 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type
<b>33481 UL</b>	M	● Black	● Brown	<input type="checkbox"/> Remote Control RF
<b>33482 UL</b>	M	● Chrome	● Brown	

Model	Size	Structure	Blades	Control Type	Color Temperature
<b>33481 UL-7</b>	M	● Black	● Brown	<input type="checkbox"/> Remote Control RF	3000K
<b>33482 UL-15</b>	M	● Chrome	● Brown		

Example **33481UL-7** — WINCHE M Ø1300 LED Black/walnut fan

\* 0-10V Accessory not compatible

### Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M	ø1300/51.2" 183	50-71-93-115-138-162	3-5-8-12-21-31


### Lighting features

Power	17W
Lumen Output	800lm
Light Source	SMD LED
Dimmable K	3000K
CRI	>80

### Measurements

#### Surface

**M**  
A: 390/15.35" A1: 370/14.57" F: ø1300/51.2"





A modern interior space featuring a large window with light-colored curtains. In the foreground, several large potted plants, including Monstera and Philodendron, are arranged on a wooden floor. The scene is brightly lit, suggesting a sunny day. The text 'OUTDOOR' is written in large, bold, white capital letters, and 'Damp location' is written in a smaller, white, sans-serif font below it.

# OUTDOOR

Damp location

by Faro Lab

# Marine



Clean, minimalist, and built for outdoor performance. Suitable for damp locations with anti-corrosion treatment on all metal components for enhanced durability.

[Back to index](#)




# Marine

Faro Lab

---

## Size



**M**  
ø1250/49.2"

---

## Finish



**Matt White**  
**Oak**



**Dark Brown**  
**Oak**



**Dark Brown**  
**Dark Walnut**



**Matt White**  
**Matt White**



**Dark Brown**  
**Dark Brown**

---

## Mounting



**Surface**

---

## Control system



**Remote control**



**0-10V/1-10V**



**Fan features**

<b>Material</b>	<b>Structure Steel</b>
	<b>Blades ABS</b>



Realistic wood-finish  
ABS blades



Sloped Ceiling



Suitable for damp locations



Certifications



RF Model



0-10V/1-10V

# Marine

Faro Lab



Suitable for damp locations 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
34274	M	<span style="color: grey;">●</span> Matt White	<span style="color: grey;">●</span> Matt White	<input type="checkbox"/> Remote Control RF	<input type="checkbox"/> -US
34275	M	<span style="color: brown;">●</span> Dark Brown	<span style="color: brown;">●</span> Dark Brown		
34370	M	<span style="color: grey;">●</span> Matt White	<span style="color: brown;">●</span> Oak		
34371	M	<span style="color: brown;">●</span> Dark Brown	<span style="color: brown;">●</span> Oak		

### 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



**0-10V Kit**

**34153-010-US** for size M

#### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

*Example*

**34274-US** — MARINE M White

+

**34153-010-US** — 0-10V kit for size M

\*0-10v: Remote control RF not compatible

### Air performance


Size	Airflow (m3 min)	RPM	Power (W)
M    ø1250/49.2"	67-83-108-121-150-174	86-121-146-175-198-222	4-6-9-14-20-27

### Measurements

Surface

M

A: 245/9.65"    A1: 221/8.7"    F: ø1250/49.2"



by Faro Lab

# Outwood



Designed for outdoor living. Outwood features UV-protected ABS blades and Suitable for damp locations, engineered to withstand humidity, direct sunlight, and occasional splashes with confidence.

[Back to index](#)



# Outwood

Faro Lab

---

## Size



**L**  
ø1500/59.1"

---

## Finish



**Dark Brown  
Oak**



**Matt White  
Oak**



**Dark Brown  
Dark Walnut**



**Matt White  
Matt White**

---

## Light Kit



**Standard  
E26 BULB**

---

## Mounting



**Surface**

---

## Control system



**Remote control**



**0-10V/1-10V**

**Fan features**

<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> ABS
	<b>Diffuser</b> Glass



Light Kit



Realistic wood-finish  
ABS blades



Glass diffuser



Suitable for damp locations



Certifications



RF Model



0-10V/1-10V

# Outwood

Faro Lab





Model	Size	Structure	Blades	Control Type	Extension
<b>34363</b>	L	● Matt White	● Matt White	<input type="checkbox"/> Remote Control RF	<input type="checkbox"/> -US
<b>34362</b>	L	● Dark Brown	● Dark Walnut		
<b>34360</b>	L	● Dark Brown	● Oak		
<b>34361</b>	L	● Matt White	● Oak		

Example **34361-US** — OUTWOOD L Ø1500 White/oak

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



**0-10V Kit**

**34153-011-US** for size L

### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**34361-US** — OUTWOOD L White/oak

+

**34153-011-US** — 0-10V kit for size L


\*0-10v: Remote control RF not compatible

## Air performance

Size	Airflow (m3 min)	RPM	Power (W)
L    ø1500/59.1"	101-120-138-154-170-187	73-92-108-127-141-152	5-8-12-18-25-35

## Measurements

Surface
<b>L</b>
A: 265/10.43"    A1: 220/8.66"    F: ø1500/59.1"



# Outwood

Faro Lab



Suitable for damp locations 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
<b>34360</b>	L	● Dark Brown	● Oak	<input type="checkbox"/> Remote Control RF	<input type="checkbox"/> <b>1B</b> Standard	<input type="checkbox"/> <b>-US</b>
<b>34361</b>	L	● Matt White	● Oak			
<b>34362</b>	L	● Dark Brown	● Dark Walnut			
<b>34363</b>	L	● Matt White	● Matt White			

Example **343601B-US** — OUTWOOD L Ø1500 Brown/oak 1xE27

### 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



**0-10V Kit**

**34153-011-US** for size L

#### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**343601B-US** — OUTWOOD L Brown/oak 1xE27

+

**34153-011-US** — 0-10V kit for size L

\*0-10v: Remote control RF not compatible

### Air performance

Size	Airflow (m3 min)	RPM	Power (W)
L    ø1500/59.1"	101-120-138-154-170-187	73-92-108-127-141-152	5-8-12-18-25-35

### Lighting features


Light Source	1 E26 LED max. 15W
--------------	--------------------

### Measurements

Surface

L

A: 265/10.43"    A1: 220/8.66"    F: ø1500/59.1"



by Faro Lab

Its textured blades reinterpret the palm leaf through a bold, minimalist lens, creating an eye-catching yet refined silhouette. Finished with an anti-corrosion treatment and suitable for damp locations, it's built to perform beautifully in humid environments.



# Palma

[Back to index](#)




# Palma

Faro Lab

---

## Size



**M**  
ø1290/50.8"

---


## Finish



Dark Brown  
Dark Brown

---

## Light Kit



Standard

1 E26 LED max. 15W

---

## Mounting



Surface

---

## Control system



Remote control




0-10V/1-10V

**Fan features**


<b>Material</b>	<b>Structure</b> Steel
	<b>Blades</b> ABS
	<b>Diffuser</b> Glass



Textured blade



Glass diffuser




Suitable for damp locations



Certifications



RF Model



0-10V/1-10V

# Palma Faro Lab

Suitable for damp locations 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Extension
<span style="border: 1px solid black; padding: 2px;">34301</span>	M	<span style="color: brown;">●</span> Dark Brown	<span style="color: brown;">●</span> Dark Brown	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">-US</span>

Example **34301-US** — PALMA M Ø1290 Brown fan

## 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



**0-10V Kit**

34153-012-US for size M

### FANS WITHOUT LIGHT

For ceiling fan without light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**34301-US** — PALMA M Brown

+

**34153-012-US** — 0-10V kit for size M


\*0-10v: Remote control RF not compatible

## Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M	ø1290/50.8" 52-73-98-131-152-179	69-100-136-170-200-230	4-5-9-15-24-35

## Measurements

Surface
M
A: 280/11.02" A1: 173/6.81" F: ø1290/50.8"



Suitable for damp locations 100-120V 50 / 60Hz



Model	Size	Structure	Blades	Control Type	Ligth Model	Extension
<span style="border: 1px solid black; padding: 2px;">34301</span>	M	● Dark Brown	● Dark Brown	<span style="border: 1px solid black; padding: 2px;"></span> Remote Control RF	<span style="border: 1px solid black; padding: 2px;">1B</span> Standard	<span style="border: 1px solid black; padding: 2px;">-US</span>

Example **343011B-US** — PALMA M Ø1290 Brown ceiling fan 1xE27

### 0-10V/1-10V Available\*

Make compatible your ceiling fan to control 0-10V/1-10V



**0-10V Kit**

34153-012-US for size M

#### FANS WITH LIGHT

For ceiling fan with light choose these items:  
Ceiling fan ref. + 0-10V Kit ref.

Example

**343011B-US** — PALMA M Brown 1xE27

+

**34153-012-US** — 0-10V kit for size M

\*0-10v: Remote control RF not compatible

### Air performance

Size	Airflow (m3 min)	RPM	Power (W)
M	ø1290/50.8" 52-73-98-131-152-179	69-100-136-170-200-230	4-5-9-15-24-35

### Lighting features


Light Source	1 E26 LED max. 15W
--------------	--------------------

### Measurements

Surface

M

A: 412/16.22" A1: 173/6.81" F: ø1290/50.8"





A photograph of a dining table with a green pendant light hanging above it. The table is set with a glass of amber liquid and a vase. The background is a plain wall with a window frame visible on the right. The word "LIGHTING" is overlaid in large white letters.


# LIGHTING

# Tierra, Mar and Aire

A tribute to nature through 3D printing with bioplastics and recycled plastics





+ Information




by Héctor Serrano





Tierra, Mar and Aire arose from a concern about our interest in two concepts. First, an intention to democratise 3D printing on a large scale by integrating it as another industrial process in light manufacturing. Second, and most importantly, an interest in producing increasingly sustainable products and contributing to circularity.

The project is something of a rallying cry encouraging us to consider our relationship with the planet in response to the current climate crisis. Nature does not generate waste: we must learn from it and move towards a more circular and sustainable production.







Made of a bioplastic composed of PLA and cellulose, a biodegradable and compostable material of plant origin. Three models that evoke the subtle and synthetic forms of bee nests, referencing the crucial role of pollination as a natural phenomenon protecting biodiversity. Its random and matte texture gives it a feeling of craftsmanship akin to paper or terracotta. This is a way to showcase its digital craftsmanship character, contrasting additive technology with traditional craftsmanship.



# Tierra

**Tierra 470**  
Héctor Serrano



20400-US ● **Structure** Black  
● **Shade** Natural

**Tierra 500**  
Héctor Serrano



20401-US ● **Structure** Black  
● **Shade** Natural

**Tierra 520**  
Héctor Serrano






20402-US ● **Structure** Black  
● **Shade** Natural

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> PLA + Pine Cellulose
<b>Light Source</b>	1 E26 LED Type A max. 20W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> PLA + Pine Cellulose
<b>Light Source</b>	1 E26 LED Type A max. 20W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> PLA + Pine Cellulose
<b>Light Source</b>	1 E26 LED Type A max. 20W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only







Mar discusses the issue of pollution in our seas and oceans. By 2050, there will be more tons of plastic than fish in the sea. Inspired by the shells of sea urchins, these luminaires reference the origin of the material they are made from: recycled fishing nets.



# Mar

**Mar H260**  
Héctor Serrano



20403-US ● Structure Black  
● Shade Green

**Mar H290**  
Héctor Serrano



20404-US ● Structure Black  
● Shade Green

**Mar H340**  
Héctor Serrano






20405-US ● Structure Black  
● Shade Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Recycled Fishing Net
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Recycled Fishing Net
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Recycled Fishing Net
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only








Made from 100% Recycled PETG. PET is the most recycled plastic in the world; its composition allows for multiple recyclings while maintaining its properties. We want to emphasize that only 9% of global plastic waste is recycled. If we aim for circularity, it is urgent to increase this percentage to prevent plastic waste from ending up in our oceans, landfills, or incineration plants. Their shapes evoke large-scale air bubbles that only digital manufacturing allows.



# Aire

**Aire 450**  
Héctor Serrano



20406-US ● Structure White  
● Shade Translucent

**Aire 650**  
Héctor Serrano



20407-US ● Structure White  
● Shade Translucent

**Aire 850**  
Héctor Serrano






20408-US ● Structure White  
● Shade Translucent

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Recycled PETG
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	118.11in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Recycled PETG
<b>Light Source</b>	1 E26 LED Type A max. 20W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	118.11in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Recycled PETG
<b>Light Source</b>	1 E26 LED Type A max. 20W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	118.11in
<b>Location</b>	Dry locations only





# Tatawin

by Faro LAB



Its elongated lampshade transmits serenity and is inspired by the sinuous curves of the characteristic houses of Tataouine, a city located in the southeast of Tunisia, hence the name of this collection. The geometric design of the structures combined with the smooth shapes of the lampshades results in a friendly, timeless collection of luminaires, available in triplex blown glass for warmth, or in metallic glossy finish for a contemporary touch.






Tatawin lamps is a design by Adolfo Abejón for Faro Barcelona. It delicately combines the geometric purity of its design and the robustness of its metal structures with the gentle shapes of the blown glass shade. This collection transports us to the nostalgia and warmth of interior spaces with classic lamps with glass shades. Its lampshade, in landscape form, transmits serenity and is inspired by the sinuous curves of the characteristic houses

of Tataouine, a city located in the southeast of Tunisia, hence the name of this collection. With the same nomadic spirit as the city that gives them their name, the shades are interchangeable, made of triplex blown glass and come in two shades: opal white and black. In addition, the floor and table versions incorporate a rotating arm that allows the light to be moved closer or further away depending on the needs of the moment.










## Tatawin Table Glass

Adolfo Abejón



20337-116-US ● **Structure** Satin Black  
● **Shade** Opal

20337-117-US ● **Structure** Satin Black  
● **Shade** Gloss Black

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	84.65in
<b>Location</b>	Dry locations only

## Tatawin Table Metal

Adolfo Abejón



20337-140-US ● **Structure** Satin Black  
● **Shade** Gloss White


20337-141-US ● **Structure** Satin Black  
● **Shade** Gloss Black

20337-142-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue

20337-143-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange

20337-144-US ● **Structure** Satin Black  
● **Shade** Gloss Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	84.65in
<b>Location</b>	Dry locations only




Adjustable structure

[Back to index](#)



## Tatawin Floor Glass

Adolfo Abejón



20336-119-US ● **Structure** Satin Black  
● **Shade** Opal

20336-120-US ● **Structure** Satin Black  
● **Shade** Gloss Black

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	72.83in
<b>Location</b>	Dry locations only

## Tatawin Floor Metal

Adolfo Abejón



20336-145-US ● **Structure** Satin Black  
● **Shade** Gloss White


20336-146-US ● **Structure** Satin Black  
● **Shade** Gloss Black

20336-147-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue

20336-148-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange

20336-149-US ● **Structure** Satin Black  
● **Shade** Gloss Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	72.83in
<b>Location</b>	Dry locations only



Adjustable structure

[Back to index](#)



**Tatawin Wall Glass**  
Adolfo Abejón



- 20335-116-US ● **Structure** Satin Black  
● **Shade** Opal White
- 20335-117-US ● **Structure** Satin Black  
● **Shade** Black


<b>Material</b>	<b>Structure</b> Aluminium <b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only

**Tatawin Wall Metal**  
Adolfo Abejón



- 20335-140-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20335-141-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20335-142-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20335-143-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange
- 20335-144-US ● **Structure** Satin Black  
● **Shade** Gloss Green


<b>Material</b>	<b>Structure</b> Aluminium <b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only



The shape of the lampshade is reminiscent of the upper part of the characteristic houses of Tataouine, a city located in the South-East of Tunisia.



**Tatawin Wall Arm Glass**  
Adolfo Abejón



- 20342-116-US ● **Structure** Satin Black  
● **Shade** Opal
- 20342-117-US ● **Structure** Satin Black  
● **Shade** Gloss Black


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only

**Tatawin Wall Arm Metal**  
Adolfo Abejón




- 20342-140-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20342-141-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20342-142-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20342-143-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange
- 20342-144-US ● **Structure** Satin Black  
● **Shade** Gloss Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Recom. Bulb</b>	17462
<b>Location</b>	Dry locations only



**Back**  
to index



**Tatawin Glass S**  
Adolfo Abejón



- 20339-116-US ● **Structure** Satin Black  
● **Shade** Opal
- 20339-117-US ● **Structure** Satin Black  
● **Shade** Gloss Black


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only

**Tatawin Metal S**  
Adolfo Abejón



- 20339-140-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20339-141-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20339-142-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20339-143-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange
- 20339-144-US ● **Structure** Satin Black  
● **Shade** Gloss Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED G45 Type A15 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only





The shape of the lampshade is reminiscent of the upper part of the characteristic houses of Tataouine, a city located in the south-east of Tunisia.

**Tatawin Glass M**  
Adolfo Abejón



- 20339-119-US ● **Structure** Satin Black  
● **Shade** Opal
- 20339-120-US ● **Structure** Satin Black  
● **Shade** Gloss Black


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only

**Tatawin Metal M**  
Adolfo Abejón



- 20339-145-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20339-146-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20339-147-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20339-148-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange
- 20339-149-US ● **Structure** Satin Black  
● **Shade** Gloss Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Recom. Bulb</b>	17463
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only



**Back**  
to index




**Tatawin Glass S Lineal**  
Adolfo Abejón



- 20338-117-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20338-116-US ● **Structure** Satin Black  
● **Shade** Opal


<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Glass
<b>Light Source</b>	3 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

**Tatawin Metal S Lineal**  
Adolfo Abejón



- 20338-140-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20338-141-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20338-142-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20338-143-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange
- 20338-144-US ● **Structure** Satin Black  
● **Shade** Gloss Green

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	3 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only



**Back**  
to index




**Tatawin Glass M Lineal**  
Adolfo Abejón



- 20338-119-US ● **Structure** Satin Black  
● **Shade** Opal
- 20338-120-US ● **Structure** Satin Black  
● **Shade** Gloss Black


<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Glass
<b>Light Source</b>	3 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

**Tatawin Metal M Lineal**  
Adolfo Abejón



- 20338-145-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20338-146-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20338-147-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20338-149-US ● **Structure** Satin Black  
● **Shade** Gloss Green
- 20338-148-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	3 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only





**Tatawin Glass S Circular**  
Adolfo Abejón



- 20343-117-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20343-116-5L-US ● **Structure** Satin Black  
● **Shade** Opal


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	5 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

**Tatawin Metal S Circular**  
Adolfo Abejón



- 20343-140-5L-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20343-141-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20343-142-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20343-143-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange
- 20343-144-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	5 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only





**Tatawin Glass M Circular**  
Adolfo Abejón



- 20343-119-5L-US ● **Structure** Satin Black  
● **Shade** Opal
- 20343-120-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Black


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	5 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

**Tatawin Metal M Circular**  
Adolfo Abejón



- 20343-145-5L-US ● **Structure** Satin Black  
● **Shade** Gloss White
- 20343-146-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Black
- 20343-147-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Grayish Blue
- 20343-148-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Reddish Orange
- 20343-149-5L-US ● **Structure** Satin Black  
● **Shade** Gloss Green


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	5 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only





by Faro LAB

Its design embodies an industrial elegance defined by timeless architectural proportions.



# Dominica








Its design of simple and friendly geometric shapes contrasts with its sober and industrial style.

**Dominica Table**  
Faro Lab



- 20033-122-US ● Structure Matt Black  
● Shade Beige
- 20033-123-US ● Structure Black  
● Shade Black

<b>Material</b>	Structure Steel
	Shade Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	82.68in
<b>Location</b>	Dry locations only




**Dominica Floor**  
Faro Lab



- 20034-122-US ● Structure Matt Black  
● Shade Beige
- 20034-123-US ● Structure Black  
● Shade Black

<b>Material</b>	Structure Steel
	Shade Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	82.68in
<b>Location</b>	Dry locations only



**Back**  
to index



**Dominica Wall**  
Faro Lab




- 20031-123-US ● Structure Black  
● Shade Black
- 20031-122-US ● Structure Matt Black  
● Shade Beige

**Dominica Wall Arm** 355°  
Faro Lab



- 20042-122-US ● Structure Black  
● Shade Beige
- 20042-123-US ● Structure Black  
● Shade Black

**Dominica Wall Arm** 355°  
Faro Lab






- 20040-122-US ● Structure Matt Black  
● Shade Beige
- 20040-123-US ● Structure Black  
● Shade Black

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	98.43in
<b>Location</b>	Dry locations only


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	88.58in
<b>Location</b>	Dry locations only





# Martinica

by Faro Lab



Break away from more rigid structures with MARTINICA. Like a sheet that melts and wraps around the lamp, its lampshade encourages us to play with light.




**Martinica Table**  
Faro Lab



- 20033-133-US ● Structure Black  
● Shade Black
- 20033-134-US ● Structure Black  
● Shade Blue
- 20033-135-US ● Structure Black  
● Shade Beige

<b>Material</b>	Structure Steel
	Shade Steel
<b>Light Source</b>	1 E26 LED Type A max. 7W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	82.68in
<b>Location</b>	Dry locations only




**Martinica Floor**  
Faro Lab




- 20034-133-US ● Structure Black  
● Shade Black
- 20034-134-US ● Structure Black  
● Shade Blue
- 20034-135-US ● Structure Black  
● Shade Beige

<b>Material</b>	Structure Steel
	Shade Steel
<b>Light Source</b>	1 E26 LED Type A max. 7W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	82.68in
<b>Location</b>	Dry locations only






**Martinica Wall Arm S**  
Faro Lab




- 20042-133-US ● Structure Black  
● Shade Black
- 20042-134-US ● Structure Black  
● Shade Blue
- 20042-135-US ● Structure Black  
● Shade Beige

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 7W Excl.
<b>Voltage (V/Hz)</b>	120V/50/60Hz
<b>Cable</b>	98.43in
<b>Location</b>	Dry locations only




**Martinica Wall Arm XL**  
Faro Lab



- 20040-133-US ● Structure Black  
● Shade Black
- 20040-134-US ● Structure Black  
● Shade Blue
- 20040-135-US ● Structure Black  
● Shade Beige

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 7W Excl.
<b>Voltage (V/Hz)</b>	120V
<b>Cable</b>	98.43in
<b>Location</b>	Dry locations only




**Back**  
to index






# Venice

by Adolfo Abejón




A design that creates a welcoming and comfortable atmosphere.



Handcrafted in a workshop in Barcelona, this piece uses ceramic as its main material, providing a rich texture and distinctive finish.



**Venice Table**  
Adolfo Abejón



- 64276-111-US ● Structure Satin Black  
● Shade White
- 64276-112-US ● Structure Satin Black  
● Shade Gloss Black
- 64276-113-US ● Structure Satin Black  
● Shade Gloss Pink
- 64276-114-US ● Structure Satin Black  
||| Shade White & Gloss Black
- 64276-115-US ● Structure Satin Black  
● Shade Blue

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Ceramic
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	84.65in
<b>Location</b>	Dry locations only

**Venice Floor**  
Adolfo Abejón



- 64275-111-US ● Structure Satin Black  
● Shade White
- 64275-112-US ● Structure Satin Black  
● Shade Gloss Black
- 64275-113-US ● Structure Satin Black  
● Shade Gloss Pink
- 64275-114-US ● Structure Satin Black  
||| Shade White & Gloss Black
- 64275-115-US ● Structure Satin Black  
● Shade Blue




<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Ceramic
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	72.83in
<b>Location</b>	Dry locations only

**Venice Wall**  
Adolfo Abejón



- 64274-US ● Structure Gloss Black  
● Shade Blue
- 64270-US ● Structure Gloss Black  
● Shade Gloss White
- 64271-US ● Structure Gloss Black  
● Shade Gloss Black
- 64273-US ● Structure Gloss Black  
||| Shade White & Gloss Black
- 64272-US ● Structure Gloss Black  
● Shade Gloss Pink

<b>Material</b>	<b>Structure</b> Aluminium <b>Shade</b> Ceramic
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only






**Venice 160**  
Adolfo Abejón



64255-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Gloss White
64256-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Gloss Black
64257-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Gloss Pink
64258-US	● <b>Structure</b> Gloss Black ▨ <b>Shade</b> White & Gloss Black
64259-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Blue

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Ceramic
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only




**Venice 200**  
Adolfo Abejón



64255-124-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Gloss White
64255-125-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Gloss Black
64255-126-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Gloss Pink
64255-127-US	● <b>Structure</b> Gloss Black ▨ <b>Shade</b> White & Gloss Black
64255-128-US	● <b>Structure</b> Gloss Black ● <b>Shade</b> Blue

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Ceramic
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only




**Back**  
to index



by Nahtrang

A reinterpretation of the 1950s  
aesthetics in a modern context.



# Studio

+ Service  
2003  
Merce

en anglès,  
molaria més



**Studio 290**  
Nahrang



28283-US	● Structure Matt Black ● Shade Black
28284-US	● Structure Matt Black ● Shade White
28285-US	● Structure Matt Black ● Shade Green
28286-US	● Structure Matt Black ● Shade Blue
28287-US	● Structure Matt Black ● Shade Pink

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 18W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only



+ Service  
2003  
Merce

en anglès,  
molaria més



# Windsor

by Faro Lab



Extra-large lampshades for a great presence. Windsor can create ambient lighting for large spaces, such as hotels and restaurants.



**Windsor Table**  
Faro Lab



- 20225-130-US ● Structure Matt Black
- Shade Grey
- Diffuser Grey

---

- 20225-151-US ● Structure Matt Black
- Shade Off White
- Diffuser Off White

---

- 20226-151-US ● Structure Matt White
- Shade Off White
- Diffuser Off White

**Windsor Floor**  
Faro Lab



- 20227-131-US ● Structure Matt Black
- Shade Grey
- Diffuser Grey

---

- 20227-152-US ● Structure Matt Black
- Shade Off White
- Diffuser Off White

---

- 20228-152-US ● Structure Matt White
- Shade Off White
- Diffuser Off White

**Windsor Pendant**  
Faro Lab



- 20229-132-US ● Structure Matt Black
- Shade Grey
- Diffuser Natural




---

- 20229-153-US ● Structure Matt Black
- Shade Off White
- Diffuser Natural

<b>Material</b>	Structure Steel
	Shade Textile
	Diffuser Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	74.8in
<b>Location</b>	Dry locations only

<b>Material</b>	Structure Steel
	Shade Textile
	Diffuser Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	70.87in
<b>Location</b>	Dry locations only

<b>Material</b>	Structure Steel
	Shade Textile
	Diffuser Papyrus
<b>Light Source</b>	3 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only





Extra-large lampshades for a great presence. Windsor can create ambient lighting for large spaces, such as hotels and restaurants.


**Windsor Wall**  
Faro Lab



- 20221-129-US
  - Structure Matt Black
  - Shade Grey
  - Diffuser Grey
- 20221-150-US
  - Structure Matt Black
  - Shade Off White
  - Diffuser Off White
- 20222-150-US
  - Structure Matt White
  - Shade Off White
  - Diffuser Off White


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
	<b>Diffuser</b> Textile
<b>Light Source</b>	1 E26 LED Type A Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only

**Windsor Wall Reader**  
Faro Lab




- 20223-129-US
  - Structure Matt Black
  - Shade Grey
  - Diffuser Grey
- 20223-150-US
  - Structure Matt Black
  - Shade Off White
  - Diffuser Off White
- 20224-150-US
  - Structure Matt White
  - Shade Off White
  - Diffuser Off White

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
	<b>Diffuser</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Reader</b>	4.5W 2700K 228lm 24°
<b>Location</b>	Dry locations only



Textile diffuser




Textile diffuser



Extra-large lampshades for a great presence. Windsor can create ambient lighting for large spaces, such as hotels and restaurants.

# Guadalupe


by Faro LAB



A creation of the Faro Lab design team, in which the well-being and comfort of the user has been prioritized. A design of pure and minimalist lines, with a shade in the shape of a tube, which channels the light as if it were a theatrical stage.



**Guadalupe Table**  
Faro Lab



- 20033-80-US ● Structure Matt Black  
● Shade Beige
- 20033-81-US ● Structure Matt Black  
● Shade Green

**Guadalupe Floor**  
Faro Lab



- 20034-80-US ● Structure Matt Black  
● Shade Beige
- 20034-81-US ● Structure Matt Black  
● Shade Green

**Guadalupe Wall**  
Faro Lab






- 20031-80-US ● Structure Black  
● Shade Beige
- 20031-81-US ● Structure Black  
● Shade Green

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	82.68in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	82.68in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only





by Héctor Serrano

The rounded diffuser of Amelia not only provides a larger emitting surface but also prevents glare, making this lamp an ideal choice for ambient lighting.



# Amelia




**Amelia Table**  
Héctor Serrano



28430-US  **Structure** Matt White  
 **Diffuser** Opal White

28431-US  **Structure** Matt Black  
 **Diffuser** Opal White

<b>Material</b>	<b>Structure</b> Steel
	<b>Diffuser</b> Glass
<b>Light Source</b>	1 E26 LED Type A max. 7W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	70.87in
<b>Location</b>	Dry locations only





by Marina Milà

Its simplicity and sculptural air  
adapts it to any location.



# Lula




**Lula S**  
Marina Milá



28380-US  Structure Matt White  
 Shade White

28382-US  Structure Matt Black  
 Shade White

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	72.83in
<b>Location</b>	Dry locations only





by Pepe Llaudet

Inspired by the traditional street  
lamps of the Far East.



# Akane



**Akane 350**  
Pepe Llaudet



28370-US  
● Structure Matt Black  
● Shade Beige



**Akane 595**  
Pepe Llaudet



28371-US  
● Structure Matt Black  
● Shade Beige

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Parchment
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	72.83in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Parchment
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	72.83in
<b>Location</b>	Dry locations only





With a parchment diffuser, it is inspired by the traditional lanterns of the Far East.

# Drum

by Nahtrang



Robust, compact and timeless. This is how the collection of table and floor lamps designed by Nahtrang is defined. The imposing volume of the shade is balanced by the lightness of its structure. Drum is a contemporary design in which a discreet yet forceful presence predominates.




**Drum Table**  
Nahtrang



- 24020-31-US
  - Structure Matt Black
  - Shade Beige
  - Diffuser Opal
- 24020-32-US
  - Structure Matt Black
  - Shade Grey
  - Diffuser Opal

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
	<b>Diffuser</b> PC
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	90.55in
<b>Location</b>	Dry locations only




**Drum Floor**  
Nahtrang



- 24023-33-US
  - Structure Matt Black
  - Shade Beige
  - Diffuser Opal
- 24023-34-US
  - Structure Matt Black
  - Shade Grey
  - Diffuser Opal

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
	<b>Diffuser</b> PC
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	106.3in
<b>Location</b>	Dry locations only







by Lucid

A collection of luminaires of imposing presence and firmness. It is made of natural laminated wood of American origin.



# Stood

**Stood Table**  
Lucid Product Design




29846-US  
● Structure Matt Black  
● Shade Cherry Wood

**Stood Floor**  
Lucid Product Design



29847-US  
● Structure Matt Black  
● Shade Cherry Wood

**Stood Wall**  
Lucid Product Design






29844-US  
● Structure Matt Black  
● Shade Cherry Wood

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Wood
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	62.99in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Wood
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	90.55in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Wood
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only






**Stood Pendant**  
Lucid Product Design



29848-US ● **Structure** Matt Black  
● **Shade** Cherry Wood

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Wood
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only




**Stood Pendant 5L**  
Lucid Product Design



29849-US ● **Structure** Matt Black  
● **Shade** Cherry Wood

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Wood
<b>Light Source</b>	5 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only








# Mambo

by Faro Lab



Combine and create

**Mambo Table M**  
Faro Lab



64311-48-US ● **Structure** Matt Black  
● **Shade** Rattan



**Mambo Table S**  
Faro Lab



64317-47-US ● **Structure** Black  
● **Shade** Rattan

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	61.02in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	61.02in
<b>Location</b>	Dry locations only






**Mambo Wall**  
Faro Lab



64307-47-US  
● Structure Matt Black  
● Shade Rattan

<b>Material</b>	Structure Steel
	Shade Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only




**Mambo Wall Reader**  
Faro Lab




64309-47-US  
● Structure Matt Black  
● Shade Rattan

<b>Material</b>	Structure Steel
	Shade Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Reader</b>	4.5W 2700K 228lm 24°
<b>Location</b>	Dry locations only





**Mambo Pendant 210**  
Faro Lab




64315-47-US ● Structure Matt Black  
● Shade Rattan

**Mambo Pendant 320**  
Faro Lab



64315-48-US ● Structure Matt Black  
● Shade Rattan

**Mambo Pendant 450**  
Faro Lab






64315-49-US ● Structure Matt Black  
● Shade Rattan

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	66.93in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	66.93in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	66.93in
<b>Location</b>	Dry locations only








# Sumba

by Faro LAB




Its rattan shade delicately filters the light, casting soft and warm shadows that invite relaxation and tranquility.

**Sumba Table S**  
Faro Lab



64317-71-US ● **Structure** Black  
● **Shade** Rattan

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	61.02in
<b>Location</b>	Dry locations only




**Sumba Pendant**  
Faro Lab



65134-72-US ● **Structure** Black  
● **Shade** Rattan

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only






**Sumba Wall**  
Faro Lab



64307-71-US  
● Structure Matt Black  
● Shade Rattan

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only




**Sumba Wall Reader**  
Faro Lab



64309-71-US  
● Structure Matt Black  
● Shade Rattan

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Reader</b>	4.5W 2700K 228lm 24°
<b>Location</b>	Dry locations only







# Conga

by Faro Lab



Conga family by Faro Lab provides elegant interior lighting options in various colors and styles: wall, pendant, and table lamps. Ideal for bedrooms, living rooms, and hotels.

**Conga Table S**  
Faro Lab



- 64316-01-US  **Structure** Matt White  
 **Shade** White


---

- 64316-02-US  **Structure** Matt White  
 **Shade** Beige

---

- 64317-03-US  **Structure** Matt Black  
 **Shade** Black

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	61.02in
<b>Location</b>	Dry locations only



**Conga Table M**  
Faro Lab



- 64310-04-US  **Structure** Matt White  
 **Shade** White


---

- 64310-05-US  **Structure** Matt White  
 **Shade** Beige

---

- 64311-06-US  **Structure** Matt Black  
 **Shade** Black

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	61.02in
<b>Location</b>	Dry locations only





**Conga Wall**  
Faro Lab



**Conga Wall Reader** <sup>90°</sup>  
Faro Lab



**Conga Pendant 500**  
Faro Lab



- 64306-01-US  Structure Matt White  
 Shade White
- 64306-02-US  Structure Matt White  
 Shade Beige
- 64307-03-US  Structure Matt Black  
 Shade Black



- 64308-01-US  Structure Matt White  
 Shade White
- 64308-02-US  Structure Matt White  
 Shade Beige
- 64309-03-US  Structure Matt Black  
 Shade Black

- 64315-56-US  Structure Matt Black  
 Shade Black
- 64315-55-US  Structure Matt Black  
 Shade Beige
- 64315-54-US  Structure Matt Black  
 Shade White

<b>Material</b>	Structure Steel
	Shade Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only

<b>Material</b>	Structure Steel
	Shade Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Reader</b>	4.5W 2700K 228lm 24°
<b>Location</b>	Dry locations only

<b>Material</b>	Structure Steel
	Shade Textile
	Diffuser Papyrus
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	66.93in
<b>Location</b>	Dry locations only







# Samba

by Faro Lab




It brings a Mediterranean touch to the space where you place it. It is handmade, which reduces the impact on the planet.

**Samba Table S**  
Faro Lab



- 64316-35-US  Structure Matt White  
 Shade Beige
- 64316-36-US  Structure Matt White  
 Shade Yellow
- 64316-37-US  Structure Matt White  
 Shade Green
- 64317-35-US  Structure Matt Black  
 Shade Beige
- 64317-36-US  Structure Matt Black  
 Shade Yellow
- 64317-37-US  Structure Matt Black  
 Shade Green

<b>Material</b>	Structure Steel
	Shade Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	61.02in
<b>Location</b>	Dry locations only




**Samba Table M**  
Faro Lab



- 64310-38-US  Structure Matt White  
 Shade Beige
- 64310-39-US  Structure Matt White  
 Shade Yellow
- 64310-40-US  Structure Matt White  
 Shade Green
- 64311-38-US  Structure Matt Black  
 Shade Beige
- 64311-39-US  Structure Matt Black  
 Shade Yellow
- 64311-40-US  Structure Matt Black  
 Shade Green

<b>Material</b>	Structure Steel
	Shade Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	61.02in
<b>Location</b>	Dry locations only






DAVID HOCKNEY  
JUNE

**Samba Wall**  
Faro Lab



**Samba Wall Reader**  
Faro Lab





64306-35-US	● Structure Matt White ● Shade Beige
64306-36-US	● Structure Matt White ● Shade Yellow
64306-37-US	● Structure Matt White ● Shade Green
64307-35-US	● Structure Matt Black ● Shade Beige
64307-36-US	● Structure Matt Black ● Shade Yellow
64307-37-US	● Structure Matt Black ● Shade Green

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only

64308-35-US	● Structure Matt White ● Shade Beige
64308-36-US	● Structure Matt White ● Shade Yellow
64308-37-US	● Structure Matt White ● Shade Green
64309-35-US	● Structure Matt Black ● Shade Beige
64309-36-US	● Structure Matt Black ● Shade Yellow
64309-37-US	● Structure Matt Black ● Shade Green

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Reader</b>	4.5W 228lm 24°
<b>Location</b>	Dry locations only





**Samba Pendant 500**  
Faro Lab



- 64315-44-US ● Structure Matt Black  
● Shade Beige


---

- 64315-45-US ● Structure Matt Black  
● Shade Yellow

---

- 64315-46-US ● Structure Matt Black  
● Shade Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
	<b>Diffuser</b> Papyrus
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	66.93in
<b>Location</b>	Dry locations only




**Samba Pendant 700**  
Faro Lab



- 64329-154-US ● Structure Matt Black  
● Shade Beige  
● Diffuser White

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
	<b>Diffuser</b> Papyrus
<b>Light Source</b>	3 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only





by Estudi Ribaudí

Tree is born from the interaction of humans with their natural environment to offer balance and light. Its branches grow towards the interior of the shade, where the light rests and gives life to its creation.



# Tree



**Tree Table**  
Estudi Ribaudí



- 29866-US ● Structure Matt Black  
● Shade Black
- 29867-US ● Structure Matt White  
● Shade White

**Tree Floor**  
Estudi Ribaudí



- 29868-US ● Structure Matt Black  
● Shade Black
- 29869-US ● Structure Matt White  
● Shade White

**Tree Pendant**  
Estudi Ribaudí






- 29864-US ● Structure Matt Black  
● Shade Black
- 29865-US ● Structure Matt White  
● Shade White

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	51.18in
<b>Location</b>	Dry locations only





# Savoy

by Isaac Piñeiro



Available in various formats and finishes, emphasizes functionality and warmth, with the upper ring's indirect light being its standout feature.



**Savoy Table**  
Isaac Piñeiro



- 20304-82-US  **Structure** White
- Shade** White


---

- 20305-83-US  **Structure** Matt Black
- Shade** Black

---

- 20305-84-US  **Structure** Matt Black
- Shade** Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	74.8in
<b>Location</b>	Dry locations only



**Savoy Floor**  
Isaac Piñeiro



- 20306-85-US  **Structure** Matt White
- Shade** White


---

- 20307-86-US  **Structure** Matt Black
- Shade** Black

---

- 20307-87-US  **Structure** Matt Black
- Shade** Green

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	70.87in
<b>Location</b>	Dry locations only



**Back**  
to index



**Savoy Wall**  
Isaac Piñeiro



- 20300-92-US  Structure Matt White  
 Shade White
- 20301-93-US  Structure Matt Black  
 Shade Black
- 20301-94-US  Structure Matt Black  
 Shade Green

**Savoy Wall Reader** ↗ 90°  
↙ 355°  
Isaac Piñeiro



- 20302-92-US  Structure Matt White  
 Shade White
- 20303-93-US  Structure Matt Black  
 Shade Black
- 20303-94-US  Structure Matt Black  
 Shade Green

**Savoy Pendant 420**  
Isaac Piñeiro








- 20308-89-US  Structure White  
 Shade White
- 20309-90-US  Structure Black  
 Shade Black
- 20309-91-US  Structure Black  
 Shade Green

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Reader</b>	4.5W 2700K 228lm 24°
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	39.37in
<b>Location</b>	Dry locations only







by Jordi Busquets

A classic-cut model that impresses with its unique blend of shade and form, elegantly bridging tradition and modernity.




# Lupe

**Lupe Floor**  
Jordi Busquets



20034-88-US  
● Structure Matt Black  
● Shade Beige

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	82.68in
<b>Location</b>	Dry locations only




**Lupe Wall**  
Jordi Busquets



20031-88-US  
● Structure Black  
● Shade Beige

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type G16.5 max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only





This lamp features a cylindrical shade in a delicate off-white tone, complemented by an elegant and modern black structure, designed to harmonize with any type of decor. It provides soft and welcoming ambient lighting, perfect for creating a relaxing atmosphere in any space.



# Nila




## Nila Floor



20055-US  
 ● Structure Matt Black  
 ● Shade Off White

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	2 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	70.87in
<b>Location</b>	Dry locations only




## Nila Wall



20052-US  
 ● Structure Matt Black  
 ● Shade Off White


<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only





# Isabelle

by Héctor Serrano



Three models can be used individually or combined, featuring an opal glass diffuser that casts a soft, warm glow with a gently textured finish.



**Isabelle Pendant 310**  
Héctor Serrano



28300-US ● Structure Matt White  
● Shade Opal

**Isabelle Pendant 400**  
Héctor Serrano



28301-US ● Structure Matt White  
● Shade Opal

**Isabelle Pendant 500**  
Héctor Serrano





28302-US ● Structure Matt White  
● Shade Opal

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Glass
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only







by Nutcreatives

Made from recycled plastic from  
bottle caps. Less is more!



A solution for modern and committed interior lighting. Its lampshade contains recycled plastic from bottle caps, and its production is local.

# Confetti

285

**Confetti Pendant 300**  
Nutcreatives



68600-50-US ● **Structure** Matt Black  
● **Shade** White & Black



**Confetti Pendant 450**  
Nutcreatives



68600-51-US ● **Structure** Matt Black  
● **Shade** White & Black

<b>Material</b>	<b>Structure</b> Aluminium <b>Shade</b> Recycled PET
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only


<b>Material</b>	<b>Structure</b> Aluminium <b>Shade</b> Recycled PET
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only





# Kombo

by Nutcreatives



Kombo introduces lighting as a playful concept. A family of modular suspended luminaires with a rational aesthetic where colour plays a fundamental role. It allows shades of different sizes to adapt to all kinds of spaces and lighting needs, and it is available in three finishes.



**Kombo 120**  
Nutcreatives



- 68591-1L-US ● Structure Matt Black  
● Shade Grey
- 68592-1L-US ● Structure Matt Black  
● Shade Beige

**Kombo 200**  
Nutcreatives



- 68593-1L-US ● Structure Matt Black  
● Shade Grey
- 68594-1L-US ● Structure Matt Black  
● Shade Beige

**Kombo 400**  
Nutcreatives





- 68595-1L-US ● Structure Matt Black  
● Shade Grey
- 68596-1L-US ● Structure Matt Black  
● Shade Beige
- 68597-1L-US ● Structure Matt Black  
● Shade Terracotta

<b>Material</b>	Structure Steel
	Shade Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only

<b>Material</b>	Structure Steel
	Shade Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only


<b>Material</b>	Structure Steel
	Shade Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only





by Àlex & Manel Llusçà

It brings a warm, natural touch to any space where it is placed. It is handmade, which reduces the impact on the planet.



# Costas




**Costas Pendant 600**  
Àlex & Manel Lluscà



68590-69-US ● **Structure** Matt Black  
● **Shade** Rattan

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only

Hook accessory incl.








by Faro Lab

With its Mediterranean charm, it transforms any space into a cozy refuge. Its rattan shade delicately filters the light, casting soft and warm shadows that invite relaxation and tranquility.




# Saipan

**Saipan 225**  
Faro Lab



65134-76-US ● **Structure** Black  
● **Shade** Rattan

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only






**TERIORS  
NOW!**





by Faro Lab

Infused with relaxed coastal charm, this piece transforms any room into a welcoming haven. The rattan shade gently diffuses the light, creating a soothing and warm ambiance that encourages relaxation and peace.




# Tupai

**Tupai 300**  
Faro Lab



65134-77-US ● **Structure** Black  
● **Shade** Rattan

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only








by Faro Lab

The Haka pendant lamp, with its round design and Mediterranean style, captures the essence of tranquility and warmth. Made from rattan, its shade filters light to create a play of shadows that evokes sunsets on the coast. Perfect for adding a touch of rustic elegance to any bedroom or living room.



# Haka

**Haka 250**  
Faro Lab



65134-73-US ● Structure Black  
● Shade Rattan

**Haka 300**  
Faro Lab



65134-74-US ● Structure Black  
● Shade Rattan

**Haka 530**  
Faro Lab





65134-75-US ● Structure Black  
● Shade Rattan

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only

<b>Material</b>	<b>Structure</b> Steel <b>Shade</b> Rattan
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	78.74in
<b>Location</b>	Dry locations only





by Christoph Friedrich Wagner

Where minimalist design meets timeless elegance, casting a warm glow that transforms any room into a haven of style.



# Whizz




## Whizz Floor

Christoph Friedrich Wagner



- 20164-95-US ● Structure Matt Black  
● Shade Black + Satin Gold
- 20164-96-US ● Structure Matt Black  
● Shade Satin Gold + Black

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	137.8in
<b>Location</b>	Dry locations only




## Whizz Pendant

Christoph Friedrich Wagner



- 20160-US ● Structure Black + Satin Gold  
● Shade Black + Satin Gold
- 20161-US ● Structure Satin Gold + Black  
● Shade Satin Gold + Black
- 20169-US ● Structure Blue + Matt White  
● Shade Blue + Matt White

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	59.06in
<b>Location</b>	Dry locations only






**Whizz Wall**  
Christoph Friedrich Wagner



- 20165-95-US **Structure** Matt Black + Satin Gold  
**Shade** Black + Satin Gold
- 20165-96-US **Structure** Satin Gold + Matt Black  
**Shade** Satin Gold + Black

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	137.8in
<b>Location</b>	Dry locations only




**Whizz Pendant Floor**  
Christoph Friedrich Wagner



- 20166-95-US **Structure** Matt Black  
**Shade** Black + Satin Gold
- 20166-96-US **Structure** Matt Black  
**Shade** Satin Gold + Black

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Cable</b>	137.8in
<b>Location</b>	Dry locations only





Whizz incorporates current trends by combining black metal with gold in a wonderfully stylish way. It adapts to both private spaces and to hotel suites, restaurants and offices.

by Alegre Design


Geometrically and functionally designed, Noon is a wall luminaire that allows the light beam to be directed as required. It can be oriented 350° on its horizontal axis and 45° on its vertical axis. The switch is integrated into the base of the piece to simplify its use. Its contemporary aesthetics and its elegant and discreet presence allows it to fit into any environment.



# Noon




**Noon**  
Alegre Design



- |          |                               |
|----------|-------------------------------|
| 62355-US | ● <b>Structure</b> Matt White |
|          | ● <b>Shade</b> Matt White     |
| 62356-US | ● <b>Structure</b> Moss grey  |
|          | ● <b>Shade</b> Moss grey      |

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Steel
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only



Orientable shade



# Cronos

by Faro Lab




Comfortable and reliable. Its reader lights up when lifted, so there's no need to press any switch, making reading moments easier and more enjoyable.




**Cronos**  
Faro Lab




- 62750-US  **Structure** Matt White + Textured Black


---

- 62765-US  **Structure** Brushed Aluminium + Textured Black


---

- 62751-US  **Structure** Matt Black + Textured Black

---

- 62752-US  **Structure** Bronze + Textured Black

<b>Material</b>	<b>Structure</b> Steel + Aluminium
<b>Lumen Output</b>	253lm
<b>Light Source</b>	COB LED max. 5W
<b>CRI</b>	90
<b>Beam angle</b>	39°
<b>Location</b>	Dry locations only







ILUMINACIÓN  
ESSENTIAL TIPS  
HERMANN  
ILUMINACIÓN

A collection of wall lights for hotels,  
designed by Nutcreatives, that  
stands out for its constructive  
simplicity and a relaxing,  
comfortable lighting effect.

# Fold


by Nutcreatives

**Fold**  
Nutcreatives



64303-US ● **Structure** Matt Black  
● **Shade** Black

<b>Material</b>	<b>Structure</b> Steel
	<b>Shade</b> Textile
<b>Light Source</b>	1 E26 LED Type A max. 15W Excl.
<b>Voltage (V/Hz)</b>	120V/60Hz
<b>Location</b>	Dry locations only







### Cable management accessory


designed to keep your environment cleaner, more organized, and safer. It features an adhesive backing that allows it to be firmly fixed to vertical or horizontal surfaces, preventing tripping and slipping hazards.

Made of high-strength PP, it withstands impacts and foot traffic without deforming. The soft section, made of TPE, provides a pleasant touch and a more secure grip.







	<b>Tider Cable Management Accessory</b>
<b>20546</b>	● Textured Black
<b>Material</b>	<b>Structure</b> TPU





# Symbology

	EN	ES	FR
	Switch	Interruptor	Interrupteur
	Double Switch	Doble Interruptor	Double Interrupteur
	Adjustable Table	Orientable	Orientable
	Dimmable	Dimable	Réglable

# General terms of sale

EN	ES	FR
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products. Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints. The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency. Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño. Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones. Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas. No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design. Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations. Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>

## References index of Indoor

Ref.	Pag.	Ref.	Pag.	Ref.	Pag.
20031-122-US	182	20224-150-US	206	20338-117-US	168
20031-123-US	182	20225-130-US	204	20338-119-US	170
20031-80-US	210	20225-151-US	204	20338-120-US	170
20031-81-US	210	20226-151-US	204	20338-140-US	168
20031-88-US	274	20227-131-US	204	20338-141-US	168
20033-122-US	180	20227-152-US	204	20338-142-US	168
20033-123-US	180	20228-152-US	204	20338-143-US	168
20033-133-US	186	20229-132-US	204	20338-144-US	168
20033-134-US	186	20229-153-US	204	20338-145-US	170
20033-135-US	186	20300-92-US	270	20338-146-US	170
20033-80-US	210	20301-93-US	270	20338-147-US	170
20033-81-US	210	20301-94-US	270	20338-148-US	170
20034-122-US	180	20302-92-US	270	20338-149-US	170
20034-123-US	180	20303-93-US	270	20339-116-US	164
20034-133-US	186	20303-94-US	270	20339-117-US	164
20034-134-US	186	20304-82-US	268	20339-119-US	166
20034-135-US	186	20305-83-US	268	20339-120-US	166
20034-80-US	210	20305-84-US	268	20339-140-US	164
20034-81-US	210	20306-85-US	268	20339-141-US	164
20034-88-US	274	20307-86-US	268	20339-142-US	164
20040-122-US	182	20307-87-US	268	20339-143-US	164
20040-123-US	182	20308-89-US	270	20339-144-US	164
20040-133-US	188	20309-90-US	270	20339-145-US	166
20040-134-US	188	20309-91-US	270	20339-146-US	166
20040-135-US	188	20335-116-US	160	20339-147-US	166
20042-122-US	182	20335-117-US	160	20339-148-US	166
20042-123-US	182	20335-140-US	160	20339-149-US	166
20042-133-US	188	20335-141-US	160	20342-116-US	162
20042-134-US	188	20335-142-US	160	20342-117-US	162
20042-135-US	188	20335-143-US	160	20342-140-US	162
20052-US	278	20335-144-US	160	20342-141-US	162
20055-US	278	20336-119-US	158	20342-142-US	162
20160-US	310	20336-120-US	158	20342-143-US	162
20161-US	310	20336-145-US	158	20342-144-US	162
20164-95-US	310	20336-146-US	158	20343-116-5L-US	172
20164-96-US	310	20336-147-US	158	20343-117-5L-US	172
20165-95-US	312	20336-148-US	158	20343-119-5L-US	174
20165-96-US	312	20336-149-US	158	20343-120-5L-US	174
20166-95-US	312	20337-116-US	156	20343-140-5L-US	172
20166-96-US	312	20337-117-US	156	20343-141-5L-US	172
20169-US	310	20337-140-US	156	20343-142-5L-US	172
20221-129-US	206	20337-141-US	156	20343-143-5L-US	172
20221-150-US	206	20337-142-US	156	20343-144-5L-US	172
20222-150-US	206	20337-143-US	156	20343-145-5L-US	174
20223-129-US	206	20337-144-US	156	20343-146-5L-US	174
20223-150-US	206	20338-116-US	168	20343-147-5L-US	174

Ref.	Pag.	Ref.	Pag.	Ref.	Pag.
20343-148-5L-US	174	64255-125-US	196	64310-05-US	250
20343-149-5L-US	174	64255-126-US	196	64310-38-US	256
20400-US	140	64255-127-US	196	64310-39-US	256
20401-US	140	64255-128-US	196	64310-40-US	256
20402-US	140	64255-US	196	64311-06-US	250
20403-US	144	64256-US	196	64311-38-US	256
20404-US	144	64257-US	196	64311-39-US	256
20405-US	144	64258-US	196	64311-40-US	256
20406-US	148	64259-US	196	64311-48-US	236
20407-US	148	64270-US	194	64315-44-US	260
20408-US	148	64271-US	194	64315-45-US	260
20546	326	64272-US	194	64315-46-US	260
24020-31-US	226	64273-US	194	64315-47-US	240
24020-32-US	226	64274-US	194	64315-48-US	240
24023-33-US	226	64275-111-US	194	64315-49-US	240
24023-34-US	226	64275-112-US	194	64315-54-US	252
28283-US	200	64275-113-US	194	64315-55-US	252
28284-US	200	64275-114-US	194	64315-56-US	252
28285-US	200	64275-115-US	194	64316-01-US	250
28286-US	200	64276-111-US	194	64316-02-US	250
28287-US	200	64276-112-US	194	64316-35-US	256
28300-US	282	64276-113-US	194	64316-36-US	256
28301-US	282	64276-114-US	194	64316-37-US	256
28302-US	282	64276-115-US	194	64317-03-US	250
28370-US	222	64303-US	324	64317-35-US	256
28371-US	222	64306-01-US	252	64317-36-US	256
28380-US	218	64306-02-US	252	64317-37-US	256
28382-US	218	64306-35-US	258	64317-47-US	236
28430-US	214	64306-36-US	258	64317-71-US	244
28431-US	214	64306-37-US	258	64329-154-US	260
29844-US	230	64307-03-US	252	65134-72-US	244
29846-US	230	64307-35-US	258	65134-73-US	306
29847-US	230	64307-36-US	258	65134-74-US	306
29848-US	232	64307-37-US	258	65134-75-US	306
29849-US	232	64307-47-US	238	65134-76-US	298
29864-US	264	64307-71-US	246	65134-77-US	302
29865-US	264	64308-01-US	252	68590-69-US	294
29866-US	264	64308-02-US	252	68591-1L-US	290
29867-US	264	64308-35-US	258	68592-1L-US	290
29868-US	264	64308-36-US	258	68593-1L-US	290
29869-US	264	64308-37-US	258	68594-1L-US	290
62355-US	316	64309-03-US	252	68595-1L-US	290
62356-US	316	64309-35-US	258	68596-1L-US	290
62750-US	320	64309-36-US	258	68597-1L-US	290
62751-US	320	64309-37-US	258	68600-50-US	286
62752-US	320	64309-47-US	238	68600-51-US	286
62765-US	320	64309-71-US	246		
64255-124-US	196	64310-04-US	250		

## Alphabetical index of Indoor

Ref.	Ref.	Pag.
Aire	Ceiling	148
Akane	Table	222
Amelia	Table	214
Confetti	Ceiling	286
Conga	Table	250
Conga	Wall	252
Conga	Ceiling	252
Costas	Ceiling	294
Cronos	Wall	320
Dominica	Table	180
Dominica	Floor	180
Dominica	Wall	182
Dominica	Wall	182
Drum	Table	226
Drum	Floor	226
Fold	Wall	324
Guadalupe	Table	210
Guadalupe	Floor	210
Guadalupe	Wall	210
Haka	Ceiling	306
Isabelle	Ceiling	282
Kombo	Ceiling	290
Lula	Table	218
Lupe	Floor	274
Lupe	Wall	274
Mambo	Table	236
Mambo	Wall	238
Mambo	Ceiling	240
Mar	Ceiling	144
Martinica	Table	186
Martinica	Floor	186
Martinica	Wall	188
Nila	Floor	278
Nila	Wall	278
Noon	Wall	316
Saipan	Ceiling	298
Samba	Table	256
Samba	Wall	258
Samba	Ceiling	260
Samba	Wall	258
Savoy	Table	268

## References index of Fan

Ref.	Ref.	Pag.
Cruiser	Ceiling	68
Mini Eterfan	Ceiling	92
Heywood	Ceiling	50
Just Fan	Ceiling	86
Klim	Ceiling	42
Marine	Ceiling	112
Outwood	Ceiling	118
Palma	Ceiling	126
Punt	Ceiling	74
Rudder	Ceiling	62
Typhoon	Ceiling	98
Winche	Ceiling	104




FARO  
C.A.T.C.

FARO  
BARCELONA

10

FARO  
BARCELONA



Request visit




**Showroom Barcelona**  
Princesa 52  
08003 Barcelona  
Spain  
Tel +34932387373  
showroom.barcelona@faro.es

**Showroom Paris**  
7 Rue d'Uzès  
75002 Paris  
France  
Tel +33745061553  
showroom.paris@faro.es

**Showroom Manila**  
699 Malate  
1004 Metro, Manila  
Philippines  
Tel +63285595363  
ldl\_roxas@landlitephilcorp.com

**Showroom Madrid**  
Velázquez 35 4ºD  
28001 Madrid  
Spain  
Tel +34689583571  
showroom.madrid@faro.es

**Showroom Buenos Aires**  
Ven Street Center Local 30  
Av. Italia 4950  
1622 Dique Luján  
Buenos Aires Argentina  
Tel +5491171390813  
showroom.argentina@faro.es



**Logistics Headquarters**  
Dinámica 1 Pol. Ind. Santa Rita  
08755 Castellbisbal  
Spain  
Tel +34937723949  
info@faro.es

**Logistics China**  
Room 1706-05, Glory International  
Finance Center  
25 Guicheng Road, Nanhai District  
Foshan, Guangdong Province

**Logistics US**  
135 West 41nd Street Suite 1002  
10036 New York  
USA

Be present.  
Let light guide you  
to a more conscious  
way of living