


AJ Floor

The fixture emits downward directed light. The angle of the shade can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.




Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Carl Hansen &
Son Showroom



Sparekassen Vendsyssel

Product info

Finish

Dark green, dark grey, aubergine, light grey, midnight blue, pale petroleum, rusty red, yellow ochre, black or white, wet painted.

Materials

Base: Die cast zinc. Shade: Spun steel. Stem: Steel.

Mounting

Cord type: White (White finish), black (non-white finish). Cord length: 9'. Switch: In-line on/off foot switch provided.

Compliance

cULus, Dry location.

Light source

A-19/medium

Product family



AJ Table



AJ Wall




AJ 50 Wall



AJ Mini Table



AJ Royal



Product variants

Color	Cable type	Light source	Voltage frequency
<div><div></div>Aubergine</div>	BLK	A-19/medium	120V
<div><div></div>Black</div>	WHT		
<div><div></div>Dark green</div>			
<div><div></div>Dark grey</div>			
<div><div></div>Light grey</div>			
<div><div></div>Midnight blue</div>			
<div><div></div>Original grey</div>			
<div><div></div>Pale petroleum</div>			
<div><div></div>Pale rose</div>			
<div><div></div>Rusty red</div>			
<div><div></div>Stainl steel polish</div>			
<div><div></div>Ultra blue</div>			
<div><div></div>Wht</div>			
<div><div></div>Yellow ochr</div>			

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, directed light.
Combined direct and indirect light ensures directed light with soft shadows
The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Arne Jacobsen

Material

Fixture head and wall box: spun steel, 1.5mm (0.06") thick, wet painted.
Arm: extruded steel, 1.5mm (0.06") thick, wet painted.
Base: cast zinc plated steel, 1.5mm (0.06") thick.
Switch: on/off, phenolic, on cord.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

Min: 7.685 lbs Max: 7.992 lbs

Finish


Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Original grey, Pale petroleum, Pale rose, Rusty red, Stainl steel polish, Ultra blue, Wht, Yellow ochr

Voltage


120V

Light distribution diagrams

Cartesian



Isolux



Polar

