


AJ Floor

Project name:

Project type:

Notes:



Design

Arne Jacobsen

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor

Variant options

Color	Cable type	Light source	Voltage frequency
<div><div></div>Aubergine</div>	BLK	A-19/medium	120V
<div><div></div>Black</div>	WHT		
<div><div></div>Dark green</div>			
<div><div></div>Dark grey</div>			
<div><div></div>Light grey</div>			
<div><div></div>Midnight blue</div>			
<div><div></div>Original grey</div>			
<div><div></div>Pale petroleum</div>			
<div><div></div>Pale rose</div>			
<div><div></div>Rusty red</div>			
<div><div></div>Stainl steel polish</div>			
<div><div></div>Ultra blue</div>			
<div><div></div>Wht</div>			
<div><div></div>Yellow ochr</div>			

Light description

The fixture emits glare free, directed light.
Combined direct and indirect light ensures directed light with soft shadows
The shade is painted white on the inside to ensure a soft comfortable light distribution.

Mounting

Portable fixture plugs into standard wall outlet.

Finish

Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Original grey, Pale petroleum, Pale rose, Rusty red, Stainl steel polish, Ultra blue, Wht, Yellow ochr

Material

Fixture head and wall box: spun steel, 1. 5mm (0. 06") thick, wet painted.
Arm: extruded steel, 1. 5mm (0. 06") thick, wet painted.
Base: cast zinc plated steel, 1. 5mm (0. 06") thick.
Switch: on/off, phenolic, on cord.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

Min: 7.685 lbs Max: 7.992 lbs


Voltage

120V


Light distribution diagrams

For the full data set on all variants, see louispolulsen.com.


Cartesian

















Isolux



Polar



Variant options

Color	Cable type	Light source	Voltage frequency	Variant number
 Black	BLK	A-19/medium	120V	5744904739
 Yellow ochre	BLK	A-19/medium	120V	5744904629
 Rusty red	BLK	A-19/medium	120V	5744904632
 Midnight blue	BLK	A-19/medium	120V	5744904645
 Aubergine	BLK	A-19/medium	120V	5744904658
 Light grey	BLK	A-19/medium	120V	5744904661
 Dark grey	BLK	A-19/medium	120V	5744904674
 Dark green	BLK	A-19/medium	120V	5744904687
 Pale petroleum	BLK	A-19/medium	120V	5744904742
 Wht	WHT	A-19/medium	120V	5744904726
 Stainless steel polish	BLK	A-19/medium	120V	5744915113
 Pale rose	WHT	A-19/medium	120V	5744915867
 Ultra blue	BLK	A-19/medium	120V	5744915870
 Original grey	WHT	A-19/medium	120V	5744915883