

AJ Table

Project name:

Project type:

Notes:



Design

Arne Jacobsen

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor.

Variant options

Color	Cable type	Light source	Voltage frequency
<div><div></div>Aubergine</div>	BLK	A-19/medium	120V
<div><div></div>Black</div>	WHT		
<div><div></div>Dark green</div>			
<div><div></div>Dark grey</div>			
<div><div></div>Light grey</div>			
<div><div></div>Midnight blue</div>			
<div><div></div>Original grey</div>			
<div><div></div>Pale petroleum</div>			
<div><div></div>Pale rose</div>			
<div><div></div>Rusty red</div>			
<div><div></div>Stainl steel polish</div>			
<div><div></div>Ultra blue</div>			
<div><div></div>Wht</div>			
<div><div></div>Yellow ochr</div>			

Light description

The fixture emits glare free, directed light.
Terse and iconic design
Combined direct and indirect light ensures directed light with soft shadows
The shade is painted white on the inside to ensure a soft comfortable light distribution.

Mounting

Portable fixture plugs into standard wall outlet.

Finish

Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Original grey, Pale petroleum, Pale rose, Rusty red, Stainl steel polish, Ultra blue, Wht, Yellow ochr

Material

Fixture head and wall box: spun steel, 1. 5mm (0. 06") thick, wet painted.
Arm: extruded steel, 1. 5mm (0. 06") thick, wet painted.
Base: cast zinc plated steel, 1. 5mm (0. 06") thick.
Switch: on/off, phenolic, on base.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight

Min: 4.83 lbs Max: 6.885 lbs


Voltage

120V


Light distribution diagrams

For the full data set on all variants, see louispoulsen.com.


Cartesian

















Isolux



Polar



Variant options

Color	Cable type	Light source	Voltage frequency	Variant number
 Black	BLK	A-19/medium	120V	5744905055
 Yellow ochre	BLK	A-19/medium	120V	5744904881
 Rusty red	BLK	A-19/medium	120V	5744904894
 Midnight blue	BLK	A-19/medium	120V	5744904904
 Aubergine	BLK	A-19/medium	120V	5744904917
 Light grey	BLK	A-19/medium	120V	5744904920
 Dark grey	BLK	A-19/medium	120V	5744904933
 Dark green	BLK	A-19/medium	120V	5744904946
 Pale petroleum	BLK	A-19/medium	120V	5744905068
 Wht	WHT	A-19/medium	120V	5744905042
 Stainless steel polish	BLK	A-19/medium	120V	5744915061
 Pale rose	WHT	A-19/medium	120V	5744915896
 Ultra blue	BLK	A-19/medium	120V	5744915906
 Original grey	WHT	A-19/medium	120V	5744915919