

# Yuh Wall

Project name:

Project type:

Notes:



## Design

GamFratesi

## Product description

Yuh wall lamp was designed by GamFratesi. The fixture head is highly adjustable by sliding up & down on a slender stem while also pivoting and rotating. An efficient LED light source with an opal lens provides comfortable illumination.

## Variant options

Color	Light source	Voltage frequency
<input checked="" type="radio"/> Black	10W LED/2700K	120V
<input checked="" type="radio"/> Brass/black		
<input type="radio"/> Brass/white		
<input type="radio"/> White		

Light description

Light distribution is 100% glare-free. Direct view of the light source is prevented to eliminate glare. Standard CCT in 2700K, controlled by electronic driver.

Mounting

Mounted directly to finished surface over a 4" octagonal junction-box. Switch: On/off switch on the wall plate. Electronic LED driver is housed inside the wall box.

Information

Electrical:  
System Wattage: 10W  
LED Wattage: 9W  
Delivered lumens: 446  
Efficacy: 44.6 lm/W  
Certifications:  
cULus, Dry Location  
Protection class IP20  
Controllability: Dimming by integral button switch  
Color Rendering: Ra≥90

Voltage

120V

Material

Luminaire constructed in aluminum for durability and heat management. Springs and mounting hardware are steel.

Weight

Min: 4.63 lbs Max: 4.85 lbs


Finish

Black, Brass/black, Brass/white, White


Light distribution diagrams

For the full data set on all variants, see [louispoulsen.com](http://louispoulsen.com).


Cartesian







Isolux



Polar



Variant options

Color	Light source	Voltage frequency	Variant number
 Brass/black	10W LED/2700K	120V	5743913789
 Black	10W LED/2700K	120V	5743905315
 White	10W LED/2700K	120V	5743905328
 Brass/white	10W LED/2700K	120V	5743913792