

Lámina

Antoni Arola. 2018
Pendant lamps



Lámina 45




A

Sistema Lámina 45




B

Lámina 85



C

Sistema Lámina 85




D

Lámina 165



E

Lámina Mayor



F



A line of light and a thin sheet, softly but effectively light. Striking a balance between poetry and reason, Lámina is a system that defends the benefits of reflected light with simple, obvious forms, in a range of formats and shades that hide nothing and show everything.

General description:

Black metal structure with matte finish.
S&C white metallic shade with brilliant finish (exterior).
Polycarbonate diffuser.
Electric cable length: 3 m / 118,1"

Approximate weight (unpacked):

(A) Lámina 45: 2,8 Kg / 6.2 lb
(B) Sistema Lámina 45: 4 Kg / 8.8 lb
(C) Lámina 85: 3,7 Kg / 8.2 lb
(D) Sistema Lámina 85: 5,9 Kg / 13 lb
(E) Lámina 165: 3,8 Kg / 8.4 lb
(F) Lámina Mayor: 12,3 Kg / 27.1 lb

Technical information:

Light source included (dimnable).

(A) Strip of 72 LEDs.
Rated input wattage: 18 W.
Operating voltage: 18VDC.
Luminous flux: 1.800 lm.

(B) Strip of 144 LEDs.
Rated input wattage: 31 W.
Operating voltage: 36VDC.
Luminous flux: 3.600 lm.

(C) Strip of 144 LEDs.
Rated input wattage: 31 W.
Operating voltage: 36VDC.
Luminous flux: 3.600 lm.

(D) Strip of 288 LEDs.
Rated input wattage: 54 W.
Operating voltage: 36VDC.
Luminous flux: 4.800 lm.

(E) Strip of 288 LEDs.
Rated input wattage: 54 W.
Operating voltage: 36VDC.
Luminous flux: 7.200 lm.

(F) Strip of 144 LEDs.
Rated input wattage: 44 W.
Operating voltage: 36VDC.
Luminous flux: 4.800 lm.

Colour Temp.: 2.700K.
CRI: 90.
Lifetime: 40.000 h.

Built-in LED.
Suitable for dimming 0-10V. (Not included external dimmer switch 0-10V).
Energy efficiency class (E.E.C): A++... A.
Suitable only for indoor use.
Always use this light source.

Input voltage:
CE: 220 ~ 240 Vac.
UL: 120 ~ 277 Vac.
Japan: 100 Vac.
(50 Hz / 60 Hz). According to destination.

Lámina

Antoni Arola. 2018
Pendant lamps

Regulations:

CE
UNE-EN 60598
UNE-EN 55015
UNE-EN 60529

UL

UL listing is in progress. Available soon.
Dry location only


Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.


Others:

The lamp is delivered in different packages.
The assembly instructions are delivered with the product.

Model A: Lámina 45




Model B: Sistema Lámina 45




Lámina

Antoni Arola. 2018
Pendant lamps

Model C: Lámina 85




Model D: Sistema Lámina 85



Lámina

Antoni Arola. 2018
Pendant lamps

Model E: Lámina 165



Model F: Lámina Mayor

