| PROJECT |
|---------|
| ТУРЕ    |
| NOTES   |
|         |
|         |
|         |
|         |
|         |



Jalon collection is made of very few elements, which are used as much as possible. The single-piece body is made from aluminum and requires a considerable amount of craftsmanship to produce. The light is evenly diffused across all surfaces to create a graceful ambiance without sacrificing functionality.



**CANOPY** 



#### **MOUNTING**

Ceiling Pendant

## **SOURCE**

Integrated LED module

# **MATERIALS**

Powder-coated aluminum Semi-synthetic cord Frosted Acrylic

## **ENVIRONMENT**

Indoor - Dry location

## **DIMMING**


Fully dimmable with TRIAC, ELV, and 0-10 V dimmers See Dimming compatibility on page 3

#### **SPECIFICATIONS**

| Voltage               | 120V-277V 50/60Hz   |
|-----------------------|---|
| Power consumption     | 21W   |
| Color temperature     | 3000K<br>2700K<br>More color temperature is<br>available upon Request |
| Luminosity            | 872 lm (3000K)  |
| Color rendering index | ≥90 CRI   |
| Lifespan              | 50K hour lifespan   |
|                       |   |

Certifications






- \* Not all custom color are available. Please verify with your sales representative.
- \*\* Not all custom color temperatures are available. Please verify with your sales representative.
- \*\*\*Total height measured from ceiling to bottom of fixture.

Custom specifications must be indicated on the purchase order. The final price and feasibility must be

#### **Dimensions**



#### **TESTED DIMMER COMPATIBILITY**

Compatible with any 0-10V dimmer.

| LIST OF COMPATIBLE TRIAC AND ELV DIMMERS |           |             |             |  |
|--|-----------|-------------|-------------|--|
| MANUFACTURER                             | MODEL     | MAX DIMMING | MIN DIMMING |  |
| Leviton                                  | IPI06-1LZ | 99%         | 2%          |  |
| Leviton                                  | 6631-2    | 99%         | 0%          |  |
| Lutron                                   | DVCL-153P | 98%         | 1%          |  |
| Lutron                                   | TGCL-153P | 98%         | 9%          |  |
| Lutron                                   | S600P     | 98%         | 4%          |  |
| Leviton                                  | VPE06     | 98%         | 14%         |  |
| Lutron                                   | DVELV303P | 98%         | 11%         |  |
| Lutron                                   | SELV300P  | 98%         | 11%         |  |
| Leviton                                  | 6683-IW   | 97%         | 8%          |  |
| Leviton                                  | 6633-P    | 97%         | 3%          |  |
| Cooper                                   | DLC03P    | 98%         | 4%          |  |
| Lutron                                   | LG600P    | 98%         | 9%          |  |
| Cooper                                   | SLC03P    | 98%         | 1%          |  |
| Leviton                                  | IPE04     | 99%         | 10%         |  |
| Lightolier                               | ZP260QEW  | 98%         | 11%         |  |

## **CLEANING INSTRUCTIONS**

- Dust the luminaire regularly with a soft, dry cloth to remove any surface dirt and debris.
- For more thorough cleaning, use a damp cloth or sponge with a mild, non-abrasive soap or detergent. Do not use any harsh chemicals or abrasives that could damage the finish.
- Never use any solvents, citrus juice, vinegar, or other acidic or abrasive cleaning solutions on the luminaire, as these can damage the surface.
- For the textile braided cord, gently wipe it down with a damp cloth to remove any dust or dirt. Do not soak or immerse the cord in water, as this can cause damage.
- Avoid using any sharp or abrasive tools or scrubbing pads on the luminaire, as this can scratch or damage the finish.

**TIBO**