

cordless catalog

2025

zafferano

Cordless Lighting: A New Way of Light

Zafferano Cordless Lighting offers effortless illumination at the tap of a button. Blending cutting-edge design, quality, and state-of-the-art technology, we make lighting that is untethered to traditional cords and outlets. On a restaurant table, a porch or patio, a kitchen counter, poolside or bedside or dining at sunset by the beach: Wherever life takes you, Zafferano's clean, contemporary designs and vibrant colors will brighten the moment.

Poldina Pro™, our first battery-powered, rechargeable lamp, was introduced in 2018. It has since become the most admired and imitated cordless lamp in the world. Four years later, our Pina Pro™ was dubbed "the lamp that took over New York" by the *New York Times*. Zafferano lamps are now sold in more than 100 countries, bringing the radiance of Italian design and technology into homes, hotels and fine dining establishments around the globe.

Over the past seven years, Zafferano has added features like contact charging, multi-lamp charging stations, brightness and color temperature control and replaceable batteries. In this tradition of innovation, we are proud to announce the Sister Light Wi-Fi™ collection—our first wi-fi enabled lamp allowing remote control. Our lamps make wonderful gifts and keepsakes and are thoughtful solutions for all homes, rental apartments, and outdoor spaces which lack easy access to electricity. Finally, we are excited to introduce our Solar Collection of rechargeable outdoor lighting to the 2025 catalog—redefining cordless once again.

Experience Light Where You Want It with Zafferano Cordless Lighting!

zafferano

Why Zafferano?



We Bring Light Where You Want It

Zafferano Cordless Lamps arrived in the United States in 2018, years before countless imitators hit the market. We provided light in the darkness of the pandemic, and continue to deliver unparalleled quality, reliability, performance, and customer service to hundreds of thousands of satisfied clients. Zafferano's distinctive Point-of-Purchase packaging is a tangible assurance of the authenticity and superior craftsmanship inherent in every Zafferano Cordless Lamp.

Poldina™ | The Original





New Products

NEW



Olivia Prp Micro and Olivia Pro, Rust (p. 136, 132)



Poldina Pro Graphic Shades, Pink Flowers (p. 54)



Pina Pro XXL Floor Lamp, Titanium (p. 82)



Damina Pro Table Lamp, White (p. 120)



Solar Home L, Dark Gray (p. 190)



Sister Light Wi-Fi Mini Table Lamp, Pearl White (p. 166)



Amelie Pro Table Lamp (p. 92)



PushUp Pro, Olivia Pro, Pina Pro & Home Pro, Sage (p. 104, 142, 78, 108)



Olivia Pro, Olivia Pro Mini, & Ofelia Pro, Rose Gold (p. 132, 134, 142)



Ofelia Pro, Olivia Pro Mini & Olivia Pro, Satin Brass (p. 142, 134, 132)



PushUp Pro, Poldina Pro Mini, Olivia Pro Mini, Olivia Pro & Ofelia Pro, Steel Blue (p. 104, 28, 134, 132, 142)



Poldina Pro & Poldina Pro Mini, Orange (p. 22, 28)



Olivia Pro Mini, Olivia Pro & Ofelia Pro, Black Chrome (p. 134, 132, 142)



Super O Table Lamp, White (p. 176)



Sister Light Wi-Fi Table Lamp, Pearl Black (p. 164)



Zafferano x Fermoie Fabric Shades (p. 62)



Swap Pro Table Lamp, Bronze (p. 154)



Poldina Pro Micro Lido Ceramic Shades, Orange and Red (p. 52)



Lido Ceramic Bottles & Poldina Pro Stopper, Red (p. 72, 70)



Pina Pro L Table Lamp, Bronze (p. 80)



Super O Floor Lamp, Black (p. 178)



Home Pro Table Lamp (p. 108)



Crystal Pro Table Lamp, White w. Smoke Glass (p. 148)



Angelina Pro Table Lamp, Red (p. 114)



Ofelia Pro Micro, White (p. 144)



Olivia Pro Micro, Sand & Lido Bottle, Sand Bands (p. 136, 72)


















Amelie Pro Suspension Lamp, Black & Mint Green (p. 98)













Pina Pro L Table Lamp, Titanium (p. 80)



Index

16							
	22	26	28	32	36	38	40
Poldina	Pro	Pro Lido	Mini Pro	Micro Pro	L Desk Pro	L Floor	XXL Floor
42				48			
	Garden	Suspension	Wall		Shades & Accessories		
44				66			
					Stopper	Lido Bottle	
74				82			
	Pro	XXL Floor	L Desk		Floor Stand		
88				94			
	Pro	Floor	Garden		Suspension	Wall	
106				112			
	Pro	Bracket			Pro		
122				132			
	Pro				Pro		
128				136			
	Mini Pro				Micro Pro		

138			146		
	Pro	Micro Pro		Pro	
150			158		
	Pro	Mini Pro		Pro	
172			182		
	Table	Floor		Suspension	
188			195		
	Solar Home	Bollard		Wall	
198			206		
	Accessories and spare parts	Customization		Spotlight	

Poldina^{PRO}

Poldina Pro[™] | The Original rechargeable, battery-powered cordless lamp. The Poldina Pro family includes table lamps (4 versions), floor lamps (2 versions), and magnetic garden, suspension, and wall lamps (2 versions). Features include touch-dimming control and 3-CCT color temperature selection for 2200K (candlelight), 2700K (warm white), and 3000K (cool white). Poldina Pro lamps are suitable for both indoor and outdoor use*. The integrated LED module is designed to produce controlled downlight and a gentle up light glow. We offer a variety of accessories for the Poldina Pro Collection: ceramic (p. 48), wicker (p. 58), fabric (p. 62), and customized graphic aluminum shades (p. 54 & p. 206), available separately.

*The lamps with premium finishes (Glossy Gold, Glossy Chrome, Antique Nickel, Gold Leaf, Silver Leaf, and Copper Leaf) are not suitable for outdoor use.



Poldina Pro Table Lamp
LD0340M4 Dark Green



Poldina Pro Mini Table Lamp
LD0320R4 Rust



LD0340R4 Poldina Pro Table Lamp, Rust
LD0490R3 Poldina Pro Micro Table Lamp, Rust
PI00104 Pirolo Tumbler, Amber



Poldina Pro L Floor Lamp
LD0390N4 Dark Gray



Poldina Pro L Desk Lamp
LD0395B4 White
Zafferano Bilia Glassware and Esperienze Stemware



LD0390B4 Poldina Pro L Floor Lamp, White
LD0360B3 Poldina Pro XXL Floor Lamp, White
LD0340B4 Poldina Pro Table Lamp, White
LD0320B3 Poldina Pro Mini Lamp, White



Poldina Pro Suspension Magnetic
LD0686R4 Rust



Poldina Pro Wall Magnetic with Mounting Bracket
LD0688B4 White




Poldina Pro Garden Magnetic
LD0682B4 White



Poldina Pro Suspension Magnetic
LD0686B4 White

Poldina Pro^{PRO}

Table Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
234-251-256 lm | 2.2 W | IP65
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 12 h at full power
- Charging time approximately 6-7 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charging base
Plug

Finishes

			
LD0340B4 White	LD0340R4 Rust	LD0340N4 Dark Gray	LD0340D4 Black
			
LD0340S4 Sand	LD0340G4 Sage	LD0340A4 Avio Blue	LD0340Y4 Steel Blue

Finishes



LD0340P4
Pink

LD0340Z4
Orange

NEW

LD0340F4
Red

LD0340U4
Ruby Red



LD0340M4
Dark Green

LD0340X4
Burgundy

LD0340O4 *
Glossy Gold

LD0340C4 *
Glossy Chrome

Finishes



LD0340AN4 *
Antique Nickel

NEW


LD0340BFO *
Gold Leaf

LD0340BFA *
Silver Leaf

LD0340RFR *
Copper Leaf

*The lamps with premium finishes (Glossy Gold, Glossy Chrome, Antique Nickel, Gold Leaf, Silver Leaf, and Copper Leaf) are not suitable for outdoor use

Table Lamp + Lido Shade




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
234-251-256 lm | 2.2 W | IP65
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 12 h at full power
- Charging time approximately 6-7 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charging base
Plug

Finishes




- LD0340BC1**
White Lamp
Green Striped Shade
- LD0340BC2**
White Lamp
Yellow Striped Shade
- LD0340BC3**
White Lamp
Blue Striped Shade
- LD0340FC1**
Red Lamp
Red Striped Shade



LD0340AC1
Avio Blue Lamp
Aqua Fish Shade

Poldina^{PRO}

Mini Table Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
234-251-256 lm | 2.2 W | IP65
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 12 h at full power
- Charging time approximately 6-7 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charging base
Plug



Poldina Pro Mini Table Lamp
LD0320N4 Dark Gray

Finishes



LD0320B4
White



LD0320R4
Rust



LD0320N4
Dark Gray



LD0320S4
Sand



LD0320Z4
Orange



LD0320Y4
Steel Blue



LD0320G4
Sage



LD0320D4
Black

Finishes



LD032004 *
Glossy Gold



LD0320C4 *
Glossy Chrome



LD0320AN4 *
Antique Nickel



LD0320BFO *
Gold Leaf



LD0320BFA *
Silver Leaf




LD0320RFR *
Copper Leaf

*The lamps with premium finishes (Glossy Gold, Glossy Chrome, Antique Nickel, Gold Leaf, Silver Leaf, and Copper Leaf) are not suitable for outdoor use

Poldina^{PRO}

Micro Table Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
124-128-142 lm | 1.8 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 7-8 h at full power
- Charging time approximately 3-4 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charging base
Plug not included



LD0490F3 Poldina Pro Micro Table Lamp, Red
UL01300C Ultralight Liquor

Finishes



LD0490B3
White



LD0490R3
Rust



LD0490N3
Dark Gray



LD0490D3
Black



LD0490S3
Sand



LD0490G3
Sage



LD0490P3
Pink



LD0490F3
Red



LD0490K3
Capri Blue



LD0490L3
Lilac



LD0490V3
Apple Green



LD0490Z3
Orange

Finishes



LD0490Y3
Steel Blue



LD0490C3 *
Glossy Chrome




LD0490O3 *
Glossy Gold

*The lamps with premium finishes (Glossy Gold and Glossy Chrome) are not suitable for outdoor use

Poldina^{PRO}

L Desk Lamp



Technical data

LED TOUCH DIMMER
2200-2700-3000 K | CRI>80
479- 540-550 lm | 5.5 W | IP54
50-60 Hz | 5 V max 1A



Powder-coated die-cast aluminum body


Polycarbonate diffuser

Suitable for outdoor use (IP54 Rated)

Battery lasts about 11 h at full power

Charging time approximately 11 h

Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charging base
Plug

Finishes



LD0395B4
White

LD0395R4
Rust

LD0395N4
Dark Gray


LD0395S4
Sand

LD0395D4
Black



POLDINA^{PRO}

L Floor Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
479- 540-550 lm | 5.5 W | IP54
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 11 h at full power
- Charging time approximately 11 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

- Contact charging base
- Plug
- Stem (3 pcs.)


Finishes



- LD0390B4**
White
- LD0390R4**
Rust
- LD0390N4**
Dark Gray
- LD0390S4**
Sand
- LD0390D4**
Black

Poldina^{PRO}

XXL Floor Lamp



Technical data

LED TOUCH DIMMER
2700-3000 K | CRI>80
470-500 lm | 6.5 W | IP54
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 15 h at full power
- Charging time approximately 20 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

- Contact charging base
- Plug
- Stem (3 pcs.)

Finishes




- LD0360B3**
White
- LD0360R3**
Rust
- LD0360N3**
Dark Gray
- LD0360S3**
Sand
- LD0360D3**
Black

POLDINA

Poldina Magnetic PRO

Garden Lamp





Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
234-251-256 lm | 2.2 W | IP54
5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Rechargeable and replaceable Lithium-Ion battery pack
- The magnetic head can be removed from the stem to allow for convenient charging
- For optimum stability of the lamp, we recommend a maximum of three stems. There is no guarantee when using more than 3 stems.



Components included

- (1) Disc
- (1) Top stem, (1) Stem Extensions
- (1) Garden Extension
- Assembly Kit
- Contact charging base
- Plug not included

Finishes



LD0682B4
White

LD0682R4
Rust

LD0682N4
Dark Gray

Additional stem extension (to be purchased separately)




LD0283B3
White

LD0283R3
Rust

LD0283N3
Dark Gray

Poldina Magnetic^{PRO}

Suspension Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
234-251-256 lm | 2.2 W | IP54
5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Rechargeable and replaceable Lithium-Ion battery pack
- The magnetic head can be removed from the ring to allow for convenient charging



Components included

Contact charging base
Plug not included

Finishes



LD0686B4
White

LD0686R4
Rust

LD0686N4
Dark Gray




Poldina Pro Suspension Magnetic
LD0686N4 Dark Gray

Poldina Magnetic

PRO

Wall Lamp





Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
234-251-256 lm | 2.2 W | IP54
5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Rechargeable and replaceable Lithium-Ion battery pack
- The magnetic head can be removed from the stem to allow for convenient charging



Components included

Contact charging base
Plug not included

Finishes



LD0688B4
White



LD0688R4
Rust



LD0688N4
Dark Gray



LD0689B4
White



LD0689R4
Rust




LD0689N4
Dark Gray

Poldina^{PRO}

Lido Shades

The Lido line of hand-decorated ceramic shades are made to fit the head of the Poldina Pro, Mini and Micro table lamps. Hand-made and hand-painted in Italy, the colorful hues match the wide array of finishes of the Poldina collection.

Technical data



5.1" x 3.9"



3.3" x 2.6"



LD0340B4 Poldina Pro Table Lamp, White
SDZA-340-BC3 Poldina Pro Lido Shade, Blue



Finishes



SDZA-340-BC1
Green

SDZA-340-BC2
Yellow

SDZA-340-BC3
Blue

SDZA-340-FC1
Red

SDZA-340-BLACK
Black

SDZA-340-AC1
Aqua Fish

NEW



SDZA-340-SAGE
Sage

SDZA-340-PINK
Pink

SDZA-340-GRAY
Gray

SDZA-340-SAND
Sand

SDZA-340-LIGHTBLUE
Light Blue

NEW

NEW

NEW

NEW

NEW



Suitable for

Pro

Pro Mini

Garden

Suspension

Wall

Poldina Stopper



LD0688B4 Poldina Pro Wall Magnetic, White

SDZA-340-BC1 Poldina Pro Lido Shade, Green

LD0689B4 Poldina Pro Wall Magnetic, White

SDZA-340-BC2 Poldina Pro Lido Shade, Yellow

LD0340B4 Poldina Pro Table Lamp, White

SDZA-340-BC3 Poldina Pro Lido Shade, Blue

LD0320B4 Poldina Pro Mini Table Lamp, White

SDZA-340-FC1 Poldina Pro Lido Shade, Red

Finishes

NEW



SDZA-490-GREEN
Green



SDZA-490-LIGHTBLUE
Light Blue



SDZA-490-RED
Red



SDZA-490-YELLOW
Yellow



SDZA-490-BLACK
Black



SDZA-490-SAGE
Sage



SDZA-490-LILAC
Lilac



SDZA-490-GRAY
Gray



SDZA-490-SAND
Sand



SDZA-490-ORANGE
Orange



SDZA-490-PINK
Pink



Suitable for Pro Micro



LD0490Z3 Poldina Pro Micro Table Lamp, Orange
SDZA-490-ORANGE Poldina Pro Micro Lido Shade, Orange
LD0490F3 Poldina Pro Micro Table Lamp, Red
SDZA-490-RED Poldina Pro Micro Lido Shade, Red
RIG0099 Righe Espresso Cups

Poldina^{PRO}

Graphic Shades


NEW

Elevate your Poldina lamp with our new collection of twelve vibrant graphic shades, curated by Federico de Majo. These designs, created with cutting-edge printing for exceptional detail, instantly personalize your Poldina Pro and Pro Mini Table Lamps, as well as the Magnetic Wall, Suspension, and Garden models. Explore custom design options on page 192. Explore custom design options on page 206. **Graphic shades are sold in sets of 4 and boxed individually. Indoor use only.**



Technical data

CE









5.1" x 3.9"



LD0320R4 Poldina Pro Mini Table Lamp, Rust
LD035121 Poldina Pro Graphic Shade, Yellow Pears

Finishes

					
LD035108 Avio Blue Fish	LD035120 Blue Hydrangea	LD035123 Brown-Green Stripes	LD035118 Dark Green Flowers	LD035116 Green Flowers	LD035115 Pink Flowers
					
LD035119 Pink Hydrangea	LD035122 Red Apples	LD035117 Red Flowers	LD035121 Yellow Pears	LD035143 Brown Stripes	LD035142 Sunflower Stripes

						
Suitable for	Pro	Pro Mini	Garden	Suspension	Wall	Poldina Stopper



LD0340F4 Poldina Pro Table Lamp, Red
LD035117 Poldina Graphic Shade, Red Flowers


Poldina^{PRO}

Wicker Shades


Our line of handmade wicker shades are designed in three sizes to easily transform the look of Poldina Pro and Poldina Pro Mini Table Lamps, Poldina Pro L Desk, Floor Lamps, and Poldina XXL floor lamps. They are available in three styles: Empire Water Hyacinth, Scalloped Water Hyacinth, and Empire Sea Grass. Poldina Wicker Shades add a touch of natural texture to the sleek cordless lamps, transforming any environment.



Technical data



Large
Compatible with Poldina Pro XXL Floor Lamp
10.5" x 12.5"



Medium
Compatible with Poldina Pro L Desk and Poldina Pro L Floor Lamp
6.75" x 8"



Small
Compatible with Poldina Pro, Poldina Pro Mini, and Poldina Pro Magnetic Collection
4.5" x 4.5"



Empire Water Hyacinth



SDMM-360-EWH
Large



SDMM-390-EWH
Medium



SDMM-340-EWH
Small

Scalloped Water Hyacinth



SDMM-360-SWH
Large



SDMM-390-SWH
Medium



SDMM-340-SWH
Small

Empire Sea Grass



SDMM-360-ESG
Large



SDMM-390-ESG
Medium



SDMM-340-ESG
Small



SDMM-340-EWH Poldina Wicker Shade, Small Empire Water Hyacinth
SDMM-340-SWH Poldina Wicker Shade, Small Scalloped Water Hyacinth
SDMM-340-ESG Poldina Wicker Shade, Small Empire Seagrass

Poldina^{PRO}


Zafferano x Fermoie Fabric Shades

NEW

Zafferano has collaborated with the English fine fabric brand Fermoie to tailor a lampshade for our classic Poldina Cordless lamps. The intricate details and exquisite colors are a perfect complement to the sleek, modern frame of the Poldina. This capsule collection is available in two patterns with five fashion colors per pattern. All shades are made of 100% sheer linen, lined in 100% cotton, and are hand-drawn and traditionally produced in Wiltshire, England. Limited distribution, contact Zafferano America for details.



Technical data



5.1" x 3.9"



LD0340S4 Poldina Pro Table Lamp, Sand
5PP-067 Zafferano x Fermoie Fabric Shades, Nut Brown Wicker
LD0340B4 Poldina Pro Table Lamp, White
5PP-081 Zafferano x Fermoie Fabric Shades, Green Popple

Finishes



5PP-022
Red Wicker



5PP-036
Light Blue Wicker



5PP-067
Nut Brown Wicker



5PP-062
Light Pink Wicker



5PP-024
Green Wicker



5PP-078
Red Popple



5PP-082
Blue Popple



5PP-084
Nut Brown Popple



5PP-080
Orange Popple



5PP-081
Green Popple



LD0340S4 Poldina Pro Table Lamp, Sand
5PP-084 Zafferano x Fermoie Fabric Shades, Nut Brown Popple
LD0340B4 Poldina Pro Table Lamp, White
5PP-036 Zafferano x Fermoie Fabric Shades, Light Blue Wicker
LD0340G4 Poldina Pro Table Lamp, Sage
5PP-081 Zafferano x Fermoie Fabric Shades, Green Popple

Suitable for

Pro

Pro Mini

Garden

Suspension

Wall

Poldina
Stopper

Poldina Stopper

NEW

Poldina Pro Stopper is a rechargeable battery-operated, cordless lamp. A food safe silicon stopper allows the lamp head to be placed on any bottle, transforming an everyday object into a luminous centerpiece. Features include touch-dimming control and 3-CCT color temperature selection for 2200K (candlelight), 2700K (warm white), and 3000K (cool white). Poldina Stopper is suitable for indoor and outdoor use. The stopper can be easily removed to charge the head on its included contact charging base. Plug not included. Poldina Pro Stopper is designed to fit on Zafferano’s Lido Ceramic Bottles, available separately.



LD0349D3 Poldina Pro Stopper, Black
FAS1508 Lido Ceramic Bottle, Black Bands


LD0349S3 Poldina Pro Stopper, Sand
FAS1507 Lido Ceramic Bottle, Sand Bands
PUN1507 Lido Ceramic Bottle, Sand Dots



RIG1502 Lido Ceramic Bottle, Red Stripes
PUN1502 Lido Ceramic Bottle, Red Dots
FAS1502 Lido Ceramic Bottle, Red Bands
LD0349F3 Poldina Pro Stopper, Red

Poldina Stopper^{PRO}

NEW




Technical data

LED TOUCH DIMMER


2200-2700-3000 K | CRI>80
234-251-256 lm | 2.2 W | IP54
5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 12 h at full power
- Charging time approximately 6-7 h
- Rechargeable and replaceable Lithium-Ion battery pack




4.4" x 4.4"



4"



1" x 1.5"



Components included

- Contact charging base
- Poldina silicon stopper
- Plug not included

Finishes



LD0349B3
White



LD0349D3
Black



LD0349S3
Sand



LD0349G3
Sage




LD0349A3
Avio Blue



LD0349F3
Red

Lido NEW

Ceramic Bottle




Technical data


Hand-painted ceramic

Airtight silicon stopper


Food safe



4.3" x 10.4"
30 oz



4.1" x 9.6"
28 oz



5.1" x 8.1"
39 oz

Lido Ceramic Bottles serve as the perfect base for the Poldina Stopper, marrying modern cordless technology with classic Italian craftsmanship. The bottles are handmade and hand-painted in Civita Castellana, Italy, and complement the six Poldina Stopper finishes.

Finishes



RIG1501
Light Blue Stripes



RIG1502
Red Stripes



RIG1505
Green Stripes



RIG1507
Sand Stripes



RIG1508
Black Stripes



FAS1501
Light Blue Bands



FAS1502
Red Bands



FAS1505
Green Bands



FAS1507
Sand Bands



FAS1508
Black Bands



PUN1501
Light Blue Dots



PUN1502
Red Dots



PUN1505
Green Dots



PUN1507
Sand Dots



PUN1508
Black Dots

PINA

Pina^{PRO}

The lamp that took over New York and the world, the Pina Pro is our most popular cordless lamp. A touch control located on the base of the lamp allows switching on/off, dimming, and 3-CCT color-temperature selection: 2200K (candlelight), 2700K (warm white), and 3000K (cool white). Pina is designed for indoor/outdoor use (except premium finishes, which may not be left outdoors). The integrated LED module is designed to produce a controlled wide circle of downlight. The Pina table lamp can be accessorized with a floor stand, available on page 84.

Pina L + Pina XXL^{PRO}

NEW

Introducing the Expanded Pina Collection: Pina L Desk & Pina XXL Floor. Zafferano proudly presents two striking new additions to the iconic Pina collection. The Pina L Desk and Pina XXL Floor bring a bold, amplified presence to the unmistakable silhouette, while maintaining the signature contact charging and touch controls for on/off, dimming, and color temperature selection. Available in four sophisticated satin and metallic finishes: White, Titanium, Gold, and Bronze.

TABLE / L DESK / XXL FLOOR / FLOOR STAND



LD0650R4 Pina Pro Table Lamp, Rust



LD0650R4 Pina Pro Table Lamp, Rust
Cipriani Club 55 – New York City, USA



LD0650BFO Pina Pro Table Lamp, Gold Leaf
BA00807 Bilia Espresso Cup, Cobalt Blue



LD2670T3 Pina Pro XXL Floor Lamp, Titanium



LD2660W3 Pina Pro L Desk Lamp, Bronze




LD0650S4 Pina Pro Table Lamp, Sand
BA00118 + **BA00701** Bilia Tumbler and Cappuccino Cup



LD2670T3 Pina Pro XXL Floor Lamp, Titanium
LD2660W3 Pina Pro L Desk Lamp, Bronze

Pina^{PRO}

Table Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
178-204-206 lm | 2.2 W | IP54
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 12 h at full power
- Charging time approximately 6-7 h
- Rechargeable and replaceable Lithium-Ion battery pack



4.1" x 11.4" 2.9"

Components included

Contact charging base
Plug

Finishes


			
LD0650B4 White	LD0650R4 Rust	LD0650N4 Dark Gray	LD0650D4 Black
			
LD0650G4 ^{NEW} Sage	LD0650S4 Sand	LD0650C4* Glossy Chrome	LD0650O4* Glossy Gold
			
LD0650AN4* ^{NEW} Antique Nickel	LD0650BFO* Gold Leaf	LD0650BFA* Silver Leaf	

*The lamps with premium finishes (Glossy Gold, Glossy Chrome, Antique Nickel, Gold Leaf and Silver Leaf) are not suitable for outdoor use

PINA

L Desk Lamp

NEW



Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>90
554-655-663 lm | 6 W | IP65
50-60 Hz | 5 V max 2A



Powder-coated die-cast aluminum body

Polycarbonate diffuser


Suitable for outdoor use (IP65 Rated)

Battery lasts about 12-13 h at full power

Charging time approximately 9-11 h

Rechargeable and replaceable Lithium-Ion battery pack

ETL Listing Pending



10.2" x 21.7"

Components included

Contact charging base
Plug not included

Finishes



LD2660B3
White



LD266003
Gold



LD2660T3
Titanium




LD2660W3
Bronze



Pina^{PRO}

XXL Floor Lamp

NEW





Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>90
554-655-663 lm | 6 W | IP65
50-60 Hz | 5 V max 2A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 12-13 h at full power
- Charging time approximately 9-11 h
- Rechargeable and replaceable Lithium-Ion battery pack
- ETL Listing Pending



Components included

- Contact charging base
- Plug not included
- Stems (3)

Finishes



Model	Finish
LD2670B3	White
LD267003	Gold
LD2670T3	Titanium
LD2670W3	Bronze

PINA

Pina^{PRO}**Floor Stand**

A special floor stand that turns the Pina Pro Table lamp into a floor or garden lamp. The bottom section of the stand can be mounted in three configurations: using the base only, using the peg only, or using both peg and base to increase stability in lawn or garden areas. The lamp fits exactly into the tray of the stand for easy removal. The floor stand does not charge the lamp.




LD0650S4 Pina Pro Table Lamp, Sand
LD0651S3 Pina Pro Floor Stand, Sand

Technical data

Painted aluminum body

Lamps to be purchased separately



Components included

- (1) Floor Lamp Base
- (2) Stem Extensions
- (1) Garden Extension
- Assembly Kit



LD0650B4 Pina Pro Table Lamp, White
LD0651B3 Pina Pro Floor Stand, White

Finishes



LD0651B3
White



LD0651R3
Rust




LD0651N3
Dark Gray



LD0651D3
Black



LD0651S3
Sand



AMELIE

Amelie

PRO

Design by Sara Moroni

NEW

Amelie Pro is an award-winning collection of cordless, rechargeable battery-operated lamps that includes a table, floor, wall, suspension, and garden lamp. The collection is equipped with a memory function which retains the light level and color temperature to the most recent setting each time it is switched off and on. Every model can be converted to a suspension lamp with an included silicon hook and silicon cap. A touch sensor placed on the top of the lamp, allows you to switch it on, adjust brightness and select from 3 color temperatures: 2200K (candlelight), 2700K (warm white), and 3000K (cool white). The Amelie Pro collection introduces two new finishes to the Zafferano catalog: Terracotta and Mint Green. With their high IP rating, Amelie Pro lamps can be used both indoors and out. The integrated LED module is designed to produce controlled downlight.



TABLE / FLOOR / LAMP WITH GARDEN / SUSPENSION / WALL



Amelie Pro Table Lamp
LD1090T3 Terracotta



Amelie Pro Suspension Lamp
LD1091D3 Black



Amelie Pro Wall Lamp
LD1092B3 White



Amelie Pro Table Lamp
LD1090V3 Mint Green



Amelie Pro Floor Lamp
LD1096B3 White




Amelie Pro Garden Lamp
LD1094T3 Terracotta

Amelie

PRO

Table Lamp

NEW





Technical data

LED TOUCH DIMMER
2200-2700-3000 K | CRI>80
253-300-308 lm | 3 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Opal polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Rechargeable and replaceable Lithium-Ion battery pack
- Equipped with memory function
- All Amelie lamps can be converted to a suspension lamp using an included silicon cap and hook



Components include

- Contact charging base
- Accessories to use as a suspension lamp (silicon cap and hook)
- Plug not included

Finishes



LD1090B3
White

LD1090D3
Black


LD1090V3
Mint Green

LD1090T3
Terracotta

Amelie


Floor Lamp

NEW




Technical data


LED TOUCH DIMMER
2200-2700-3000 K | CRI>80
253-300-308 lm | 3 W | IP65
5 V max 1A



7.9 x 47.2 in



4.7"



- Powder-coated die-cast aluminum body
- Opal polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Rechargeable and replaceable Lithium-Ion battery pack
- Equipped with memory function
- All Amelie lamps can be converted to a suspension lamp using an included silicon cap and hook

Components included

- Contact charging base
- Accessories to use as a suspension lamp (silicon cap and hook)
- Plug not included

Finishes




LD1096B3
White



LD1096D3
Black



LD1096V3
Mint Green




LD1096T3
Terracotta

Amelie

PRO


Garden Lamp

NEW




Technical data


LED TOUCH DIMMER
2200-2700-3000 K | CRI>80
253-300-308 lm | 3 W | IP65
5 V max 1A



4.7" x 47.2"



4.7"




- Powder-coated die-cast aluminum body
- Opal polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Rechargeable and replaceable Lithium-Ion battery pack
- Equipped with memory function
- All Amelie lamps can be converted to a suspension lamp using an included silicon cap and hook

Components included

Contact charging base
Accessories to use as a suspension lamp
(silicon cap and hook)
Plug not included

Finishes



LD1094B3
White

LD1094D3
Black

LD1094V3
Mint Green


LD1094T3
Terracotta

Amelie

PRO

Suspension Lamp

NEW




Technical data

LED TOUCH DIMMER
2200-2700-3000 K | CRI>80
253-300-308 lm | 3 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Opal polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Equipped with memory function
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

- Contact charging base
- Silicon cap and hook
- Plug not included
- Hanging cord not included

Finishes



LD1091B3
White



LD1091D3
Black



LD1091V3
Mint Green



LD1091T3
Terracotta




Amelie

PRO

Wall Lamp

NEW




Technical data


LED TOUCH DIMMER
2200-2700-3000 K | CRI>80
253-300-308 lm | 3 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Opal polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 10 h at full power
- Charging time approximately 6 h
- Rechargeable and replaceable Lithium-Ion battery pack
- Equipped with memory function
- All Amelie lamps can be converted to a suspension lamp using an included silicon cap and hook



7.9" x 5.5" x 4.7"



4.7"

Components included

- Contact charging base
- Accessories to use as a suspension lamp (silicon cap and hook)
- Plug not included

Finishes



- | | | | |
|--------------------------|--------------------------|-------------------------------|-------------------------------|
| LD1092B3
White | LD1092D3
Black | LD1092V3
Mint Green | LD1092T3
Terracotta |
|--------------------------|--------------------------|-------------------------------|-------------------------------|



Amelie Pro Wall Lamp
LD1092D3 Black

PushUp

PRO

PushUp Pro is a rechargeable cordless marvel that combines kinetic design with versatile lighting. Push down to activate the spring-powered diffuser, providing a broad 30" diameter of light. Its compact 3.9" height makes it ideal for any space, indoors or out, perfect for bookshelves, cocktails lounges, outdoor rooftops and gardens. The hidden base control button offers touch-dimming and three-color temperature options (2200K, 2700K, 3000K).

LD1050Y3 PushUp Pro Table Lamp, Steel Blue
BE00103 Bei Tumbler, Aquamarine



PushUp^{PRO}

Table Lamp




Technical data

LED TOUCH DIMMER


2200-2700-3000 K | CRI>80
207-235-248 lm | 2.2 W | IP54
5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Suitable for outdoor use (IP54 Rated)
- Battery lasts about 11-12 h at full power
- Charging time approximately 5-6 h
- Rechargeable and replaceable Lithium-Ion battery pack



4.7" x 3.3-3.9"



3.9"

Components included

Contact charging base
Plug not included

Finishes

LD1050B3 White	LD1050R3 Rust	LD1050N3 Dark Gray	LD1050S3 Sand
LD1050G3 Sage	LD1050Y3 Steel Blue		



LD1050N3 PushUp Pro Table Lamp, Dark Gray
LD1050R3 PushUp Pro Table Lamp, Rust

Home PRO

Home Pro is a rechargeable, battery powered indoor/outdoor cordless lantern that evokes the American Arts & Crafts movement. A touch control on the base allows switching on/off and dimming. Home can be converted to a wall lamp with a Wall Mount Bracket (LD0259, available separately). Home is now available in eight finishes, including three new finishes introduced in this catalog: Steel Blue, Sage, and Antique Nickel.


Home Pro Table Lamp
LD0258B3 White



Home

PRO

Table Lamp



Technical data

LED TOUCH DIMMER
3000 K | CRI>80
260 lm | 2.2 W | IP54
50-60 Hz | 5 V max 1A



Powder-coated die-cast aluminum body


Polycarbonate diffuser

Suitable for outdoor use (IP54 Rated)


Battery lasts about 12 h at full power

Charging time approximately 6-8 h

Rechargeable and replaceable Lithium-Ion battery pack



3.9" x 3.9" x 11.6"



2.9"

Components included

Contact charging base
Plug

Finishes



LD0258B3
White



LD0258R3
Rust



LD0258N3
Dark Gray



LD0258S3
Sand



LD0258Y3
Steel Blue

NEW



LD0258D3
Black



LD0258G3
Sage

NEW



LD0258AN3*
Antique Nickel

NEW


*Antique Nickel finish not suitable for outdoor use.



Wall Mounting Bracket

Technical data

Lamps to be purchased separately



Finishes



LD0259B3
White



LD0259R3
Rust



LD0259N3
Dark Gray



LD0259D3
Black



LD0259S3
Sand

Powder-coated die-cast aluminum element

A wall bracket that turns Home Pro into a wall lamp. The lamp can be used on the wall bracket or detached and carried from one place to another.



LD0258B3 Home Pro Table Lamp, White
LD0259B3 Home Wall Mounting Bracket, White



ANGELINA

Angelina

PRO

NEW

Angelina Pro is a rechargeable, battery-powered cordless table lamp featuring a tilting and adjustable lamp head. A touch control located on the lower part of the head allows switching on/off, dimming, and 3-CCT color temperature selection for 2200K (candlelight), 2700K (warm white), and 3000K (cool white). Designed for indoor use only, its petite body and moveable head makes it a playful accessory for any space in your home.

Angelina Table Lamp
LD1210D3 Black



Angelina

Table Lamp

NEW




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>90
200-213-239 lm | 2.2 W | IP20
50-60 Hz | 5 V max 2A



- Powder-coated die-cast aluminum body
- Opal polycarbonate diffuser
- Swiveling head
- Suitable for indoor use only
- Battery lasts about 10-11 h at full power
- Charging time at 2A: 3-4 h
- Rechargeable and replaceable Lithium-Ion battery pack
- ETL Listing Pending



10.2" x 3.4"

Components included

Contact charging base
Plug not included

Finishes



LD1210B3
White



LD1210D3
Black



LD1210F3
Red



LD1210Y3
Gray



Damina

PRO

NEW

Damina Pro is a rechargeable, battery-powered cordless table lamp. Designed for indoor and outdoor use, its diminutive frame makes the lamp perfectly portable. A touch control located on the lower part of the head allows switching on/off, dimming, and 3-CCT color temperature selection for 2200K (candlelight), 2700K (warm white), and 3000K (cool white).



Damina Table Lamp
LD1600F3 Red



Damina Table Lamp
LD1600Y3 Gray



Damina Table Lamp
LD1600D3 Black

Damina^{PRO}

Table Lamp

NEW




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>90
164-171-185 lm | 1.8 W | IP65
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Opal polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 8 h at full power
- Charging time at 4 h
- Rechargeable and replaceable Lithium-Ion battery pack
- ETL Listing Pending



7.6" x 3.5"

Components included

Contact charging base
Plug not included

Finishes

			
LD1600B3 White	LD1600D3 Black	LD1600F3 Red	LD1600Y3 Gray

Theta

PRO

Theta Pro is a battery-operated and rechargeable portable table lamp with an iconic profile reminiscent of a hotel call bell along with an elegant prismatic diffuser. It is equipped with a memory function which retains the light level and color temperature to the most recent setting each time it is switched off and on. The lamp has a multi-function control knob on top of the metal head that can be used for dimming and continuous tunable color temperature from 2200K (candlelight) to 3000K (cool white). Matte White, Matte Black, and Rust finishes are suitable for indoor and outdoor use.



Theta Pro Table Lamp
LD1000R3 Rust



Theta Pro Table Lamp
LD1000B3 White

Theta Pro Table Lamp
LD100003 Polished Gold



Theta^{PRO}

Table Lamp




Technical data

LED DIMMER
Tunable CCT | (2200-3000 K)| CRI>80
214-224 lm | 2.2 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 9 h at full power
- Charging time approximately 6 h
- Equipped with memory function
- Rechargeable and replaceable Lithium-Ion battery pack



Accessories included

- Contact charging base
- Plug

Finishes



LD1000B3
Matte White



LD1000R3
Rust



LD1000D3
Matte Black



LD1000O3 *
Polished Gold



LD1000E3 *
Rose Gold



LD1000C3 *
Polished Chrome

*The lamps with premium finishes (Polished Gold, Polished Chrome, and Rose Gold) are not suitable for outdoor use.

OLIVIA

Olivia PRO

Olivia Pro is a collection of rechargeable, battery-powered cordless lamps, now available in three sizes: the classic Pro, Mini, and the brand-new Micro model. Features touch on/off, dimming, and 3-CCT color temperature selection for 2200K (candlelight), 2700K (warm white), and 3000K (cool white). The Olivia Pro collection is equipped with a memory function which retains the light level and color temperature to the most recent setting each time it is switched off and on. Olivia lamps are suitable for both indoor and outdoor use (except for metallic finishes).

TABLE / MINI TABLE / MICRO TABLE

Olivia Pro Table Lamp
LD0850E4 Rose Gold






LD0850B4 Olivia Pro Table Lamp, White
LD1840S3 Olivia Pro Micro Table Lamp, Sand



LD0860Z4 Olivia Pro Mini Table Lamp, Orange
LD0860K4 Olivia Pro Mini Table Lamp, Capri Blue
LD0860V4 Olivia Pro Mini Table Lamp, Apple Green

Olivia^{PRO}

Table Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
232-243-251lm | 2.2 W | IP65
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 9 h at full power
- Charging time approximately 6 h
- Equipped with memory function
- Rechargeable and replaceable Lithium-Ion battery pack



4.3" x 13.8"

4.5"

Components included

- Contact charging base
- Plug

Finishes



LD0850B4
White



LD0850R4
Rust



LD0850N4
Dark Gray



LD0850D4
Black



LD0850G4 ^{NEW}
Sage



LD0850Y4 ^{NEW}
Steel Blue



LD0850E4* ^{NEW}
Rose Gold



LD0850BC4* ^{NEW}
Black Chrome



LD0850SB4* ^{NEW}
Satin Brass




LD0850AN4* ^{NEW}
Antique Nickel

*The lamps with premium finishes (Rose Gold, Black Chrome, Satin Brass, and Antique Nickel) are not suitable for outdoor use

Olivia^{PRO}

Mini Table Lamp




Technical data

LED TOUCH DIMMER

2700-3000 K | CRI>80
245-262 lm | 2.2 W | IP65
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 9 h at full power
- Charging time approximately 6 h
- Equipped with memory function
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

- Contact charging base
- Plug

Finishes


				
LD0860B4 White	LD0860R4 Rust	LD0860N4 Dark Gray	LD0860G4 NEW Sage	
				
LD0860K4 Capri Blue	LD0860L4 Lilac	LD0860V4 Apple Green	LD0860Z4 Orange	
				
LD0860Y4 NEW Steel Blue	LD0860BC4* NEW Black Chrome	LD0860E4* NEW Rose Gold	LD0860SB4* NEW Satin Brass	LD0860AN4* NEW Antique Nickel

*The lamps with premium finishes (Rose Gold, Black Chrome, Satin Brass, and Antique Nickel) are not suitable for outdoor use

Olivia^{PRO}

Micro Table Lamp

NEW




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
183-187-225 lm | 2.2 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 9 h at full power
- Charging time approximately 4.5 h
- Equipped with memory function
- Rechargeable and replaceable Lithium-Ion battery pack



3" x 7.9" 3.1"

Components included

Contact charging base
Plug not included

Finishes



LD1840B3
White



LD1840R3
Rust



LD1840N3
Dark Gray



LD1840S3
Sand



LD0850N4 Oliva Pro Table Lamp, Dark Gray
LD0860N4 Oliva Pro Mini Table Lamp, Dark Gray
LD1840N3 Oliva Pro Micro Table Lamp, Dark Gray

Ofelia

PRO

Ofelia Pro is a collection of rechargeable, battery-powered cordless lamps, now available in two sizes: the classic Pro and a brand-new Micro model. Features touch on/off, dimming, and 3-CCT color temperature selection for 2200K (candlelight), 2700K (warm white), and 3000K (cool white). The Ofelia Pro collection is equipped with a memory function which retains the light level and color temperature to the most recent setting each time it is switched off and on. Ofelia Pro lamps are suitable for both indoor and outdoor use (except for metallic finishes).



Ofelia Pro Table Lamp
LD0870SB4 Satin Brass




LD0870N4 Ofelia Pro Table Lamp, Dark Gray
LD1880N3 Ofelia Pro Micro Table Lamp, Dark Gray

LD0870B4 Ofelia Pro Table Lamp, White
LD1880B3 Ofelia Pro Micro Table Lamp, White



Ofelia^{PRO}

Table Lamp




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
231-244-252 lm | 2.2 W | IP65
50-60 Hz | 5 V max 1A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 9 h at full power
- Charging time approximately 6 h
- Equipped with memory function
- Rechargeable and replaceable Lithium-Ion battery pack



3.9" x 3.9" x 11.4"

4.5" x 4.5"

Components included

- Contact charging base
- Plug

Finishes



LD0870B4
White

LD0870R4
Rust

LD0870N4
Dark Gray

LD0870S4
Sand

LD0870G4
Sage



LD0870Y4
Steel Blue

LD0870E4*
Rose Gold

LD0870AN4*
Antique Nickel

LD0870BC4*
Black Chrome

LD0870SB4*
Satin Brass


*The lamps with premium finishes (Rose Gold, Black Chrome, Satin Brass, and Antique Nickel) are not suitable for outdoor use

Ofelia

PRO

Micro Table Lamp

NEW




Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>80
183-195-216 lm | 2.2 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 9 h at full power
- Charging time approximately 4.5 h
- Equipped with memory function
- Rechargeable and replaceable Lithium-Ion battery pack



2.6" x 2.6" x 7.9" 2.8" x 2.8"

Components included

Contact charging base
Plug not included

Finishes

				
LD1880B3 White	LD1880R3 Rust	LD1880N3 Dark Gray	LD1880S3 Sand	LD1880G3 Sage



Crystal

PRO

NEW

Crystal Pro is a cordless, battery-operated table lamp which seamlessly blends form and function. A gray- or amber-tinted glass shade rests atop a futuristic, die-cast aluminum body which provides durability and elegance in equal measure. A touch control located on the base of the lamp allows switching on/off, dimming, and 3-CCT color-temperature selection: 2200K (candlelight), 2700K (warm white), and 3000K (cool white). The integrated LED module is designed to produce controlled downlight.




Crystal Pro Table Lamp
LD0720R3 Rust with Amber Glass

Crystal^{PRO}

Table Lamp

NEW




Technical data

LED TOUCH DIMMER


2200-2700-3000 K | CRI>80
253-300-308 lm | 2.2 W | IP65
5 V max 1A



- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Glass Shade
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 11h at full power
- Charging time approximately 6-8 h
- Rechargeable and replaceable Lithium-Ion battery pack
- ETL Listing Pending



6.2" x 10.6"



4.7"

Components include

- Contact charging base
- Plug

Finishes



LD720B3
White w/ Smoke Glass



LD720N3
Dark Gray w/
Smoke Glass



LD720R3
Rust w/ Amber Glass



Crystal Pro Table Lamp
LD0720N3 Dark Gray with Smoke Glass

Swap PRO

Design by Studio Kairos and Federico de Majo

Swap Pro is a collection of rechargeable battery-powered cordless lamps, available in two sizes and seven finishes. A touch control located on the base of the lamp allows switching on/off, 4-step dimming (4-step: 100%, 60%, 30%, 6%) and 3-CCT color-temperature selection: 2200K (candlelight), 2700K (warm white), and 3000K (cool white). Swap lamps are suitable for indoor and outdoor use (except glossy finishes). The integrated LED module is designed to produce controlled downlight.



Swap Pro Table Lamp
LD1030B3 White



Swap Pro Table Lamp
LD1030R3 Rust



Swap Pro Mini Table Lamp
LD1031B3 White




Swap Pro Mini Table Lamp
LD1031R3 Rust



Swap Pro Mini Table Lamp
LD103103 Glossy Gold



Table Lamp



Technical data

LED TOUCH DIMMER

2200-2700-3000 K | CRI>90
141-168-192 lm | 2 W | IP65
5 V max 2A



Powder-coated die-cast aluminum body

Satin polycarbonate diffuser


Suitable for outdoor use (IP65 Rated)

Battery lasts about 13 h at full power


Charging time approximately 3 h

Rechargeable and replaceable Lithium-Ion battery pack

ETL Listing Pending



3.9" x 11.4"



2.9"

Accessories included

Contact charging base
Plug not included

Finishes



LD1030B3
White



LD1030D3
Black



LD1030R3
Rust



LD103003*
Glossy Gold

NEW



LD1030MG3
Matte Gold

NEW




LD1030W3
Bronze

NEW

*Glossy Gold not suitable for outdoor use.

Swap

Mini Table Lamp




Technical data

LED TOUCH DIMMER


2200-2700-3000 K | CRI>90
141-168-192 lm | 2 W | IP65
5 V max 2A



- Powder-coated die-cast aluminum body
- Satin polycarbonate diffuser
- Suitable for outdoor use (IP65 Rated)
- Battery lasts about 13 h at full power
- Charging time approximately 3 h
- Rechargeable and replaceable Lithium-Ion battery pack
- ETL Listing Pending



3.9" x 5.8"



2.9"

Components included

Contact charging base
Plug not included

Finishes



LD1031R3
Rust



LD1031D3
Black



LD1031B3
White



LD103103*
Glossy Gold



LD1031C3*
Glossy Chrome



LD1031MG3
Matte Gold

NEW



LD1031W3
Bronze

NEW

*Glossy Gold and Glossy Chrome finishes not suitable for outdoor use.

Sister Light Wi-Fi^{PRO}

NEW

Sister Light Wi-Fi is the second generation of the Sister collection of cordless, rechargeable battery-operated lamps. All models can be controlled by Wi-Fi using the brand new Zafferano Lighting mobile app, available on both Android and iOS. The collection includes four models: table lamp (two heights), wall lamp, and garden lamp. Features include 4-step touch dimming (100%, 60%, 30% and 6%) and 4-CCT color temperature selection for 2200K (candlelight), 2700K (warm white), 3000K (cool white), and 4000K (bright white). The collection has an IP65 rating for both indoor and outdoor use; they are salt spray resistant (1500 h). The Sister Light Wi-Fi collection introduces three new finishes to the Zafferano catalog: Pearl White, Pearl Black, and Ivory. The Sister Table and Mini lamps charge from the base, while the wall and garden lamps charge by easily unscrewing the head and placing it on the contact charging base. The integrated LED module is designed to produce controlled down light.



LD1081D3 Sister Light Wi-Fi Mini Table Lamp, Pearl Black






With the integration of Wi-Fi technology, our Sister Wi-Fi cordless lamps have entered a new dimension. In addition to remote on/off control, the app allows you to group lamps together and control them as one. The app can also monitor battery life, set the light intensity and color temperature across a spectrum (as opposed to step control), and disable the touch button so that diners aren't able to adjust the lamp. New features and enhancements are automatically added with each update.



The Zafferano app allows you to remotely control your lamp with the following features:

- Group lamps for all-at-once control
- Dimmable from 1% to 100% brightness and pre-set custom brightness levels
- Tunable color temperature (2200K-4000K) and pre-set custom color temperature levels
- Disable touch control
- Battery monitoring
- Set on/off timer
- Night light activation
- Eco Mode activation






Sister Light Wi-Fi^{PRO}

Table Lamp

NEW



Technical data

LED TOUCH DIMMER

2200-2700-3000-4000 K | CRI>90
250-275-296-338 lm | 3.2 W | IP65
5 V max 2A



Brushed anodized (Gold, Copper, Green) or painted aluminum body (Pearl White, Pearl Black, Ivory)

Prismatic polycarbonate diffuser

Suitable for outdoor use (IP65 Rated)


Impact resistance (IK07) and salt spray resistance (1500h)

Battery lasts 8-36 hours depending on brightness level


Charging time approximately 5 h

Rechargeable and replaceable Lithium-Ion battery pack


Remotely upgradable device firmware



5.2" x 13"



4.4"



2.9"

Components included

Contact charging base
Plug not included

Finishes



LD1080B3
Pearl White



LD1080D3
Pearl Black



LD1080I3
Ivory



LD1080V3
Anodized Green



LD1080R3
Anodized Copper




LD1080O3
Anodized Gold

Sister Light Wi-Fi^{PRO}

Mini Table Lamp

NEW



Technical Data

LED TOUCH DIMMER

2200-2700-3000-4000 K | CRI>90
250-275-296-338 lm | 3.2 W | IP65
5 V max 2A



Brushed anodized (Gold, Copper, Green) or painted aluminum body (Pearl White, Pearl Black, Ivory)

Prismatic polycarbonate diffuser

Suitable for outdoor use (IP65 Rated)


Impact resistance (IK07) and salt spray resistance (1500h)

Battery lasts 8-36 hours depending on brightness level


Charging time approximately 5 h

Rechargeable and replaceable Lithium-Ion battery pack

Remotely upgradable device firmware



5.2" x 6.7"



2.9"

Components included

Contact charging base
Contact charging base adapter
Plug not included

Finishes



LD1081B3
Pearl White



LD1081D3
Pearl Black



LD1081I3
Ivory



LD1081V3
Anodized Green



LD1081R3
Anodized Copper




LD1081O3
Anodized Gold

Sister Light Wi-Fi^{PRO}

Lamp with Garden Stake

NEW



LED TOUCH DIMMER

2200-2700-3000-4000 K | CRI>90
250-275-296-338 lm | 3.2 W | IP65
5 V max 2A



Brushed anodized (Gold, Copper, Green) or painted aluminum body (Pearl White, Pearl Black, Ivory)

Prismatic polycarbonate diffuser

Suitable for outdoor use (IP65 Rated)


Impact resistance (IK07) and salt spray resistance (1500h)

Battery lasts 8-36 hours depending on brightness level

Charging time approximately 5 h

Rechargeable and replaceable Lithium-Ion battery pack

Remotely upgradable device firmware



Components included

Contact charging base
Stem (2 pcs.)
Plug not included

Finishes



LD1083B3
Pearl White



LD1083D3
Pearl Black



LD1083I3
Ivory



LD1083V3
Anodized Green



LD1083R3
Anodized Copper




LD1083O3
Anodized Gold

Sister Light Wi-Fi^{PRO}

Wall Lamp

NEW



LED TOUCH DIMMER

2200-2700-3000-4000 K | CRI>90
250-275-296-338 lm | 3.2 W | IP65
5 V max 2A



Brushed anodized (Gold, Copper, Green) or painted aluminum body (Pearl White, Pearl Black, Ivory)

Prismatic polycarbonate diffuser

Suitable for outdoor use (IP65 Rated)


Impact resistance (IK07) and salt spray resistance (1500h)

Battery lasts 8-36 hours depending on brightness level


Charging time approximately 5 h

Rechargeable and replaceable Lithium-Ion battery pack

Remotely upgradable device firmware



7.1" x 5.2" x 3.9"



2.9"

Components included

Contact charging base
Plug not included

Finishes



LD1082B3
Pearl White



LD1082D3
Pearl Black



LD1082I3
Ivory



LD1082V3
Anodized Green



LD1082R3
Anodized Copper



LD1082O3
Anodized Gold



SUPER O

Super O

NEW

Design by Studio Kairos

Super O is a modular lighting system comprised of five innovative models: table, floor (three variants), ceiling-suspended floor (three variants), wall (two variants), and suspension lamps. Each style utilizes the same cordless, rechargeable LED lighting module, which is attached to the lamp frame via a powerful magnet. The round, versatile module provides 360-rotation, indoor/outdoor use, four step touch dimming (100%, 60%, 30%, 6%), and and 3-CCT color temperature selection for (2200K/3150K/4000K). Each module can be easily removed from the frame and conveniently recharged via contact charging base. The collection provides the opportunity to install stylish, sleek, overhead and vertical lighting anywhere without the hassle of expensive electrical work. Additional modules and attachment accessories are available for purchase.





Super O Table Lamp
LD1152B3 White




Super O Floor Lamp (3 Lighting Modules)
LD1156B3 White



Super O Suspended Floor Lamp (1 Lighting Module)
LD1157N3 Black



Super O Wall Lamp (Short)
LD1150N3 Black




Super O Suspension Lamp
LD1153B3 White



Super O Floor Lamp (Detail)
LD1155N3 Black

Super O^{PRO}

Table Lamp




Technical data

LED TOUCH DIMMER

2700-3150-4000 K | CRI>90
287-331-336 lm | 3.5 W | IP65
5 V max 2A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use
- Four-step Touch Dimming (100%, 60%, 30%, 6%)
- Battery lasts about 11 h
- Charging time approximately 5 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charger
Plug not included

Finishes



LD1152B3
White




LD1152N3
Black



Super O Table Lamp
LD1152N3 Black

Super O^{PRO}

Floor Lamp




Technical data

LED TOUCH DIMMER

2700-3150-4000 K | CRI>90
287-331-336 lm | 3.5 W | IP65
5 V max 2A




- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use
- Four-step Touch Dimming (100%, 60%, 30%, 6%)
- Battery lasts about 11 h
- Charging time approximately 5 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact chargers
Plug not included

Finishes



White

1 Lighting module
LD1154B3

2 Lighting modules
LD1155B3

3 Lighting modules
LD1156B3

Black


1 Lighting module
LD1154N3

2 Lighting modules
LD1155N3

3 Lighting modules
LD1156N3

Super O^{PRO}


Suspended Floor-Lamp



Technical data


LED TOUCH DIMMER

2700-3150-4000 K | CRI>90
287-331-336 lm | 3.5 W | IP65
5 V max 2A



9.7" x 196.9" x 4.9"

1.2" x 0.4"




- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use
- Four-step Touch Dimming (100%, 60%, 30%, 6%)
- Battery lasts about 11 h
- Charging time approximately 5 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

- Contact chargers
- Dark gray cable
- Red cable
- Floor counterweight
- Counterweight for lighting module
- Plug not included

Finishes



White

Black

1 Lighting module
LD1157B3

1 Lighting module
LD1157N3

2 Lighting modules
LD1158B3


2 Lighting modules
LD1158N3

3 Lighting modules
LD1159B3

3 Lighting modules
LD1159N3

Super O^{PRO}

Suspension Lamp




Technical data

LED TOUCH DIMMER

2700-3150-4000 K | CRI>90
2x 287-331-336 lm | 2x 3.5 W | IP65
5 V max 2A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use
- Four-step Touch Dimming (100%, 60%, 30%, 6%)
- Battery lasts about 11 h
- Charging time approximately 5 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact chargers
Plug not included

Finishes



LD1153B3
White


LD1153N3
Black



Super O Suspension Lamp
LD1153N3 Black

Super O^{PRO}

Wall Lamp




Technical data

LED TOUCH DIMMER

2700-3150-4000 K | CRI>90
287-331-336 lm | 3.5 W | IP65
5 V max 2A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use
- Four-step Touch Dimming (100%, 60%, 30%, 6%)
- Battery lasts about 11 h
- Charging time approximately 5 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charger
Plug not included

Finishes



LD1151B3
White




LD1151N3
Black



Super O Wall Lamp (Long)
LD1151N3 Black

Super O^{PRO}

Spotlight




Technical data

LED TOUCH DIMMER

2700-3150-4000 K | CRI>90
287-331-336 lm | 3.5 W | IP65
5 V max 2A



- Powder-coated die-cast aluminum body
- Prismatic polycarbonate diffuser
- Suitable for outdoor use
- Four-step Touch Dimming (100%, 60%, 30%, 6%)
- Battery lasts about 11 h
- Charging time approximately 5 h
- Rechargeable and replaceable Lithium-Ion battery pack



Components included

Contact charger
Plug not included

Finishes



LD1150B3
White



LD1150N3
Black



SOLAR

Solar Home

NEW

Solar Home is a solar-powered variation on our popular Home Pro cordless table lamp. It is available in two sizes, regular (20”) and L (40”). Solar home lamps are battery powered and fitted with a solar panel, dusk and motion sensors, and a stake for easy ground installation. When the dusk sensor detects an ambient brightness of less than 150 Lux, the lamp switches on 50% of its full brightness. A motion sensor activates the lamps at full power when movement is detected. The die-cast, aluminum frame is available in two powder-coated finishes: dark gray and rust.

BOLLARD / STABILIZING BASE




LINK TO VIDEO



Solar Home L
LD0257G3 Dark Gray

Solar Home

Bollard




Technical data


LED
3,7 V | 3000 K | CRI>84 | 2.2W
415 lm | beam angle 50°
IP54



- Fitted with dusk and motion sensors
- Powder-coated die-cast aluminum body
- Polycarbonate diffuser
- Work time : Full power 5-6h; energy saving 14-18h
- Charging time approximately: 6-8 h (in full sun)
- Turns on automatically at dusk, cannot be switched on manually



5.5 x 5.5 x 19.7"



5.5 x 5.5 x 39.4"

Components included

Stainless Steel Spike



Finishes



LD0256R3
Rust



LD0256G3
Dark Gray



LD0257R3
Rust



LD0257G3
Dark Gray

Solar Home

Stabilizing base



Technical data



Finishes




LD0255R3
Rust



LD0255G3
Dark Gray

Powder-coated die-cast aluminum



6.3 x 6.3 x 0.3"



Accessory to stabilize the lamp without anchoring to the ground



LD0256G3 Solar Home, Dark Gray

Solar Bollard, Wall, & Spotlight

NEW

A collection of three solar lamps in die-cast aluminum, powder-coated in dark gray with polycarbonate diffusers. The solar powered lamps are equipped with a solar panel that charges the battery and have a high IP rating (IP54 for the wall lamp and bollard; IP65 for the adjustable spotlight). The Solar Bollard has two sensors for dusk and motion. The dusk sensor activates the lamp when ambient lighting is less than 150 Lux. The motion sensor switches the lamp to full power when movement is detected for 1 minute then returns the light intensity to 10%. The motion sensor can be disabled, in which case the lamp always emits 50% of the luminous flux.



LINK TO VIDEO




Solar Bollard



LED 2.2W • 327lm • Beam Angle 68° • 1-CCT (3000K) • CRI>80 • DC 3.7V • IP54 Rated

CE IP54

Battery charge: 6-8 hours of direct sunlight
Full light 100% 5/6 H. 50% 9-10 H. Microlight 30% 14-18 H.
Dusk sensor that activates the lamp in “energy saving” mode (30 lm, 0.33 W)
Motion sensor that activates the full power mode when movement is detected (the light returns to energy saving mode after 60”)
Die-cast aluminum with polycarbonate diffuser
Lamp can be fixed to either hard or soft ground with included aluminum stake





LD0402G3
Dark Gray



Solar Wall

LED 2.2W • 327lm • Beam Angle 107° • 1-CCT (3000K) • CRI>80 • DC 3.7V • IP54 Rated

Replaceable Solar powered battery
Full light 100% 5/6 H. Microlight 30% 14-18 H.
Dusk sensor that activates the lamp in “energy saving” mode (30 lm, 0.33 W)
Motion sensor that activates the full power mode when movement is detected (the light returns to energy saving mode after 60 seconds)
Die-cast aluminum, painted in dark grey, with polycarbonate diffuser
Battery charge: 6-8 hours of direct sunlight




LD0400G3
Dark Gray

Solar Spot Light

LED 1.3W • 102lm • Beam Angle 28° • 1-CCT (3000K) • CRI>80 • DC 3.7V • IP65 Rated

Replaceable solar powered battery
Full light 100% 7 H.
Dusk sensor that activates the lamp in “energy saving” mode (30 lm, 0.33 W)
Die-cast aluminum, painted in dark grey, with polycarbonate diffuser
Battery charge: 6-8 hours of direct sunlight
Ground stake included



LD0404G3
Dark Gray

Contact charging bases and chargers



Sister Light Wi-Fi collection
Contact charging base
LD1080RB



Sister Light Wi-Fi table lamp
Charging base adapter
LD1080BS



Poldina, Poldina mini
Contact charging base
LD0350RB



Poldina micro
Contact charging base
LD0490RB



Poldina L Desk
Contact charging base
LD0395RB



Poldina L Floor
Contact charging base
LD0390RB



Poldina XXL Floor
Contact charging base
LD0360RB



Poldina lamp with Garden,
Poldina magnetic suspension
lamp, Poldina wall lamp
Contact charging base
LD0688RB



Poldina Stopper
Contact charging base
LD0349RB




Amelie collection
Contact charging base
LD1090RB




Theta
Contact charging base
LD1000RB



Crystal
Contact charging base
LD0720RB



Pina
Contact charging base
LD0650RB



Swap collection
Contact charging base
LD1030RB



Ofelia
Contact charging base
LD0870RB



Ofelia micro
Contact charging base
LD1880RB



Olivia, Olivia mini
Contact charging base
LD0850RB



Olivia micro
Contact charging base
LD1840RB



Push-up
Contact charging base
LD1050RB



Home
Contact charging base
LD0258RB



Super O collection
Contact charging base
LD1060RB



Pina L Desk
Contact charging base
LD2660RB



Pina XXL Floor
Contact charging base
LD2670RB



Angelina
Contact charging base
LD1210RB



Damina
Contact charging base
LD1600RB

Accessories and spare parts



Poldina Garden
Additional stem extension
LD0283B3 White
LD0283R3 Rust
LD0283N3 Dark Gray




Home Solar
Stabilizing base
LD0255R3 Rust
LD0255G3 Dark Gray



Super O
Additional lighting module

LD1060B3 White
LD1060N3 Black



Super O
Counterweight for additional
light module

LD1063B3 White
LD1063N3 Black




Super O
Universal support for additional
light module

LD1062B3 White
LD1062N3 Black

LD0350RP

6-Lamp Multi-Contact Charging Platform



Sister Light Wi-Fi, Poldina, Poldina Mini, Pina, Swap, Swap Mini, Push-up, Home, Crystal, Damina, Angelina




14.6" x 20"x 2.3"

30W
INPUT: AC 100-240V | 50-60Hz
OUTPUT: 5 V max 6A

Modular up to 10 decks (60 lamps) charging base: it can be connected in sequence to simultaneously charge multiple sets of lamps. Particularly suitable for professional use.




Modular up to 10 platforms



LD0490RP

12-Lamp Multi-Contact Charging Platform



Poldina Micro only




14.6" x 20"x 2.3"

60W
INPUT: AC 100-240V | 50-60Hz
OUTPUT: 5 V max 12A

Modular up to 5 decks (60 lamps) charging base: it can be connected in sequence to simultaneously charge multiple sets of lamps. Particularly suitable for professional use.




Modular up to 5 platforms



LD0870RP

6-Lamp Multi-Contact Charging Platform


Amelie, Theta, Olivia, Olivia Mini, Olivia Micro, Ofelia, Ofelia Micro




11.4" x 18.5"x 1.5"

45W
INPUT: AC 100-240V | 50-60Hz
OUTPUT: 9 V max 5A

Modular multi-contact (max 6 slots) charging base: it can be stacked (up to max 3 levels) to simultaneously charge multiple sets of lamps. Particularly suitable for professional use.





Stackable up to 3 levels.



LD0650RP

12-Lamp Multi-Contact Charging Platform
for Pina, Swap, Swap Mini, Home, and fits up to 8 Poldina Pro or Poldina Mini






12.9" x 20" x 2.3"


max. 60W
OUTPUT: 5Vdc max. 12A (12 pcs)
12.9" x 20" x 2.3"


Modular up to 5 decks (60 lamps) charging base: it can be connected in sequence to simultaneously charge multiple sets of lamps. Particularly suitable for professional use.



LD0340RA-12

12-Lamp USB-A Charging Hub






12,7 x 15,2 x 3,3 cm
5" x 6" x 1,3"

150W
INPUT: AC 100-240V | 50-60Hz
OUTPUT: 5 V - max 2,4A (12 pcs.)

USB multi-port charger (12 x USB-A). Can charge of up to 12 devices simultaneously. Particularly suitable for professional use.

LD0340TR

Trolley for Multiple Charging Platforms



LD0340TR
Chrome Finish

2 platforms per level
up to 6 charging platforms
and 72 lamps total

24.2 x 34.1 x 43.3 inches
61.5 x 86.7 x 110 cm

Assembly Required

Rechargeable batteries

All rechargeable batteries are subject to wear and end of life when used over time.

The life of our batteries is generally 450 charges. This may be reduced by certain factors:

- 1. Incorrect charging mode (the lamp must be charged when battery is low: about 10% battery life).
- 2. When lamp is unused for a long period of time.
- 3. When lamp is on live charging base after lamp is fully charged
- 4. When lamps are exposed to very high or very low temperatures.

These rules apply when using original or replacement Zafferano battery packs. Only use genuine Zafferano replacement battery packs. The use of any other rechargeable batteries voids the warranty.

When the lamps no longer hold a charge, the batteries must be replaced. Replacement batteries can be ordered by their specific item number on the adjoining page.

BAT04701906701900

Single replacement battery pack (x1 pc. needed for **Home Solar**; x2 pcs. needed for **Pina, Push-up, Home**; x3 pcs. needed for **Poldina L desk table lamp, Poldina L floor-table lamp**)

3,7V | 2200mA/H



BAT04701906701902

Single replacement battery pack (2 pcs. needed for **Swap table lamp, Swap mini table lamp**)

3,7V | 2600mA/H



BAT04709003005000

Duble replacement battery pack (1 pc. needed for **Olivia micro table lamp, Ofelia micro table lamp**)

3,7V | 3000mA/H



BAT04703706701900

Double replacement battery pack (1 pc. needed for **Poldina table lamp, Poldina mini table lamp, Poldina lamp with Garden, Poldina suspension lamp, Poldina wall lamp, Poldina Upside Down, Poldina Stopper, Theta, Amelie, Olivia table lamp, Olivia mini table lamp, Ofelia table lamp, Dama, Olimpia**; 3 pcs. needed for **Poldina XXL floor-table lamp**)

3,7V | 4400mA/H



BAT04703706701901

Duble replacement battery pack (2 pcs. needed for **Super O**)

3,7V | 5000mA/H



BAT04704004001000

Single replacement battery pack (1 pc. needed for **Poldina micro table lamp**)

3,7V | 1900mA/H



BAT04705506701900

Triple replacement battery pack (x 1 pc. needed for **Sister Light Wi-Fi**)


3,7V | 7500mA/H



Tutorial video:
battery replacement

Customization

Give your cordless lamps an extra touch of personality. Zafferano now offers the opportunity to design your very own custom graphic shades for the Poldina Pro. Created with cutting-edge printing technology, these shades make perfect gifts or branding opportunities. Minimum order of 20 shades per design.



Index by Lamp

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
Amelie Pro	92	LD0258N3		LD0860SB4		LD0340R4		LD0395N4	
LD1090B3		LD0258R3		LD0860V4		LD0340S4		LD0395R4	
LD1090D3		LD0258S3		LD0860Y4		LD0340U4		LD0395S4	
LD1090T3		LD0258Y3		LD0860Z4		LD0340X4		Poldina L Floor	38
LD1090V3		Ofelia	142	Olivia Micro	136	LD0340Y4		LD0390B4	
Amelie Floor	94	LD0870AN4		LD1840B3		LD0340Z4		LD0390R4	
LD1091B3		LD0870B4		LD1840N3		Poldina Lido	26	LD0390N4	
LD1091D3		LD0870BC4		LD1840R3		LD0340BC1		LD0390S4	
LD1091T3		LD0870E4		LD1840S3		LD0340BC2		LD0390D4	
LD1091V3		LD0870G4		Pina	78	LD0340BC3		Poldina XXL Floor	40
Amelie Garden	96	LD0870N4		LD0650B4		LD0340FC1		LD0360B3	
LD1092B3		LD0870R4		LD0650BFA		LD0340AC1		LD0360D3	
LD1092D3		LD0870S4		LD0650BFO		Poldina Mini	28	LD0360N3	
LD1092T3		LD0870SB4		LD0650C4		LD0320B4		LD0360R3	
LD1092V3		LD0870Y4		LD0650D4		LD0320BFA		LD0360S3	
Amelie Suspension	98	Ofelia Micro	144	LD0650G4		LD0320BFO		Poldina Garden	42
LD1094B3		LD1880B3		LD0650N4		LD0320C4		LD0682B4	
LD1094D3		LD1880G3		LD0650O4		LD0320D4		LD0682N4	
LD1094T3		LD1880N3		LD0650R4		LD0320G4		LD0682R4	
LD1094V3		LD1880R3		LD0650S4		LD0320N4		Garden Extension	44
Amelie Wall	100	LD1880S3		Pina L Desk	80	LD0320O4		LD0283B3	
LD1096B3		Olivia	132	LD2660B3		LD0320R4		LD0283R3	
LD1096D3		LD0850AN4		LD2660O3		LD0320S4		LD0283N3	
LD1096T3		LD0850B4		LD2660T3		LD0320Y4		Suspension Magnetic	44
LD1096V3		LD0850BC4		LD2660W3		LD0320Z4		LD0686B4	
Angelina	112	LD0850D4		Pina XXL Floor	82	Poldina Micro	32	LD0686N4	
LD1210B3		LD0850E4		LD2670B3		LD0490B3		LD0686R4	
LD1210D3		LD0850G4		LD2670O3		LD0490C3		Wall Magnetic	46
LD1210F3		LD0850N4		LD2670T3		LD0490D3		LD0688B4	
LD1210Y3		LD0850R4		LD2670W3		LD0490F3		LD0688N4	
Damina	116	LD0850SB4		Poldina	22	LD0490G3		LD0688R4	
LD1600B3		LD0850Y4		LD0340A4		LD0490K3		Magnetic Hook + Ring	46
LD1600D3		Olivia Mini	134	LD0340AN4		LD0490L3		LD0689B4	
LD1600F3		LD0860AN4		LD0340B4		LD0490N3		LD0689N4	
LD1600Y3		LD0860B4		LD0340BFA		LD0490O3		LD0689R4	
Crystal	146	LD0860BC4		LD0340BFO		LD0490P3		Pushup	102
LD0720B3		LD0860E4		LD0340C4		LD0490R3		LD1050B3	
LD0720N3		LD0860G4		LD0340D4		LD0490S3		LD1050N3	
LD0720R3		LD0860K4		LD0340F4		LD0490V3		LD1050R3	
Home	108	LD0860L4		LD0340G4		LD0490Y3		LD1050S3	
LD0258AN3		LD0860N4		LD0340M4		LD0490Z3		LD1050G3	
LD0258B3		LD0860R4		LD0340N4		Poldina L Desk	36		
LD0258D3				LD0340O4		LD0395B4			
LD0258G3				LD0340P4		LD0395D4			

Index by Lamp





CODE	PAGE
Super O Suspended	180
LD1157B3	
LD1157N3	
LD1158B3	
LD1158N3	
LD1159B3	
LD1159N3	
LD1030R3	
Swap	184
LD1030B3	
LD1030D3	
LD1030O3	
LD1030R3	
LD1030MG3	
LD1030W3	
Swap Mini	186
LD1031B3	
LD1031C3	
LD1031D3	
LD1031O3	
LD1031R3	
LD1031MG3	
LD1031W3	
Theta	122
LD1000B3	
LD1000C3	
LD1000D3	
LD1000E3	
LD1000O3	
LD1000R3	
Poldina Lido Shades	48
SDZA-340-AC1	
SDZA-340-BC1	
SDZA-340-BC2	
SDZA-340-BC3	
SDZA-340-BLACK	
SDZA-340-FC1	
SDZA-340-GRAY	
SDZA-340-LIGHTBLUE	
SDZA-340-PINK	
SDZA-340-SAGE	
SDZA-340-SAND	

CODE	PAGE
Poldina Micro Lido Shades	52
SDZA-490-BLACK	
SDZA-490-GRAY	
SDZA-490-GREEN	
SDZA-490-LIGHTBLUE	
SDZA-490-LILAC	
SDZA-490-ORANGE	
SDZA-490-PINK	
SDZA-490-RED	
SDZA-490-SAGE	
SDZA-490-SAND	
SDZA-490-YELLOW	
Poldina Stopper	66
LD0349A3	
LD0349B3	
LD0349D3	
LD0349F3	
LD0349G3	
LD0349S3	
Lido Bottle	66
FAS1501	
FAS1502	
FAS1505	
FAS1507	
FAS1508	
PUN1501	
PUN1502	
PUN1505	
PUN1507	
PUN1508	
RIG1501	
RIG1502	
RIG1505	
RIG1507	
RIG1508	

CODE	PAGE
Poldina Graphic Shades	54
LD035108	
LD035115	
LD035116	
LD035117	
LD035118	
LD035119	
LD035120	
LD035121	
LD035122	
LD035123	
LD035142	
LD035143	
Poldina Wicker Shades	58
SDMM-340-ESG	
SDMM-340-EWH	
SDMM-340-SWH	
SDMM-360-ESG	
SDMM-360-EWH	
SDMM-360-SWH	
SDMM-390-ESG	
SDMM-390-EWH	
SDMM-390-SWH	
Fermoie x Zafferano	62
5PP-022	
5PP-036	
5PP-067	
5PP-024	
5PP-062	
5PP-078	
5PP-082	
5PP-080	
5PP-084	
5PP-081	
Solar Home	188
LD0256G3	
LD0256R3	
Solar Home L	188
LD0257G3	
LD0257R3	

CODE	PAGE
Solar Home Base	190
LD0255G3	
LD0255R3	
Solar Bollard	194
LD0402G3	
Solar Wall	195
LD0400G3	
Solar Spotlight	195
LD0404G3	
Charging Accessories	198
LD1080RB	
LD1080BS	
LD0350RB	
LD0490RB	
LD0395RB	
LD0390RB	
LD0360RB	
LD0688RB	
LD0349RB	
LD1090RB	
LD1000RB	
LD0720RB	
LD0650RB	
LD1030RB	
LD0870RB	
LD1880RB	
LD0850RB	
LD1840RB	
LD1050RB	
LD0900RB	
LD0258RB	
LD01060RB	
LD2660RB	

CODE	PAGE
Charging Carpets	
LD2670RB	
LD1210RB	
LD1600RB	
Accessories	198
LD0283B3	
LD0283R3	
LD0283N3	
LD0255R3	
LD0255G3	
LD1060B3	
LD1060N3	
LD1063B3	
LD1063N3	
LD1062B3	
LD1062N3	
Charging Carpets	200
LD0350RP	
LD0490RP	
LD0870RP	
LD0650RP	
LD0340RA-12	
LD0340TR	
Replacement Batteries	205
BAT04701906701900	
BAT04701906701902	
BAT04709003005000	
BAT04703706701900	
BAT04704004001000	
BAT04705506701900	
BAT04704004001000	

			
CE Declares that the product meets EU standards for health, safety, and environmental protection.	CLASS II Light fitting equipped with double isolation and/or isolation reinforced in every part and without earthing device.	CLASS III Light fitting based on a very low safety voltage power supply, in which no tensions higher than the same are produced.	IP PROTECTION DEGREE IP20: protected from the penetration of solid objects greater than 12 mm and non protected from liquids. IP54: protected from dust and splashing water. IP65: highly protected from dust and water jets.

	
DIMMABLE Indicates that the light intensity of the lamp can be adjusted.	ETL LISTED Certifies that products are electrically safe.

Headquarters Zafferano America LLC 301 Penhorn Avenue Suite 5, Secaucus, NJ 07094 orders@zafferanoamerica.com zafferanoamerica.com	Stores Zafferano Store New York 121 Varick Street New York, NY 10013 (USA) Zafferano Store Milano Via Fatebenefratelli, 23 Milan (Italy) Zafferano Store Treviso Viale dell'Industria, 26 Quinto di Treviso (Italy)	Art Direction, Graphic Design Zafferano America Photography Zaff Design Digital Snack Alberto Sinigaglia Quasar Alex Kroke	The company reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. The product is covered by a warranty, according to the law.
Zafferano SRL Viale dell'Industria, 26 31055 Quinto de Treviso (Italy) T +39 0422 470344 info@zafferanoitalia.com zafferanoitalia.com	Zafferano Store São Paulo Shopping Cidade Jardim Av. Magalhães de Castro 12000 Morumbi, São Paolo – SP 05676-120 (Brazil)	© Copyright Zafferano America	
Zafferano Design Brazil Rua Butanta 500, Cjt 62, São Paulo, SP, 05424-000 (Brazil) T (11) 99934 1701 info@zaffdesign.com.brazil zaffdesign.com.br	Zafferano Store São Paulo Morumbi Shopping Avenida Roque Petroni Júnior 1089 São Paolo, SP- 04707-900 (Brazil)		

888-744-5277
zafferanoamerica.com
orders@zaffernoamerica.com